

Manufacturer	Model	System	Ecu name	Ecu name	Feature	Feature ID	Detail
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"ECU Information'	"5'	"Software version'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"ECU Information'	"6'	"Software index'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"1'	"Actual + for accessories (+ACC)'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"2'	"Ignition +15'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"3'	"Economy mode'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"4'	"Ultrasonic supply'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"5'	"Supply to window/sunroof'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"6'	"Customer mode'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"7'	"Engine running output'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"8'	"Relay feedback, engine controller'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"9'	"Battery voltage'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"10'	"Alternator voltage'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"11'	"Supply, VAN comfort'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"12'	"Triggering request by DATAB'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"13'	"Comfort network, low priority activated'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"14'	"Inhibition of triggering by the DATAB wire, comfort VAN network'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"15'	"Engine vibration'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"16'	"Control of AC compressor'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"17'	"Air conditioning authorisation'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"18'	"A/C-compressor cutoff'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"19'	"A/C requested'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"20'	"Evaporator, air conditioning'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"21'	"Refrigeration fluid pressure safety circuit'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"22'	"Coolant safety circuit'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"23'	"Evaporator icing safety circuit'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"24'	"Information reverse'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"25'	"Control of right flashers'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"26'	"Right direction indicator'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"27'	"Control of left flashers'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"28'	"Left direction indicator'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"29'	"Lighting of hazard flashers button'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"30'	"Hazard warning flashers'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"31'	"Interior lighting'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"32'	"Switch, interior lighting'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"33'	"Parking lights'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"34'	"Alarm: passenger compartment sensor disabling'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"35'	"Alarm from passenger compartment monitoring'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"36'	"Triggering of alarm'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"37'	"Alarm signal request'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"38'	"Siren'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"39'	"Siren powersupply'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"40'	"Siren cancellation received'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"41'	"Remote key 1'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"42'	"Remote key 2'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"43'	"Remote key 3'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"44'	"Remote key 4'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"45'	"Remote key 5'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"46'	"Non-synchronised remote control'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"47'	"Programmed keys'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"48'	"Programmed remote control'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"49'	"Number of commands learned in remote control'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"50'	"Active key'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"51'	"Ecu locked'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"52'	"Access code learnt'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"53'	"Key programming configuration'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"54'	"Transponder communication'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"55'	"BSI control unit'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"56'	"Bonnet open'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"57'	"Boot lid'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"58'	"Right rear door'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"59'	"Left rear door'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"60'	"Right front door'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"61'	"Left front door'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"62'	"Control, locking'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"63'	"Control, unlocking'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"64'	"Locks deadlocking control'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"65'	"Locks deadlocking control'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"66'	"Deadlock'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"67'	"Vehicle status'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"68'	"Locked with key'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"69'	"Locked with remote control'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"70'	"Locked with button'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"71'	"Unlocked with key'
"Citroën'	"Berlingo l'	"Body Control Module'	"BSI - Valeo'	"	"Live Parameters'	"72'	"Unlocked with remote controller'

"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Live Parameters'	"73'	"Unlocked with button'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Live Parameters'	"74'	"Unlocking front right door'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Live Parameters'	"75'	"Unlocking front left door'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Live Parameters'	"76'	"Lock protection'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Live Parameters'	"77'	"Impact detection'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Live Parameters'	"78'	"Vehicle speed'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Live Parameters'	"79'	"Engine speed'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Live Parameters'	"80'	"Outside temperature'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Live Parameters'	"81'	"Coolant temperature'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Live Parameters'	"82'	"Water temperature warning lamp'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Live Parameters'	"83'	"Check engine lamp'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Live Parameters'	"84'	"Preheater light'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Live Parameters'	"85'	"Min fuel level lamp'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Live Parameters'	"86'	"Total distance (km)'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Live Parameters'	"87'	"Hazard lights indication'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Live Parameters'	"88'	"Demister lamp'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Live Parameters'	"89'	"Low fuel level output'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Live Parameters'	"90'	"Rear screen wiper'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Live Parameters'	"91'	"Wipers, front, low speed control'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Live Parameters'	"92'	"Wipers, front, high speed control'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Live Parameters'	"93'	"Interval wiping'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Live Parameters'	"94'	"Wiper, rear, control of stopping'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Live Parameters'	"95'	"Wipers, front, control of stopping'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Live Parameters'	"96'	"Washer, rear, requested'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Live Parameters'	"97'	"Washers, front, requested'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Live Parameters'	"98'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Live Parameters'	"99'	"Front wipers low speed requested'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Live Parameters'	"100'	"Front wipers high speed requested'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Live Parameters'	"101'	"Rear wiper requested'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Live Parameters'	"102'	"Wipers, front, safety stop'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Live Parameters'	"103'	"Wiper, rear, safety stop'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Live Parameters'	"104'	"Defrosting requested'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Tests'	"1'	"Lighting of right flashers'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Tests'	"2'	"Lighting of left flashers'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Tests'	"3'	"Lighting of hazard flashers button'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Tests'	"4'	"Defrost button'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Tests'	"5'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Tests'	"6'	"Rear screen wiper'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Tests'	"7'	"Wipers, front, low speed control'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Tests'	"8'	"Wipers, front, high speed control'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Tests'	"9'	"AC compressor'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Tests'	"10'	"Locking'
"Citroën'	"Berlingo I'	"Body Control Module'	"BSI - Valeo'	""	"Tests'	"11'	"Unlock'
"Citroën'	"Berlingo I'	"Brake System'	"Bosch 5.0 / 5.3'	""	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Berlingo I'	"Brake System'	"Bosch 5.0 / 5.3'	""	"ECU Information'	"2'	"Bosch hardware number'
"Citroën'	"Berlingo I'	"Brake System'	"Bosch 5.0 / 5.3'	""	"Live Parameters'	"1'	"Wheel sensor LF'
"Citroën'	"Berlingo I'	"Brake System'	"Bosch 5.0 / 5.3'	""	"Live Parameters'	"2'	"Wheel sensor RF'
"Citroën'	"Berlingo I'	"Brake System'	"Bosch 5.0 / 5.3'	""	"Live Parameters'	"3'	"Wheel sensor LR'
"Citroën'	"Berlingo I'	"Brake System'	"Bosch 5.0 / 5.3'	""	"Live Parameters'	"4'	"Wheel sensor RR'
"Citroën'	"Berlingo I'	"Brake System'	"Bosch 5.0 / 5.3'	""	"Live Parameters'	"5'	"Safety circuit'
"Citroën'	"Berlingo I'	"Brake System'	"Bosch 5.0 / 5.3'	""	"Live Parameters'	"6'	"Brake pedal switch'
"Citroën'	"Berlingo I'	"Brake System'	"Bosch 5.3'	""	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Berlingo I'	"Brake System'	"Bosch 5.3'	""	"ECU Information'	"2'	"Bosch hardware number'
"Citroën'	"Berlingo I'	"Brake System'	"Bosch 5.3'	""	"Live Parameters'	"1'	"Wheel sensor LF'
"Citroën'	"Berlingo I'	"Brake System'	"Bosch 5.3'	""	"Live Parameters'	"2'	"Wheel sensor RF'
"Citroën'	"Berlingo I'	"Brake System'	"Bosch 5.3'	""	"Live Parameters'	"3'	"Wheel sensor LR'
"Citroën'	"Berlingo I'	"Brake System'	"Bosch 5.3'	""	"Live Parameters'	"4'	"Wheel sensor RR'
"Citroën'	"Berlingo I'	"Brake System'	"Bosch 5.3'	""	"Live Parameters'	"5'	"Safety circuit'
"Citroën'	"Berlingo I'	"Brake System'	"Bosch 5.3'	""	"Live Parameters'	"6'	"Brake pedal switch'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	""	"Live Parameters'	"1'	"Diagnostics indicator'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	""	"Live Parameters'	"2'	"Pedal position sensor'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	""	"Live Parameters'	"3'	"Pedal position sensor'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	""	"Live Parameters'	"4'	"Atmospheric pressure'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	""	"Live Parameters'	"5'	"Load pressure'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	""	"Live Parameters'	"6'	"Revolution signal'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	""	"Live Parameters'	"7'	"Battery voltage'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	""	"Live Parameters'	"8'	"Coolant temperature'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	""	"Live Parameters'	"9'	"Fuel temperature'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	""	"Live Parameters'	"10'	"Inlet air temperature'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	""	"Live Parameters'	"11'	" +15 signal'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	""	"Live Parameters'	"12'	"Road speed signal'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	""	"Live Parameters'	"13'	"Fuel pressure'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	""	"Live Parameters'	"14'	"Air mass meter'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	""	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	""	"ECU Information'	"2'	"Software number'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	""	"ECU Information'	"3'	"Supplier'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	""	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	""	"ECU Information'	"5'	"Software version'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	""	"Live Parameters'	"1'	"Control unit'

"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"2'	"Immobilisation status'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"3'	"Problems detected during transmission of unlocking code'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"4'	"Vehicle speed'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"5'	"Gear detected'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"6'	"Electric fan speed 1'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"7'	"Cooling fan, duty factor'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"8'	"Cooling fan speed request'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"9'	"Fuel temperature'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"10'	"Inlet air temperature'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"11'	"Atmospheric pressure'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"12'	"Accelerator pedal position'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"13'	"Battery voltage'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"14'	"Sensor power supply'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"15'	"Ignition +15'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"16'	"Relay, pre-/post-heating control'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"17'	"AC compressor'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"18'	"Brake pedal'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"19'	"Revolution signal'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"20'	"Camshaft position sensor'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"21'	"Fuel pressure'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"22'	"Fuel pressure regulator'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"23'	"Fuel flow regulator'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"24'	"Injection amount'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"25'	"Injection valves'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"26'	"Fuel quantity correction cylinder 1'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"27'	"Fuel quantity correction cylinder 2'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"28'	"Fuel quantity correction cylinder 3'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"29'	"Fuel quantity correction cylinder 4'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"30'	"EGR valve'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"31'	"Inlet port shut-off switchover valve'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"32'	"Pre injection timing'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"33'	"Main injection timing'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"34'	"Coolant temperature'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"35'	"Target air mass'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"36'	"Air mass measured'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"37'	"Injection time'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"38'	"Target fuel pressure'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Tests'	"1'	"Electric fan speed 1'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Tests'	"2'	"Electric fan speed 2'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Tests'	"3'	"Fuel pressure regulator'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Tests'	"4'	"Fuel flow regulator'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Tests'	"5'	"EGR valve'
"Citroën'	"Berlingo I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Tests'	"6'	"Main relay, supply circuit'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"ECU Information'	"1'	"Part number'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"ECU Information'	"3'	"Part version suffix'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"3'	"Injection timing adjustment'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"4'	"Engine load'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"5'	"Coolant temperature'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"6'	"Road speed signal'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"7'	"Revolution signal'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"8'	"Battery voltage'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"9'	"Engine load'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"10'	"Coolant temperature'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"11'	"Fan relay 2'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"12'	"Cooling fan'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"13'	"Cooling fan'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"14'	"Revolution signal'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"15'	"Battery voltage'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"16'	"Coolant temperature'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"17'	"Injection request'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"18'	"Injection actual'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"19'	"Accelerator pedal position sensor'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"20'	"Fuel quantity requested by pedal value sensor'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"21'	"Idling fuel quantity'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"22'	"Maximum fuel allow under current conditions'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"23'	"AC compressor'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"1'	"AC-relay'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"2'	"Glow pin relay coil'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"3'	"Solenoid valve, pre-injection'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"4'	"EGR valve'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"5'	"Cooling fan'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"6'	"Solenoid valve, damper (EGR)'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"7'	"Check engine lamp'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Berlingo I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"3'	"Ignition timing'

"Citroën'	"Berlingo l'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"4'	"Fuel quantity'
"Citroën'	"Berlingo l'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"5'	"Coolant temperature'
"Citroën'	"Berlingo l'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"6'	"Road speed signal'
"Citroën'	"Berlingo l'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"7'	"Revolution signal'
"Citroën'	"Berlingo l'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"8'	"Battery voltage'
"Citroën'	"Berlingo l'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"9'	"Fuel quantity'
"Citroën'	"Berlingo l'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"10'	"Coolant temperature'
"Citroën'	"Berlingo l'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"11'	"Cooling fan relay'
"Citroën'	"Berlingo l'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"12'	"Cooling fan'
"Citroën'	"Berlingo l'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"13'	"Cooling fan'
"Citroën'	"Berlingo l'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"14'	"Revolution signal'
"Citroën'	"Berlingo l'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"15'	"Battery voltage'
"Citroën'	"Berlingo l'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"16'	"Coolant temperature'
"Citroën'	"Berlingo l'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"17'	"Injection timing adjustment'
"Citroën'	"Berlingo l'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"18'	"Injection timing adjustment'
"Citroën'	"Berlingo l'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"19'	"Accelerator pedal position sensor'
"Citroën'	"Berlingo l'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"20'	"Revolution signal'
"Citroën'	"Berlingo l'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"21'	"Battery voltage'
"Citroën'	"Berlingo l'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"22'	"Fuel quantity'
"Citroën'	"Berlingo l'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"23'	"Fuel quantity'
"Citroën'	"Berlingo l'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"24'	"AC compressor'
"Citroën'	"Berlingo l'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"1'	"AC-relay'
"Citroën'	"Berlingo l'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"2'	"Glow pin relay coil'
"Citroën'	"Berlingo l'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"3'	"Solenoid valve, pre-injection'
"Citroën'	"Berlingo l'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"4'	"EGR valve'
"Citroën'	"Berlingo l'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"5'	"Cooling fan'
"Citroën'	"Berlingo l'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"6'	"Solenoid valve, damper (EGR)'
"Citroën'	"Berlingo l'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"7'	"Check engine lamp'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"3'	"Torque control'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"4'	"Injection time'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"5'	"Injection valve'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"6'	"Throttle opening'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"7'	"Throttle potentiometer'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"8'	"Coolant temperature'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"9'	"Inlet air temperature'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"10'	"Inlet manifold pressure'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"11'	"Stepper motor'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"12'	"Carbon filter solenoid valve'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"13'	"Ignition timing'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"14'	"Ignition coil'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"15'	"Ignition coil'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"16'	"Front lambda sensor'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"17'	"Rear lambda sensor'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"18'	"Front lambda sensor'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"19'	"Rear lambda sensor'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"20'	"Lambda regulation'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"21'	"Lambda regulation'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"22'	"Carbon filter solenoid valve'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"23'	"AC approved'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"24'	"AC order signal'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"25'	"Road speed signal'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"26'	"Cooling fan'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"27'	"Cooling fan'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"28'	"Cooling fan'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Tests'	"3'	"Injection valve 1'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Tests'	"4'	"Injection valve 2'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Tests'	"5'	"Injection valve 3'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Tests'	"6'	"Injection valve 4'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Tests'	"7'	"Fuel pump relay'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Tests'	"8'	"AC compressor'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Tests'	"9'	"RPM-gauge'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Tests'	"10'	"Stepper motor'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Tests'	"13'	"Carbon filter solenoid valve'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Tests'	"14'	"Check engine lamp'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"ECU Information'	"8'	"Part version suffix'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"1'	"Injection time'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"2'	"Throttle potentiometer'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"3'	"Throttle status'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"4'	"Coolant temperature'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"5'	"Inlet air temperature'

"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"6'	"Inlet manifold pressure'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"7'	"Stepper motor'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"8'	"Injection shut-off'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"9'	"Carbon filter solenoid valve'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"10'	"Ignition timing'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"11'	"Ignition coil 1'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"12'	"Ignition coil 2'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"13'	"Front lambda sensor'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"14'	"Rear lambda sensor'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"15'	"Fuelmixture'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"16'	"Revolution signal'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"17'	"Battery voltage'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"18'	"AC approved'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"19'	"Input, AC thermostat'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"20'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"21'	"Power relay'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"22'	"Road speed signal'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"23'	"Engine torque'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"24'	"Gear detected'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"25'	"Radiator fan relay'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"26'	"Blower speed'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"27'	"Cooling fan'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"1'	"Idle step engine'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"4'	"Fuel pump relay'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"5'	"Injection valve 1'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"6'	"Injection valve 2'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"7'	"Injection valve 3'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"8'	"Injection valve 4'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"9'	"Secondary air pump relay'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"10'	"Carbon filter solenoid valve'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"11'	"EGR valve'
"Citroën'	"Berlingo l'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"14'	"Cooling fan'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"3'	"Engine load'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"4'	"Injection time'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"5'	"Throttle potentiometer'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"6'	"Throttle opening'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"7'	"Inlet manifold pressure'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"8'	"Revolution signal'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"9'	"Battery voltage'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"10'	"Carbon filter solenoid valve'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"11'	"Coolant temperature'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"12'	"Inlet air temperature'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"13'	"Coolant temperature'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"14'	"Inlet air temperature'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"15'	"Revolution signal'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"16'	"Battery voltage'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"17'	"Engine load'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"18'	"Ignition timing'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"19'	"Ignition coil 1'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"20'	"Ignition coil 2'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"21'	"Ignition coil 3'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"22'	"Ignition coil 4'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"23'	"Revolution signal'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"24'	"Coolant temperature'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"25'	"Lambda sensor'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"26'	"Lambda sensor'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"27'	"Lambda regulation'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"28'	"Lambda sensor'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"29'	"Lambda sensor'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"30'	"Lambda regulation'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"31'	"Revolution signal'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"32'	"Battery voltage'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"33'	"Coolant temperature'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"34'	"Coolant temperature'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"35'	"Inlet manifold pressure'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"36'	"Code gearbox'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"37'	"AC approved'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"38'	"Engine load'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"39'	"Carbon filter solenoid valve'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Live Parameters'	"40'	"Road speed signal'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Tests'	"1'	"Idle step engine'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Tests'	"2'	"Fuel pump relay'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Tests'	"3'	"Injection valve 1'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Tests'	"4'	"Injection valve 2'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Tests'	"5'	"Injection valve 3'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Tests'	"6'	"Injection valve 4'
"Citroën'	"Berlingo l'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Tests'	"7'	"Secondary air pump relay'

"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Tests'	"8'	"AC shut off relay'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Tests'	"9'	"Carbon filter solenoid valve'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Motronic MP 7.3'	"	"Tests'	"10'	"RPM-gauge'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"ECU Information'	"8'	"Part version suffix'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Live Parameters'	"3'	"Torque control'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Live Parameters'	"4'	"Injection time'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Live Parameters'	"5'	"Injection shut-off'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Live Parameters'	"6'	"Accelerator pedal position'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Live Parameters'	"7'	"Throttle opening'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Live Parameters'	"8'	"Throttle potentiometer'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Live Parameters'	"9'	"Coolant temperature'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Live Parameters'	"10'	"Inlet air temperature'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Live Parameters'	"11'	"Inlet manifold pressure'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Live Parameters'	"12'	"Carbon filter solenoid valve'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Live Parameters'	"13'	"Ignition timing'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Live Parameters'	"14'	"Ignition coil'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Live Parameters'	"15'	"Ignition coil'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Live Parameters'	"16'	"Mixing regulation'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Live Parameters'	"17'	"Front lambda sensor'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Live Parameters'	"18'	"Rear lambda sensor'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Live Parameters'	"19'	"Front lambda sensor'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Live Parameters'	"20'	"Rear lambda sensor'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Live Parameters'	"21'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Live Parameters'	"22'	"AC approved'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Live Parameters'	"23'	"Input, AC thermostat'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Live Parameters'	"24'	"Road speed signal'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Live Parameters'	"25'	"Main relay'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Live Parameters'	"26'	"Cooling fan relay'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Live Parameters'	"27'	"Cooling fan, duty factor'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Live Parameters'	"28'	"Cooling fan speed request'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Tests'	"3'	"Injection valve 1'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Tests'	"4'	"Injection valve 2'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Tests'	"5'	"Injection valve 3'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Tests'	"6'	"Injection valve 4'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Tests'	"7'	"Fuel pump relay'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Tests'	"8'	"AC compressor'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Tests'	"9'	"Cooling fan'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFW 1,4 Sagem S2000'	"	"Tests'	"10'	"Carbon filter solenoid valve'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"ECU Information'	"2'	"Software version'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"3'	"Inlet manifold pressure'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"4'	"Lambda sensor'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"5'	"Vehicle speed'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"6'	"Shift position'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"7'	"Ignition coil 1'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"8'	"Ignition coil 2'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"9'	"Injectors 1 drive circuit'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"10'	"Injectors 2/3 drive circuit'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"11'	"Accelerator pedal position'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"12'	"Carbon filter solenoid valve'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"13'	"Stepper motor'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"14'	"Output AC enabled'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"15'	"Input, AC thermostat'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"16'	"Driving mode'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Tests'	"1'	"Injection valve cylinder 1 and 4'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Tests'	"2'	"Injection valve cylinder 2 and 3'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Tests'	"3'	"Fuel pump'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Tests'	"4'	"Idle step engine'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Tests'	"5'	"Carbon filter solenoid valve'
"Citroën'	"Berlingo I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Tests'	"6'	"RPM-gauge'
"Citroën'	"Berlingo I'	"Engine Petrol'	"LFX 1.8 MM 1AP'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Berlingo I'	"Engine Petrol'	"LFX 1.8 MM 1AP'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Berlingo I'	"Engine Petrol'	"LFX 1.8 MM 1AP'	"	"Live Parameters'	"3'	"Inlet manifold pressure'
"Citroën'	"Berlingo I'	"Engine Petrol'	"LFX 1.8 MM 1AP'	"	"Live Parameters'	"4'	"Road speed signal'
"Citroën'	"Berlingo I'	"Engine Petrol'	"LFX 1.8 MM 1AP'	"	"Tests'	"1'	"Injection valve cylinder 1 and 4'
"Citroën'	"Berlingo I'	"Engine Petrol'	"LFX 1.8 MM 1AP'	"	"Tests'	"2'	"Injection valve cylinder 2 and 3'
"Citroën'	"Berlingo I'	"Engine Petrol'	"LFX 1.8 MM 1AP'	"	"Tests'	"3'	"Fuel pump'
"Citroën'	"Berlingo I'	"Engine Petrol'	"LFX 1.8 MM 1AP'	"	"Tests'	"4'	"Idle step engine'

"Citroën'	"Berlingo l'	"Engine Petrol'	"LFX 1.8 MM 1AP'	"	"Tests'	"5'	"Carbon filter solenoid valve'
"Citroën'	"Berlingo l'	"Engine Petrol'	"LFX 1.8 MM 1AP'	"	"Tests'	"6'	"RPM-gauge'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Live Parameters'	"3'	"Torque control'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Live Parameters'	"4'	"Injection time'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Live Parameters'	"5'	"Injection valve'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Live Parameters'	"6'	"Throttle opening'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Live Parameters'	"7'	"Throttle potentiometer'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Live Parameters'	"8'	"Coolant temperature'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Live Parameters'	"9'	"Inlet air temperature'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Live Parameters'	"10'	"Inlet manifold pressure'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Live Parameters'	"11'	"Stepper motor'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Live Parameters'	"12'	"Carbon filter solenoid valve'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Live Parameters'	"13'	"Ignition timing'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Live Parameters'	"14'	"Ignition coil'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Live Parameters'	"15'	"Ignition coil'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Live Parameters'	"16'	"Front lambda sensor'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Live Parameters'	"17'	"Rear lambda sensor'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Live Parameters'	"18'	"Front lambda sensor'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Live Parameters'	"19'	"Rear lambda sensor'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Live Parameters'	"20'	"Lambda regulation'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Live Parameters'	"21'	"Lambda regulation'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Live Parameters'	"22'	"Carbon filter solenoid valve'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Live Parameters'	"23'	"AC approved'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Live Parameters'	"24'	"AC order signal'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Live Parameters'	"25'	"Road speed signal'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Live Parameters'	"26'	"Cooling fan'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Live Parameters'	"27'	"Cooling fan'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Live Parameters'	"28'	"Cooling fan'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Tests'	"3'	"Injection valve 1'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Tests'	"4'	"Injection valve 2'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Tests'	"5'	"Injection valve 3'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Tests'	"6'	"Injection valve 4'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Tests'	"7'	"Fuel pump relay'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Tests'	"8'	"AC compressor'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Tests'	"9'	"RPM-gauge'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Tests'	"10'	"Stepper motor'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Tests'	"13'	"Carbon filter solenoid valve'
"Citroën'	"Berlingo l'	"Engine Petrol'	"NFU 1,6 M 7.4.4'	"	"Tests'	"14'	"Check engine lamp'
"Citroën'	"Berlingo l'	"Immobiliser'	"IMMO'	"	"Live Parameters'	"1'	"Ignition status'
"Citroën'	"Berlingo l'	"Immobiliser'	"IMMO'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Berlingo l'	"Immobiliser'	"IMMO'	"	"Live Parameters'	"3'	"Driver's door'
"Citroën'	"Berlingo l'	"Immobiliser'	"IMMO'	"	"Live Parameters'	"4'	"Key'
"Citroën'	"Berlingo l'	"Immobiliser'	"IMMO'	"	"Live Parameters'	"5'	"Key'
"Citroën'	"Berlingo l'	"Immobiliser'	"IMMO'	"	"Live Parameters'	"6'	"Control unit'
"Citroën'	"Berlingo l'	"Immobiliser'	"IMMO'	"	"Live Parameters'	"7'	"Summer'
"Citroën'	"Berlingo l'	"Immobiliser'	"IMMO'	"	"Live Parameters'	"8'	"Programmed keys'
"Citroën'	"Berlingo l'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Berlingo l'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Berlingo l'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"Berlingo l'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"4'	"Software number'
"Citroën'	"Berlingo l'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"1'	"Transmission'
"Citroën'	"Berlingo l'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"2'	"Oil level sensor'
"Citroën'	"Berlingo l'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"3'	"Service indicator'
"Citroën'	"Berlingo l'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"4'	"Unit for odometer'
"Citroën'	"Berlingo l'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"5'	"Odometer runs out at 2000 km'
"Citroën'	"Berlingo l'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"6'	"Configuration of ABS lamp'
"Citroën'	"Berlingo l'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"7'	"User programming of ABS lamp'
"Citroën'	"Berlingo l'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"8'	"Serviceinterval'
"Citroën'	"Berlingo l'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"9'	"Service interval with normal maintenance'
"Citroën'	"Berlingo l'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"10'	"Service interval with frequent maintenance'
"Citroën'	"Berlingo l'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"11'	"Service interval with normal maintenance'
"Citroën'	"Berlingo l'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"12'	"Service interval with frequent maintenance'
"Citroën'	"Berlingo l'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"13'	"Oil pressure lamp'
"Citroën'	"Berlingo l'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"14'	"Parking brake lamp'
"Citroën'	"Berlingo l'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"15'	"Brightness, instrument panel'
"Citroën'	"Berlingo l'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"16'	"Check ABS-lamp'
"Citroën'	"Berlingo l'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"17'	"Brake pressure distribution lamp'
"Citroën'	"Berlingo l'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"18'	"Brake fluid level lamp'
"Citroën'	"Berlingo l'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"19'	"Gross fuel level'
"Citroën'	"Berlingo l'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"20'	"Dipped beam warning lamp'
"Citroën'	"Berlingo l'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"21'	"Reset button, trip meter'
"Citroën'	"Berlingo l'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"22'	"Brightness, instrument panel'
"Citroën'	"Berlingo l'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"1'	"Speed meter gauge 100 km/h'
"Citroën'	"Berlingo l'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"2'	"Rpm gauge (4000 Rpm)'
"Citroën'	"Berlingo l'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"3'	"Fuel gauge, full tank'
"Citroën'	"Berlingo l'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"4'	"Coolant temperature, high'
"Citroën'	"Berlingo l'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"5'	"Kilometre counter'

"Citroën'	"Berlingo I'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	""	"Tests'	"6'	"Buzzer'
"Citroën'	"Berlingo I'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	""	"Tests'	"7'	"Brightness, instrument panel'
"Citroën'	"Berlingo I'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	""	"Tests'	"8'	"Indicator lamps'
"Citroën'	"Berlingo I'	"Restraints'	"AC4'	""	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Berlingo I'	"Restraints'	"AC4'	""	"ECU Information'	"2'	"Bosch hardware number'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose'	""	"Adaptations'	"1'	"Recall service message'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose'	""	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose'	""	"ECU Information'	"2'	"Software number'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose'	""	"ECU Information'	"3'	"Supplier'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose'	""	"ECU Information'	"4'	"VIN code'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose'	""	"ECU Information'	"5'	"Software version'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose'	""	"ECU Information'	"6'	"Software index'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose'	""	"ECU Information'	"7'	"ECU reference (Electronic Control Unit)'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Adaptations'	"1'	"Recall service message'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"ECU Information'	"2'	"Software number'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"ECU Information'	"3'	"Supplier'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"ECU Information'	"4'	"VIN code'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"ECU Information'	"5'	"Software version'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"ECU Information'	"6'	"Software index'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"ECU Information'	"7'	"ECU reference (Electronic Control Unit)'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"1'	"Economy mode'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"2'	"Factory position'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"3'	"Engine running'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"4'	"Battery voltage'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"5'	"Alternator voltage'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"6'	"Actual + for accessories (+ACC)'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"7'	"Ignition +15'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"8'	"Supply to window/sunroof'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"9'	"Supply, VAN comfort'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"10'	"Fuel pump shut off'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"11'	"Fuel pump relay'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"12'	"Air pump relay'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"13'	"Output status of air pump/water in diesel relay'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"14'	"Control of AC compressor'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"15'	"Safety valve, frost evaporator'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"16'	"Medium speed fan control'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"17'	"A/C evaporator temp'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"18'	"ESP disarming request'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"19'	"Hand brake'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"20'	"Brake pedal status'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"21'	"Clutch pedal'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"22'	"Belt lock, driver'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"23'	"Belt lock, passenger'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"24'	"Rear left hand door child safety'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"25'	"Rear right hand door child safety'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"26'	"Rear fog light control'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"27'	"Front fog light control'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"28'	"Control of right flashers'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"29'	"Control of left flashers'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"30'	"Bootlid light control'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"31'	"Interior lighting'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"32'	"Horn'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"33'	"Dipped headlight control'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"34'	"Main beam headlight control'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"35'	"Sidelights control'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"36'	"Twilight dipped beam lighting mode'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"37'	"Alarm from passenger compartment monitoring'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"38'	"Alarm: passenger compartment sensor disabling'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"39'	"Ecu locked'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"40'	"Transponder'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"41'	"Transponder antiscanning active'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"42'	"Programmed keys'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"43'	"Programmed remote control'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"44'	"BSI paired with engine control unit'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"45'	"BSI with anti-scanning'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"46'	"BSI not programmed'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"47'	"BSI unlocked'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"48'	"Battery in remote controller exhausted'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"49'	"Bonnet open'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"50'	"Boot lid open'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"51'	"Right rear door'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"52'	"Left rear door'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"53'	"Right front door'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"54'	"Left front door'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"55'	"Vehicle locked status'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"56'	"Control, locking'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"57'	"Control, unlocking'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"58'	"Locks deadlocking control'

"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"59'	"Vehicle locked status'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"60'	"Unlocking front right door'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"61'	"Unlocking front left door'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"62'	"Reception of valid remote control message'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"63'	"Reception of invalid remote control message'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"64'	"Active remote control button'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"65'	"Engine oil level'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"66'	"Oil pressure lamp'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"67'	"Engine coolant level warning lamp'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"68'	"Brake fluid level lamp'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"69'	"Water in fuel'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"70'	"Minimum window wash level lamp'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"71'	"Min fuel level lamp'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"72'	"Engine oil temperature'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"73'	"Coolant temperature'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"74'	"Fuel gauge impedance'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"75'	"Filtered fuel level'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"76'	"Gross fuel level'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"77'	"Fuel gauge impedance'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"78'	"Fuel level pointer, instrumentation'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"79'	"Maintenance counter'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"80'	"Average fuel consumption/travel'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"81'	"Average fuel consumption/distance'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"82'	"Levelled consumption'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"83'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"84'	"Windscreen wiper control'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"85'	"Front wipers high speed requested'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"86'	"Front wipers low speed requested'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"87'	"Washers, front, requested'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"88'	"Washer, rear, requested'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"89'	"Wiper, rear, control'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"90'	"Wipers, front, control of stopping'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Live Parameters'	"91'	"Wiper, rear, control of stopping'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Tests'	"1'	"Foglight'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Tests'	"2'	"Rear foglight'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Tests'	"3'	"Control of right flashers'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Tests'	"4'	"Control of left flashers'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Tests'	"5'	"Interior lighting'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Tests'	"6'	"Horn'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Tests'	"7'	"Dipped beam'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Tests'	"8'	"Main beam'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Tests'	"9'	"Position light control'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Tests'	"10'	"Heated rear window'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Tests'	"11'	"Rear screen wiper'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Tests'	"12'	"Windscreen wipers'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Tests'	"13'	"Rear window washer'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Tests'	"14'	"Windscreen washer'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Tests'	"15'	"AC compressor'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Tests'	"16'	"Air pump'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Tests'	"17'	"Control, locking'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Tests'	"18'	"Control, unlocking'
"Citroën'	"Berlingo II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.10, 23.50'	""	"Tests'	"19'	"Locks deadlocking control'
"Citroën'	"Berlingo II'	"Brake System'	"ABS Bosch 8'	""	"Adaptations'	"1'	"Disconnecting speed limitation'
"Citroën'	"Berlingo II'	"Brake System'	"ABS Bosch 8'	""	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Berlingo II'	"Brake System'	"ABS Bosch 8'	""	"ECU Information'	"2'	"Supplier'
"Citroën'	"Berlingo II'	"Brake System'	"ABS Bosch 8'	""	"ECU Information'	"3'	"Supplier number'
"Citroën'	"Berlingo II'	"Brake System'	"ABS Bosch 8'	""	"ECU Information'	"4'	"Software version number'
"Citroën'	"Berlingo II'	"Brake System'	"ABS Bosch 8'	""	"ECU Information'	"5'	"Calibration number'
"Citroën'	"Berlingo II'	"Brake System'	"ABS Bosch 8'	""	"ECU Information'	"6'	"Diagnostic version'
"Citroën'	"Berlingo II'	"Brake System'	"ABS Bosch 8'	""	"ECU Information'	"7'	"Bosch hardware number'
"Citroën'	"Berlingo II'	"Brake System'	"ABS Bosch 8'	""	"ECU Information'	"8'	"System'
"Citroën'	"Berlingo II'	"Brake System'	"ABS Bosch 8'	""	"ECU Information'	"9'	"Vehicle type'
"Citroën'	"Berlingo II'	"Brake System'	"ABS Bosch 8'	""	"ECU Information'	"10'	"Supplier number'
"Citroën'	"Berlingo II'	"Brake System'	"ABS Bosch 8'	""	"ECU Information'	"11'	"Number of configurations'
"Citroën'	"Berlingo II'	"Brake System'	"ABS Bosch 8'	""	"Live Parameters'	"1'	"Vehicle speed'
"Citroën'	"Berlingo II'	"Brake System'	"ABS Bosch 8'	""	"Live Parameters'	"2'	"Front left speed sensor'
"Citroën'	"Berlingo II'	"Brake System'	"ABS Bosch 8'	""	"Live Parameters'	"3'	"Front right speed sensor'
"Citroën'	"Berlingo II'	"Brake System'	"ABS Bosch 8'	""	"Live Parameters'	"4'	"Rear left speed sensor'
"Citroën'	"Berlingo II'	"Brake System'	"ABS Bosch 8'	""	"Live Parameters'	"5'	"Rear right speed sensor'
"Citroën'	"Berlingo II'	"Brake System'	"ABS Bosch 8'	""	"Live Parameters'	"6'	"Control unit power supply'
"Citroën'	"Berlingo II'	"Brake System'	"ABS Bosch 8'	""	"Live Parameters'	"7'	"Brake light switch'
"Citroën'	"Berlingo II'	"Brake System'	"ABS Bosch 8'	""	"Live Parameters'	"8'	"Brake fluid level'
"Citroën'	"Berlingo II'	"Brake System'	"ABS Bosch 8'	""	"Live Parameters'	"9'	"Relay for solenoid valve'
"Citroën'	"Berlingo II'	"Brake System'	"ABS Bosch 8'	""	"Live Parameters'	"10'	"Hydraulic pump relay'
"Citroën'	"Berlingo II'	"Brake System'	"ABS Bosch 8'	""	"Tests'	"1'	"Hydraulic pump ABS'
"Citroën'	"Berlingo II'	"Brake System'	"ABS Bosch 8'	""	"Tests'	"2'	"Front left load valve'
"Citroën'	"Berlingo II'	"Brake System'	"ABS Bosch 8'	""	"Tests'	"3'	"Front right load valve'
"Citroën'	"Berlingo II'	"Brake System'	"ABS Bosch 8'	""	"Tests'	"4'	"Left rear load valve'
"Citroën'	"Berlingo II'	"Brake System'	"ABS Bosch 8'	""	"Tests'	"5'	"Right rear load valve'

"Citroën'	"Berlingo II'	"Brake System'	"ABS Bosch 8'	"	"Tests'	"6'	"Front left drain valve'
"Citroën'	"Berlingo II'	"Brake System'	"ABS Bosch 8'	"	"Tests'	"7'	"Front right drain valve'
"Citroën'	"Berlingo II'	"Brake System'	"ABS Bosch 8'	"	"Tests'	"8'	"Left rear drain valve'
"Citroën'	"Berlingo II'	"Brake System'	"ABS Bosch 8'	"	"Tests'	"9'	"Right rear drain valve'
"Citroën'	"Berlingo II'	"Brake System'	"Bosch 5.0 / 5.3'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Berlingo II'	"Brake System'	"Bosch 5.0 / 5.3'	"	"ECU Information'	"2'	"Bosch hardware number'
"Citroën'	"Berlingo II'	"Brake System'	"Bosch 5.0 / 5.3'	"	"Live Parameters'	"1'	"Wheel sensor LF'
"Citroën'	"Berlingo II'	"Brake System'	"Bosch 5.0 / 5.3'	"	"Live Parameters'	"2'	"Wheel sensor RF'
"Citroën'	"Berlingo II'	"Brake System'	"Bosch 5.0 / 5.3'	"	"Live Parameters'	"3'	"Wheel sensor LR'
"Citroën'	"Berlingo II'	"Brake System'	"Bosch 5.0 / 5.3'	"	"Live Parameters'	"4'	"Wheel sensor RR'
"Citroën'	"Berlingo II'	"Brake System'	"Bosch 5.0 / 5.3'	"	"Live Parameters'	"5'	"Safety circuit'
"Citroën'	"Berlingo II'	"Brake System'	"Bosch 5.0 / 5.3'	"	"Live Parameters'	"6'	"Brake pedal switch'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"ECU Information'	"8'	"Software version'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"1'	"Atmospheric pressure'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"2'	"Boost pressure'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"3'	"Inlet air temperature'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"4'	"Temperature sensor in Air Mass Meter'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"5'	"Fuel temperature'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"6'	"A/C pressure'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"7'	"Air conditioning authorisation'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"8'	"Input, AC thermostat'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"9'	"Gear detected'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"10'	"Additional heater'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"11'	"Vehicle speed'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"12'	"Brake pedal switch 2'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"13'	"Clutch pedal'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"14'	"Coolant temperature'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"15'	"Radiator fan relay'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"16'	"Cooling fan'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"17'	"Cyclic opening ratio, cooling fan unit'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"18'	"Battery voltage'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"19'	"Alternator voltage'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"20'	"Relay, pre-/post-heating control'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"21'	"Brake pedal switch 1'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"22'	"Synchronising between camshaft and crankshaft'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"23'	"A/C shutdown'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"24'	"Fuel flow regulator'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"25'	"Calculated mass air flow value'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"26'	"Injection pump, reference value'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"27'	"EGR valve'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"28'	"Feedback, EGR-valve'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"29'	"Engine speed'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"30'	"Air mass measured'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"31'	"Intake air shut-off solenoid valve'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"32'	"Boost pressure valve duty cycle'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"33'	"Desired boost pressure'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"34'	"Accelerator pedal position sensor'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"35'	"Injectors voltage'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"36'	"Fuel pressure measured'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"37'	"Target fuel pressure'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"38'	"Injection amount'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"39'	"Cylinder 1 fuel trim'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"40'	"Cylinder 2 fuel trim'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"41'	"Cylinder 3 fuel trim'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"42'	"Cylinder 4 fuel trim'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"43'	"Pre injection timing'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"44'	"Main injection timing'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"45'	"Intake air shut-off solenoid valve feedback'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Tests'	"1'	"Electric fan speed 1'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Tests'	"2'	"Electric fan speed 2'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Tests'	"3'	"Fuel flow regulator'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Tests'	"4'	"Relay, pre-/post-heating control'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Tests'	"5'	"EGR valve'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Tests'	"6'	"Charging pressure valve'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Tests'	"7'	"Intake air shut-off solenoid valve'
"Citroën'	"Berlingo II'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Tests'	"8'	"Relay 1 (additional heater)'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"ECU Information'	"6'	"Immobilisation status'

"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"ECU Information'	"8'	"Software version'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"1'	"Vehicle speed'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"2'	"Gear detected'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"3'	"Electric fan speed 1'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"4'	"Cooling fan, duty factor'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"5'	"Cooling fan speed request'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"6'	"Fuel temperature'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"7'	"Inlet air temperature'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"8'	"Atmospheric pressure'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"9'	"Accelerator pedal position'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"10'	"Battery voltage'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"11'	"Sensor power supply'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"12'	"Ignition +15'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"13'	"Relay, pre-/post-heating control'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"14'	"AC compressor'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"15'	"Brake pedal'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"16'	"Revolution signal'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"17'	"Camshaft position sensor'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"18'	"Fuel pressure'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"19'	"Fuel pressure regulator'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"20'	"Fuel flow regulator'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"21'	"Injection amount'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"22'	"Injection valves'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"23'	"Fuel quantity correction cylinder 1'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"24'	"Fuel quantity correction cylinder 2'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"25'	"Fuel quantity correction cylinder 3'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"26'	"Fuel quantity correction cylinder 4'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"27'	"EGR valve'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"28'	"Inlet port shut-off switchover valve'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"29'	"Pre injection timing'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"30'	"Main injection timing'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"31'	"Coolant temperature'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"32'	"Target air mass'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"33'	"Air mass measured'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"34'	"Injection time'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"35'	"Target fuel pressure'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Tests'	"1'	"Electric fan speed 1'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Tests'	"2'	"Electric fan speed 2'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Tests'	"3'	"Fuel flow regulator'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Tests'	"4'	"Relay, pre-/post-heating control'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Tests'	"5'	"Inlet port shut-off switchover valve'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Tests'	"6'	"EGR valve'
"Citroën'	"Berlingo II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Tests'	"7'	"Main relay, supply circuit'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"ECU Information'	"1'	"Part number'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"ECU Information'	"3'	"Control unit'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"ECU Information'	"4'	"Immobilisation status'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"ECU Information'	"5'	"Problems detected during transmission of unlocking code'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"ECU Information'	"6'	"Part version suffix'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"1'	"Injection pump'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"2'	"Revolution signal'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"3'	"Battery voltage'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"4'	"Injection timing adjustment'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"5'	"Engine load'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"6'	"Coolant temperature'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"7'	"Road speed signal'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"8'	"Revolution signal'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"9'	"Battery voltage'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"10'	"Engine load'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"11'	"Coolant temperature'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"12'	"Fan relay 2'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"13'	"Cooling fan'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"14'	"Cooling fan'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"15'	"Revolution signal'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"16'	"Battery voltage'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"17'	"Coolant temperature'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"18'	"Injection request'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"19'	"Injection actual'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"20'	"Accelerator pedal position sensor'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"21'	"Fuel quantity requested by pedal value sensor'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"22'	"Idling fuel quantity'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"23'	"Maximum fuel allow under current conditions'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"24'	"AC compressor'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"1'	"AC-relay'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"2'	"Glow pin relay coil'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"3'	"Solenoid valve, pre-injection'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"4'	"EGR valve'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"5'	"Cooling fan'

"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"6'	"Solenoid valve, damper (EGR)'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"7'	"Check engine lamp'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"ECU Information'	"1'	"Part number'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"ECU Information'	"3'	"Part version suffix'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"3'	"Injection timing adjustment'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"4'	"Engine load'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"5'	"Coolant temperature'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"6'	"Road speed signal'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"7'	"Revolution signal'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"8'	"Battery voltage'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"9'	"Engine load'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"10'	"Coolant temperature'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"11'	"Fan relay 2'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"12'	"Cooling fan'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"13'	"Cooling fan'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"14'	"Revolution signal'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"15'	"Battery voltage'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"16'	"Coolant temperature'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"17'	"Injection request'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"18'	"Injection actual'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"19'	"Accelerator pedal position sensor'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"20'	"Fuel quantity requested by pedal value sensor'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"21'	"Idling fuel quantity'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"22'	"Maximum fuel allow under current conditions'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"23'	"AC compressor'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"1'	"AC-relay'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"2'	"Glow pin relay coil'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"3'	"Solenoid valve, pre-injection'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"4'	"EGR valve'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"5'	"Cooling fan'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"6'	"Solenoid valve, damper (EGR)'
"Citroën'	"Berlingo II'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"7'	"Check engine lamp'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"3'	"Torque control'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"4'	"Injection time'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"5'	"Injection valve'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"6'	"Throttle opening'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"7'	"Throttle potentiometer'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"8'	"Coolant temperature'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"9'	"Inlet air temperature'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"10'	"Inlet manifold pressure'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"11'	"Stepper motor'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"12'	"Carbon filter solenoid valve'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"13'	"Ignition timing'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"14'	"Ignition coil'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"15'	"Ignition coil'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"16'	"Front lambda sensor'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"17'	"Rear lambda sensor'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"18'	"Front lambda sensor'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"19'	"Rear lambda sensor'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"20'	"Lambda regulation'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"21'	"Lambda regulation'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"22'	"Carbon filter solenoid valve'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"23'	"AC approved'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"24'	"AC order signal'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"25'	"Road speed signal'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"26'	"Cooling fan'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"27'	"Cooling fan'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"28'	"Cooling fan'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Tests'	"3'	"Injection valve 1'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Tests'	"4'	"Injection valve 2'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Tests'	"5'	"Injection valve 3'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Tests'	"6'	"Injection valve 4'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Tests'	"7'	"Fuel pump relay'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Tests'	"8'	"AC compressor'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Tests'	"9'	"RPM-gauge'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Tests'	"10'	"Stepper motor'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Tests'	"13'	"Carbon filter solenoid valve'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Tests'	"14'	"Check engine lamp'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"ECU Information'	"6'	"Immobilisation status'

"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"ECU Information'	"8'	"Part version suffix'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"1'	"Injection time'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"2'	"Throttle potentiometer'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"3'	"Throttle status'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"4'	"Coolant temperature'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"5'	"Inlet air temperature'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"6'	"Inlet manifold pressure'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"7'	"Stepper motor'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"8'	"Injection shut-off'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"9'	"Carbon filter solenoid valve'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"10'	"Ignition timing'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"11'	"Ignition coil 1'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"12'	"Ignition coil 2'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"13'	"Front lambda sensor'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"14'	"Rear lambda sensor'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"15'	"Fuelmixture'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"16'	"Revolution signal'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"17'	"Battery voltage'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"18'	"AC approved'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"19'	"Input, AC thermostat'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"20'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"21'	"Power relay'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"22'	"Road speed signal'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"23'	"Engine torque'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"24'	"Gear detected'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"25'	"Radiator fan relay'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"26'	"Blower speed'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"27'	"Cooling fan'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"1'	"Idle step engine'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"4'	"Fuel pump relay'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"5'	"Injection valve 1'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"6'	"Injection valve 2'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"7'	"Injection valve 3'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"8'	"Injection valve 4'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"9'	"Secondary air pump relay'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"10'	"Carbon filter solenoid valve'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"11'	"EGR valve'
"Citroën'	"Berlingo II'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"14'	"Cooling fan'
"Citroën'	"Berlingo II'	"Engine Petrol'	"KFX 1.4 Magneti Marelli 1AP'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Berlingo II'	"Engine Petrol'	"KFX 1.4 Magneti Marelli 1AP'	"	"ECU Information'	"2'	"Software version'
"Citroën'	"Berlingo II'	"Engine Petrol'	"KFX 1.4 Magneti Marelli 1AP'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Berlingo II'	"Engine Petrol'	"KFX 1.4 Magneti Marelli 1AP'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Berlingo II'	"Engine Petrol'	"KFX 1.4 Magneti Marelli 1AP'	"	"Live Parameters'	"3'	"Inlet manifold pressure'
"Citroën'	"Berlingo II'	"Engine Petrol'	"KFX 1.4 Magneti Marelli 1AP'	"	"Live Parameters'	"4'	"Lambda sensor'
"Citroën'	"Berlingo II'	"Engine Petrol'	"KFX 1.4 Magneti Marelli 1AP'	"	"Live Parameters'	"5'	"Vehicle speed'
"Citroën'	"Berlingo II'	"Engine Petrol'	"KFX 1.4 Magneti Marelli 1AP'	"	"Live Parameters'	"6'	"Shift position'
"Citroën'	"Berlingo II'	"Engine Petrol'	"KFX 1.4 Magneti Marelli 1AP'	"	"Live Parameters'	"7'	"Ignition coil 1'
"Citroën'	"Berlingo II'	"Engine Petrol'	"KFX 1.4 Magneti Marelli 1AP'	"	"Live Parameters'	"8'	"Ignition coil 2'
"Citroën'	"Berlingo II'	"Engine Petrol'	"KFX 1.4 Magneti Marelli 1AP'	"	"Live Parameters'	"9'	"Injectors 1 drive circuit'
"Citroën'	"Berlingo II'	"Engine Petrol'	"KFX 1.4 Magneti Marelli 1AP'	"	"Live Parameters'	"10'	"Injectors 2/3 drive circuit'
"Citroën'	"Berlingo II'	"Engine Petrol'	"KFX 1.4 Magneti Marelli 1AP'	"	"Live Parameters'	"11'	"Accelerator pedal position'
"Citroën'	"Berlingo II'	"Engine Petrol'	"KFX 1.4 Magneti Marelli 1AP'	"	"Live Parameters'	"12'	"Carbon filter solenoid valve'
"Citroën'	"Berlingo II'	"Engine Petrol'	"KFX 1.4 Magneti Marelli 1AP'	"	"Live Parameters'	"13'	"Stepper motor'
"Citroën'	"Berlingo II'	"Engine Petrol'	"KFX 1.4 Magneti Marelli 1AP'	"	"Live Parameters'	"14'	"Output AC enabled'
"Citroën'	"Berlingo II'	"Engine Petrol'	"KFX 1.4 Magneti Marelli 1AP'	"	"Live Parameters'	"15'	"Input, AC thermostat'
"Citroën'	"Berlingo II'	"Engine Petrol'	"KFX 1.4 Magneti Marelli 1AP'	"	"Live Parameters'	"16'	"Driving mode'
"Citroën'	"Berlingo II'	"Engine Petrol'	"KFX 1.4 Magneti Marelli 1AP'	"	"Tests'	"1'	"Injection valve cylinder 1 and 4'
"Citroën'	"Berlingo II'	"Engine Petrol'	"KFX 1.4 Magneti Marelli 1AP'	"	"Tests'	"2'	"Injection valve cylinder 2 and 3'
"Citroën'	"Berlingo II'	"Engine Petrol'	"KFX 1.4 Magneti Marelli 1AP'	"	"Tests'	"3'	"Fuel pump'
"Citroën'	"Berlingo II'	"Engine Petrol'	"KFX 1.4 Magneti Marelli 1AP'	"	"Tests'	"4'	"Idle step engine'
"Citroën'	"Berlingo II'	"Engine Petrol'	"KFX 1.4 Magneti Marelli 1AP'	"	"Tests'	"5'	"Carbon filter solenoid valve'
"Citroën'	"Berlingo II'	"Engine Petrol'	"KFX 1.4 Magneti Marelli 1AP'	"	"Tests'	"6'	"RPM-gauge'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"8'	"Part version suffix'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"1'	"Engine speed'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"3'	"Engine torque'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"4'	"Coolant temperature'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"5'	"Inlet air temperature'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"6'	"Inlet manifold pressure'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"7'	"Injection time'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"8'	"Injection shut-off'

"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"9'	"Throttle opening'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"10'	"Throttle potentiometer'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"11'	"Throttle status'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"12'	"Ignition timing'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"13'	"Ignition coil 1 & 4'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"14'	"Ignition coil 2 & 3'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"15'	"Front lambda sensor'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"16'	"Rear lambda sensor'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"17'	"Front lambda sensor'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"18'	"Rear lambda sensor'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"19'	"Lambda regulation, probe before catalytic converter'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"20'	"Lambda regulation, probe after catalytic converter'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"21'	"Carbon filter solenoid valve'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"22'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"23'	"AC approved'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"24'	"A/C requested'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"25'	"Vehicle speed'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"26'	"Gear detected'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"27'	"Cooling fan low speed'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"28'	"Cooling fan high speed'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"1'	"Ignition coil 1 & 4'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"2'	"Ignition coil 2 & 3'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"3'	"Injection valve 1'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"4'	"Injection valve 2'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"5'	"Injection valve 3'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"6'	"Injection valve 4'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"7'	"Fuel pump relay'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"8'	"Cooling fan high speed'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"9'	"Cooling fan low speed'
"Citroën'	"Berlingo II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"10'	"Carbon filter solenoid valve'
"Citroën'	"Berlingo II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Berlingo II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Berlingo II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"Berlingo II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"4'	"Software number'
"Citroën'	"Berlingo II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"5'	"Diagnostic version'
"Citroën'	"Berlingo II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"1'	"Transmission'
"Citroën'	"Berlingo II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"2'	"Oil level sensor'
"Citroën'	"Berlingo II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"3'	"Service indicator'
"Citroën'	"Berlingo II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"4'	"Unit for odometer'
"Citroën'	"Berlingo II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"5'	"Type'
"Citroën'	"Berlingo II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"6'	"Rear demist switch'
"Citroën'	"Berlingo II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"7'	"Switch, hazardwarning'
"Citroën'	"Berlingo II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"8'	"AC button'
"Citroën'	"Berlingo II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"9'	"Brightness, instrument panel'
"Citroën'	"Berlingo II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"10'	"Switch, central locking'
"Citroën'	"Berlingo II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"11'	"Instrument cluster'
"Citroën'	"Berlingo II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"12'	"Reset button, trip meter'
"Citroën'	"Berlingo II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"13'	"Brightness, instrument panel'
"Citroën'	"Berlingo II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"14'	"Instrument cluster status'
"Citroën'	"Berlingo II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"1'	"Speed meter gauge 100 km/h'
"Citroën'	"Berlingo II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"2'	"Rpm gauge (4000 Rpm)'
"Citroën'	"Berlingo II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"3'	"Fuel gauge, full tank'
"Citroën'	"Berlingo II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"4'	"Coolant temperature, high'
"Citroën'	"Berlingo II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"5'	"Low oil level'
"Citroën'	"Berlingo II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"6'	"Kilometre counter'
"Citroën'	"Berlingo II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"7'	"Brightness, instrument panel'
"Citroën'	"Berlingo II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"8'	"Indicator lamps'
"Citroën'	"Berlingo II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"9'	"Button light'
"Citroën'	"Berlingo II'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"1'	"Airbag locking'
"Citroën'	"Berlingo II'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"2'	"Airbag unlocking'
"Citroën'	"Berlingo II'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Berlingo II'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"Berlingo II'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"3'	"Version of program'
"Citroën'	"Berlingo II'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"4'	"Calibration number'
"Citroën'	"Berlingo II'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"5'	"Diagnostic version'
"Citroën'	"Berlingo II'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"6'	"Checking at after line production'
"Citroën'	"Berlingo II'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"7'	"Checking at factory'
"Citroën'	"Berlingo II'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"8'	"Checking at supplier'
"Citroën'	"Berlingo II'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"9'	"Checking of action in aftermarket'
"Citroën'	"Berlingo II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"1'	"Airbag locking'
"Citroën'	"Berlingo II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"2'	"Driver airbag'
"Citroën'	"Berlingo II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"3'	"Passenger airbag'
"Citroën'	"Berlingo II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"4'	"Switch to disable passenger airbag'
"Citroën'	"Berlingo II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"5'	"Frontal side airbag'
"Citroën'	"Berlingo II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"6'	"Side head airbags'
"Citroën'	"Berlingo II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"7'	"Pretensioner'
"Citroën'	"Berlingo II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"8'	"Satellite sensors'
"Citroën'	"C1'	"Brake System'	"ABS 8.0'	"	"Live Parameters'	"1'	"Brake light switch'
"Citroën'	"C1'	"Brake System'	"ABS 8.0'	"	"Live Parameters'	"2'	"Parking brake switch'

"Citroën'	"C1'	"Brake System'	"ABS 8.0'	"	"Live Parameters'	"3'	"Recirculating Pump'
"Citroën'	"C1'	"Brake System'	"ABS 8.0'	"	"Live Parameters'	"4'	"Solenoid relay'
"Citroën'	"C1'	"Brake System'	"ABS 8.0'	"	"Live Parameters'	"5'	"ABS inlet valve front right'
"Citroën'	"C1'	"Brake System'	"ABS 8.0'	"	"Live Parameters'	"6'	"ABS outlet valve front right'
"Citroën'	"C1'	"Brake System'	"ABS 8.0'	"	"Live Parameters'	"7'	"ABS inlet valve front left'
"Citroën'	"C1'	"Brake System'	"ABS 8.0'	"	"Live Parameters'	"8'	"ABS outlet valve front left'
"Citroën'	"C1'	"Brake System'	"ABS 8.0'	"	"Live Parameters'	"9'	"ABS inlet valve rear right'
"Citroën'	"C1'	"Brake System'	"ABS 8.0'	"	"Live Parameters'	"10'	"ABS outlet valve rear right'
"Citroën'	"C1'	"Brake System'	"ABS 8.0'	"	"Live Parameters'	"11'	"ABS inlet valve rear left'
"Citroën'	"C1'	"Brake System'	"ABS 8.0'	"	"Live Parameters'	"12'	"ABS outlet valve rear left'
"Citroën'	"C1'	"Brake System'	"ABS 8.0'	"	"Live Parameters'	"13'	"Front right wheel speed sensor'
"Citroën'	"C1'	"Brake System'	"ABS 8.0'	"	"Live Parameters'	"14'	"Front left wheel speed sensor'
"Citroën'	"C1'	"Brake System'	"ABS 8.0'	"	"Live Parameters'	"15'	"Rear right wheel speed sensor'
"Citroën'	"C1'	"Brake System'	"ABS 8.0'	"	"Live Parameters'	"16'	"Rear left wheel speed sensor'
"Citroën'	"C1'	"Brake System'	"ABS 8.0'	"	"Live Parameters'	"17'	"Vehicle speed'
"Citroën'	"C1'	"Brake System'	"ABS 8.0'	"	"Live Parameters'	"18'	"Control unit power supply'
"Citroën'	"C1'	"Brake System'	"ABS 8.0'	"	"Tests'	"1'	"ABS motor relay'
"Citroën'	"C1'	"Brake System'	"ABS 8.0'	"	"Tests'	"2'	"ABS warning lamp'
"Citroën'	"C1'	"Brake System'	"ABS 8.0'	"	"Tests'	"3'	"Front right solenoid valve, reduce pressure'
"Citroën'	"C1'	"Brake System'	"ABS 8.0'	"	"Tests'	"4'	"Front right solenoid valve, hold pressure'
"Citroën'	"C1'	"Brake System'	"ABS 8.0'	"	"Tests'	"5'	"Front left solenoid valve, reduce pressure'
"Citroën'	"C1'	"Brake System'	"ABS 8.0'	"	"Tests'	"6'	"Front left solenoid valve, hold pressure'
"Citroën'	"C1'	"Brake System'	"ABS 8.0'	"	"Tests'	"7'	"Rear right solenoid valve, reduce pressure'
"Citroën'	"C1'	"Brake System'	"ABS 8.0'	"	"Tests'	"8'	"Rear right solenoid valve, hold pressure'
"Citroën'	"C1'	"Brake System'	"ABS 8.0'	"	"Tests'	"9'	"Rear left solenoid valve, reduce pressure'
"Citroën'	"C1'	"Brake System'	"ABS 8.0'	"	"Tests'	"10'	"Rear left solenoid valve, hold pressure'
"Citroën'	"C1'	"Engine Petrol'	"CFA (1KR) 1,0 ME795'	"	"Live Parameters'	"1'	"Calculated engine load'
"Citroën'	"C1'	"Engine Petrol'	"CFA (1KR) 1,0 ME795'	"	"Live Parameters'	"2'	"Coolant temperature'
"Citroën'	"C1'	"Engine Petrol'	"CFA (1KR) 1,0 ME795'	"	"Live Parameters'	"3'	"Inlet manifold pressure'
"Citroën'	"C1'	"Engine Petrol'	"CFA (1KR) 1,0 ME795'	"	"Live Parameters'	"4'	"Engine speed'
"Citroën'	"C1'	"Engine Petrol'	"CFA (1KR) 1,0 ME795'	"	"Live Parameters'	"5'	"Vehicle speed'
"Citroën'	"C1'	"Engine Petrol'	"CFA (1KR) 1,0 ME795'	"	"Live Parameters'	"6'	"Ignition timing'
"Citroën'	"C1'	"Engine Petrol'	"CFA (1KR) 1,0 ME795'	"	"Live Parameters'	"7'	"Air inlet temperature'
"Citroën'	"C1'	"Engine Petrol'	"CFA (1KR) 1,0 ME795'	"	"Live Parameters'	"8'	"Throttle position'
"Citroën'	"C1'	"Engine Petrol'	"CFA (1KR) 1,0 ME795'	"	"Live Parameters'	"9'	"Lambda probe before catalytic converter'
"Citroën'	"C1'	"Engine Petrol'	"CFA (1KR) 1,0 ME795'	"	"Live Parameters'	"10'	"Lambda probe after catalytic converter'
"Citroën'	"C1'	"Engine Petrol'	"CFA (1KR) 1,0 ME795'	"	"Live Parameters'	"11'	"Emission'
"Citroën'	"C1'	"Engine Petrol'	"CFA (1KR) 1,0 ME795'	"	"Live Parameters'	"12'	"Number of trouble codes'
"Citroën'	"C1'	"Engine Petrol'	"CFA (1KR) 1,0 ME795'	"	"Live Parameters'	"13'	"MIL light-up request signal'
"Citroën'	"C1'	"Engine Petrol'	"CFA (1KR) 1,0 ME795'	"	"Live Parameters'	"14'	"Injection time'
"Citroën'	"C1'	"Engine Petrol'	"CFA (1KR) 1,0 ME795'	"	"Live Parameters'	"15'	"Idle control'
"Citroën'	"C1'	"Engine Petrol'	"CFA (1KR) 1,0 ME795'	"	"Live Parameters'	"16'	"Engine at idle condition'
"Citroën'	"C1'	"Engine Petrol'	"CFA (1KR) 1,0 ME795'	"	"Live Parameters'	"17'	"Engine start up'
"Citroën'	"C1'	"Engine Petrol'	"CFA (1KR) 1,0 ME795'	"	"Live Parameters'	"18'	"Misfiring cylinder 1'
"Citroën'	"C1'	"Engine Petrol'	"CFA (1KR) 1,0 ME795'	"	"Live Parameters'	"19'	"Misfiring cylinder 2'
"Citroën'	"C1'	"Engine Petrol'	"CFA (1KR) 1,0 ME795'	"	"Live Parameters'	"20'	"Misfiring cylinder 3'
"Citroën'	"C1'	"Engine Petrol'	"CFA (1KR) 1,0 ME795'	"	"Live Parameters'	"21'	"EVAP control valve'
"Citroën'	"C1'	"Engine Petrol'	"CFA (1KR) 1,0 ME795'	"	"Live Parameters'	"22'	"camshaft adjustment'
"Citroën'	"C1'	"Engine Petrol'	"CFA (1KR) 1,0 ME795'	"	"Live Parameters'	"23'	"A/C requested'
"Citroën'	"C1'	"Engine Petrol'	"CFA (1KR) 1,0 ME795'	"	"Tests'	"1'	"Purge system valve, activation'
"Citroën'	"C1'	"Engine Petrol'	"CFA (1KR) 1,0 ME795'	"	"Tests'	"2'	"Fuel pump'
"Citroën'	"C1'	"Engine Petrol'	"CFA (1KR) 1,0 ME795'	"	"Tests'	"3'	"Engine cooling fan'
"Citroën'	"C1'	"Engine Petrol'	"CFA (1KR) 1,0 ME795'	"	"Tests'	"4'	"A/C-compressor cutoff'
"Citroën'	"C1'	"Engine Petrol'	"CFA (1KR) 1,0 ME795'	"	"Tests'	"5'	"Variable Valve Timing VVT system operation bank 1'
"Citroën'	"C1'	"Immobiliser'	"Diagnose'	"	"Live Parameters'	"1'	"Transponder coil'
"Citroën'	"C1'	"Immobiliser'	"Diagnose'	"	"Live Parameters'	"2'	"Ignition on'
"Citroën'	"C1'	"Immobiliser'	"Diagnose'	"	"Live Parameters'	"3'	"Authorised key'
"Citroën'	"C1'	"Immobiliser'	"Diagnose'	"	"Live Parameters'	"4'	"Transponder code'
"Citroën'	"C1'	"Immobiliser'	"Diagnose'	"	"Live Parameters'	"5'	"Active key'
"Citroën'	"C1'	"Immobiliser'	"Diagnose'	"	"Live Parameters'	"6'	"Transponder communication'
"Citroën'	"C1'	"Immobiliser'	"Diagnose'	"	"Live Parameters'	"7'	"Transponder communication'
"Citroën'	"C1'	"Immobiliser'	"Diagnose'	"	"Live Parameters'	"8'	"Key entering'
"Citroën'	"C1'	"Immobiliser'	"Diagnose'	"	"Live Parameters'	"9'	"Transponder key number programmed'
"Citroën'	"C1'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"1'	"Number of trouble codes'
"Citroën'	"C1'	"Steering'	"Power steering - KOYO'	"	"Adaptations'	"1'	"Control unit initialization'
"Citroën'	"C1'	"Steering'	"Power steering - KOYO'	"	"Adaptations'	"2'	"Torque sensor calibration'
"Citroën'	"C1'	"Steering'	"Power steering - KOYO'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"C1'	"Steering'	"Power steering - KOYO'	"	"ECU Information'	"2'	"Software version'
"Citroën'	"C1'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"1'	"Torque sensor 1 output'
"Citroën'	"C1'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"2'	"Torque sensor 2 output'
"Citroën'	"C1'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"3'	"Vehicle speed'
"Citroën'	"C1'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"4'	"Engine speed'
"Citroën'	"C1'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"5'	"Actual motor current'
"Citroën'	"C1'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"6'	"Desired motor current'
"Citroën'	"C1'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"7'	"ECU temperature'
"Citroën'	"C1'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"8'	"Supply voltage engine'
"Citroën'	"C1'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"9'	"ECU power drivers'
"Citroën'	"C1'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"10'	"Torque sensor 1, zero point value'
"Citroën'	"C1'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"11'	"Torque sensor 2, zero point value'

"Citroën'	"C1'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"12'	"Motor relay 1'
"Citroën'	"C1'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"13'	"Motor relay 2'
"Citroën'	"C1'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"14'	"Overheat detected'
"Citroën'	"C1'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"15'	"Low motor power supply'
"Citroën'	"C1'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"16'	"Power steering'
"Citroën'	"C1'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"17'	"Power steering'
"Citroën'	"C1'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"18'	"Engine type'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Adaptations'	"1'	"Recall service message'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"ECU Information'	"4'	"VIN code'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"ECU Information'	"5'	"Software version'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"ECU Information'	"6'	"Software index'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"ECU Information'	"7'	"ECU reference (Electronic Control Unit)'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"1'	"Economy mode'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"2'	"Engine running'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"3'	"Battery voltage'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"4'	"Alternator voltage'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"5'	"Supply, VAN body'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"6'	"Actual + for accessories (+ACC)'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"7'	"Ignition +15'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"8'	"Supply to window/sunroof'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"9'	"Fuel pump shut off'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"10'	"Air pump relay'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"11'	"Output status of air pump/water in diesel relay'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"12'	"Factory position'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"13'	"Load shedding level'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"14'	"Multifunction display'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"15'	"Sidelights'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"16'	"Key reminder buzzer sound'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"17'	"Hazard warning flashers active'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"18'	"Communication with instrument panel'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"19'	"Instrument cluster'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"20'	"Alarm, theft sensor'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"21'	"Diagnostic tool detected'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"22'	"Horn control'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"23'	"Receiving remote control message'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"24'	"Control of AC compressor'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"25'	"Safety valve, frost evaporator'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"26'	"Additional heater 1'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"27'	"Additional heater 2'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"28'	"A/C evaporator temp'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"29'	"ESP disarming request'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"30'	"Hand brake'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"31'	"Brake pedal status'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"32'	"Reverse gear signal'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"33'	"Belt lock, driver'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"34'	"Rear fog light control'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"35'	"Front fog light control'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"36'	"Control of right flashers'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"37'	"Control of left flashers'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"38'	"Bootlid light control'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"39'	"Interior lighting'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"40'	"Horn'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"41'	"Dipped headlight control'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"42'	"Main beam headlight control'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"43'	"Lights and courtesy light request'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"44'	"Twilight dipped beam lighting mode'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"45'	"Sidelights control'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"46'	"Alarm, glass breakage sensor'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"47'	"Ecu locked'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"48'	"BSI paired with engine control unit'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"49'	"BSI with anti-scanning'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"50'	"BSI not programmed'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"51'	"BSI ready for programming'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"52'	"Transponder antiscanning active'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"53'	"Transponder'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"54'	"Programmed keys'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"55'	"Programmed remote control'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"56'	"Battery in remote controller exhausted'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"57'	"Bonnet open'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"58'	"Boot lid'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"59'	"Boot lid opening required'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"60'	"Control, boot lid'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"61'	"Right front door'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"62'	"Left front door'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"63'	"Control, locking'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"64'	"Control, unlocking'

"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"65'	"Locks deadlocking control'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"66'	"Vehicle locked status'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"67'	"Lock protection'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"68'	"Vehicle locked status'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"69'	"Reception of invalid remote control message'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"70'	"Reception of valid remote control message'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"71'	"Long press on remote control button detected by BSI'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"72'	"Engine oil level'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"73'	"Oil pressure lamp'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"74'	"Engine coolant level warning lamp'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"75'	"Minimum window wash level lamp'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"76'	"Brake fluid level lamp'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"77'	"ABS warning lamp'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"78'	"Recall last navigation message'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"79'	"Engine oil temperature'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"80'	"Coolant temperature'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"81'	"Outside temperature'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"82'	"Gross fuel level'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"83'	"Filtered fuel level'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"84'	"Fuel level pointer, instrumentation'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"85'	"Fuel gauge impedance'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"86'	"Maintenance counter'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"87'	"Distance to maintenance (km)'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"88'	"Average fuel consumption/travel'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"89'	"Average fuel consumption/distance'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"90'	"Total distance (km)'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"91'	"Levelled consumption'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"92'	"TCS/ESP warning lamp'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"93'	"Alarm LED'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"94'	"Front wipers high speed requested'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"95'	"Front wipers low speed requested'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"96'	"Headlight washer requested'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"97'	"Washers, front, requested'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"98'	"Washer, rear, requested'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"99'	"Wiper, rear, control'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"100'	"Wipers, front, control of stopping'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"101'	"Wiper, rear, control of stopping'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"102'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"1'	"Rear foglight'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"2'	"Front fog lights'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"3'	"Control of right flashers'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"4'	"Control of left flashers'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"5'	"Luggage space lighting'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"6'	"Interior lighting'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"7'	"Horn'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"8'	"Dipped beam'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"9'	"Main beam'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"10'	"Position light control'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"11'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"12'	"Rear screen wiper'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"13'	"Windscreen wipers'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"14'	"Rear window washer'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"15'	"Windscreen washer'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"16'	"Headlight washer'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"17'	"AC compressor'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"18'	"Warning lights'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"19'	"Control, locking'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"20'	"Control, unlocking'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"21'	"Locks deadlocking control'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"22'	"Control, boot lid'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Adaptations'	"1'	"Recall service message'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"ECU Information'	"2'	"Software number'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"ECU Information'	"3'	"Supplier'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"ECU Information'	"4'	"VIN code'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"ECU Information'	"5'	"Software version'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"ECU Information'	"6'	"Software index'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"ECU Information'	"7'	"ECU reference (Electronic Control Unit)'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"1'	"Economy mode'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"2'	"Engine running'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"3'	"Battery voltage'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"4'	"Alternator voltage'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"5'	"Actual + for accessories (+ACC)'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"6'	"Ignition +15'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"7'	"Supply, VAN body'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"8'	"Supply to window/sunroof'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"9'	"Fuel pump shut off'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"10'	"Air pump relay'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"11'	"Factory position'

"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"12'	"Multifunction display'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"13'	"Sidelights'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"14'	"Key reminder buzzer sound'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"15'	"Hazard warning flashers active'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"16'	"Communication with instrument panel'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"17'	"Instrument cluster'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"18'	"Alarm, theft sensor'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"19'	"Diagnostic tool detected'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"20'	"Horn control'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"21'	"Receiving remote control message'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"22'	"Control of AC compressor'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"23'	"Safety valve, frost evaporator'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"24'	"Additional heater 1'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"25'	"Additional heater 2'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"26'	"A/C evaporator temp'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"27'	"ESP disarming request'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"28'	"Hand brake'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"29'	"Brake pedal status'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"30'	"Reverse gear signal'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"31'	"Belt lock, driver'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"32'	"Rear fog light control'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"33'	"Front fog light control'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"34'	"Control of right flashers'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"35'	"Control of left flashers'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"36'	"Bootlid light control'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"37'	"Interior lighting'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"38'	"Horn'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"39'	"Dipped headlight control'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"40'	"Main beam headlight control'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"41'	"Lights and courtesy light request'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"42'	"Twilight dipped beam lighting mode'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"43'	"Sidelights control'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"44'	"Alarm from passenger compartment monitoring'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"45'	"Ecu locked'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"46'	"BSI paired with engine control unit'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"47'	"BSI with anti-scanning'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"48'	"BSI not programmed'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"49'	"BSI ready for programming'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"50'	"Transponder antiscanning active'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"51'	"Transponder'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"52'	"Programmed keys'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"53'	"Programmed remote control'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"54'	"Battery in remote controller exhausted'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"55'	"Bonnet open'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"56'	"Boot lid'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"57'	"Boot lid opening required'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"58'	"Control, boot lid'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"59'	"Right front door'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"60'	"Left front door'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"61'	"Control, locking'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"62'	"Control, unlocking'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"63'	"Locks deadlocking control'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"64'	"Vehicle locked status'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"65'	"Lock protection'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"66'	"Vehicle locked status'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"67'	"Reception of invalid remote control message'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"68'	"Reception of valid remote control message'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"69'	"Long press on remote control button detected by BSI'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"70'	"Engine oil level'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"71'	"Oil pressure lamp'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"72'	"Engine coolant level warning lamp'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"73'	"Minimum window wash level lamp'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"74'	"Brake fluid level lamp'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"75'	"ABS warning lamp'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"76'	"Recall last navigation message'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"77'	"Water in fuel'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"78'	"Engine oil temperature'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"79'	"Coolant temperature'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"80'	"Outside temperature'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"81'	"Gross fuel level'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"82'	"Filtered fuel level'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"83'	"Fuel level pointer, instrumentation'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"84'	"Fuel gauge impedance'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"85'	"Maintenance counter'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"86'	"Distance to maintenance (km)'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"87'	"Average fuel consumption/travel'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"88'	"Average fuel consumption/distance'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"89'	"Total distance (km)'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"90'	"Levelled consumption'

"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"91'	"TCS/ESP warning lamp'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"92'	"Alarm LED'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"93'	"Front wipers high speed requested'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"94'	"Front wipers low speed requested'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"95'	"Headlight washer requested'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"96'	"Washers, front, requested'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"97'	"Washer, rear, requested'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"98'	"Wiper, rear, control'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"99'	"Wipers, front, control of stopping'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"100'	"Wiper, rear, control of stopping'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"101'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Tests'	"1'	"Rear foglight'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Tests'	"2'	"Front fog lights'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Tests'	"3'	"Control of right flashers'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Tests'	"4'	"Control of left flashers'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Tests'	"5'	"Luggage space lighting'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Tests'	"6'	"Interior lighting'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Tests'	"7'	"Horn'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Tests'	"8'	"Dipped beam'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Tests'	"9'	"Main beam'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Tests'	"10'	"Position light control'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Tests'	"11'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Tests'	"12'	"Windscreen wipers'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Tests'	"13'	"Rear screen wiper'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Tests'	"14'	"Rear window washer'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Tests'	"15'	"Windscreen washer'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Tests'	"16'	"Headlight washer'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Tests'	"17'	"AC compressor'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Tests'	"18'	"Warning lights'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Tests'	"19'	"Control, locking'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Tests'	"20'	"Control, unlocking'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Tests'	"21'	"Locks deadlocking control'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Tests'	"22'	"Control, boot lid'
"Citroën'	"C2'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Tests'	"23'	"ESP button'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Adaptations'	"1'	"Steering angle decalibration'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Adaptations'	"2'	"Steering angle calibration'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Adaptations'	"3'	"Lateral acceleration sensor initialization'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Adaptations'	"4'	"Brake pressure sensor initialisation'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"ECU Information'	"3'	"Software version number'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"ECU Information'	"5'	"Type'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"1'	"Control unit power supply'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"2'	"Vehicle speed'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"3'	"Front left speed sensor'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"4'	"Front right speed sensor'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"5'	"Rear left speed sensor'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"6'	"Rear right speed sensor'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"7'	"Brake pedal switch'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"8'	"Brake fluid level'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"9'	"Brake lining condition'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"10'	"Yaw rate sensor'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"11'	"Brake pressure'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"12'	"Engine speed'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"13'	"Lateral acceleration sensor'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"14'	"Brake pedal switch 2'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"15'	"ESP disarming request'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"16'	"Hand brake'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"17'	"Engine torque request'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"18'	"Steering wheel angle'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"19'	"Communication ABS/ASR engine'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"20'	"Actual gear'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"21'	"CAN: Communication'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"22'	"Actual engine load'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"23'	"Accelerator pedal position'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"24'	"Reference value setting status ASR/MSR'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"25'	"Steering wheel angle sensor'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"26'	"Steering wheel angle sensor'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"27'	"Steering wheel angle sensor'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"28'	"Change of gear in progress'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"29'	"Torque converter'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Tests'	"1'	"Hydraulic pump ABS'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Tests'	"2'	"Switching solenoid valve 1'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Tests'	"3'	"Switching solenoid valve 2'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Tests'	"4'	"Limiting solenoid valve 1'
"Citroën'	"C2'	"Brake System'	"ABS MK 60 ESP'	"	"Tests'	"5'	"Limiting solenoid valve 2'
"Citroën'	"C2'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C2'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"2'	"Supplier'

"Citroën'	"C2'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"3'	"Software version number'
"Citroën'	"C2'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C2'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"5'	"Type'
"Citroën'	"C2'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"1'	"Control unit power supply'
"Citroën'	"C2'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"2'	"Vehicle speed'
"Citroën'	"C2'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"3'	"Front left speed sensor'
"Citroën'	"C2'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"4'	"Front right speed sensor'
"Citroën'	"C2'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"5'	"Rear left speed sensor'
"Citroën'	"C2'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"6'	"Rear right speed sensor'
"Citroën'	"C2'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"7'	"Brake light switch'
"Citroën'	"C2'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"8'	"Brake fluid level'
"Citroën'	"C2'	"Brake System'	"ABS MK 70'	"	"Tests'	"1'	"Hydraulic pump ABS'
"Citroën'	"C2'	"Climate Control'	"Valeo'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C2'	"Climate Control'	"Valeo'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C2'	"Climate Control'	"Valeo'	"	"ECU Information'	"3'	"Software version'
"Citroën'	"C2'	"Climate Control'	"Valeo'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C2'	"Climate Control'	"Valeo'	"	"Live Parameters'	"1'	"Control unit power supply'
"Citroën'	"C2'	"Climate Control'	"Valeo'	"	"Live Parameters'	"2'	"Compartment temperature'
"Citroën'	"C2'	"Climate Control'	"Valeo'	"	"Live Parameters'	"3'	"Compartment fan control power'
"Citroën'	"C2'	"Climate Control'	"Valeo'	"	"Live Parameters'	"4'	"Mixing flap'
"Citroën'	"C2'	"Climate Control'	"Valeo'	"	"Live Parameters'	"5'	"Air distribution'
"Citroën'	"C2'	"Climate Control'	"Valeo'	"	"Live Parameters'	"6'	"Recirculation'
"Citroën'	"C2'	"Climate Control'	"Valeo'	"	"Live Parameters'	"7'	"Temperature +'
"Citroën'	"C2'	"Climate Control'	"Valeo'	"	"Live Parameters'	"8'	"Temperature -'
"Citroën'	"C2'	"Climate Control'	"Valeo'	"	"Live Parameters'	"9'	"Fan +'
"Citroën'	"C2'	"Climate Control'	"Valeo'	"	"Live Parameters'	"10'	"Fan -'
"Citroën'	"C2'	"Climate Control'	"Valeo'	"	"Live Parameters'	"11'	"Air distribution'
"Citroën'	"C2'	"Climate Control'	"Valeo'	"	"Live Parameters'	"12'	"Recirculation'
"Citroën'	"C2'	"Climate Control'	"Valeo'	"	"Live Parameters'	"13'	"Auto button'
"Citroën'	"C2'	"Climate Control'	"Valeo'	"	"Live Parameters'	"14'	"Defrost button'
"Citroën'	"C2'	"Climate Control'	"Valeo'	"	"Live Parameters'	"15'	"AC button'
"Citroën'	"C2'	"Climate Control'	"Valeo'	"	"Live Parameters'	"16'	"Windscreen button'
"Citroën'	"C2'	"Climate Control'	"Valeo'	"	"Tests'	"1'	"Recirculation actuator'
"Citroën'	"C2'	"Climate Control'	"Valeo'	"	"Tests'	"2'	"Air distribution valve'
"Citroën'	"C2'	"Climate Control'	"Valeo'	"	"Tests'	"3'	"Mixing flap'
"Citroën'	"C2'	"Climate Control'	"Valeo'	"	"Tests'	"4'	"Segment'
"Citroën'	"C2'	"Climate Control'	"Valeo'	"	"Tests'	"5'	"Cabin fan motor'
"Citroën'	"C2'	"Climate Control'	"Valeo'	"	"Tests'	"6'	"ACC-panel buttons lights'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"ECU Information'	"8'	"Software version'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"1'	"Coolant temperature'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"2'	"Coolant temperature [input signal]'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"3'	"Inlet air temperature'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"4'	"Input air temperature [input signal]'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"5'	"Vehicle speed'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"6'	"Gear detected'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"7'	"Main relay command'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"8'	"Cooling fan relay'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"9'	"Cooling fan, duty factor'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"10'	"Cooling fan speed request'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"11'	"Fuel temperature'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"12'	"Atmospheric pressure'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"13'	"Accelerator pedal position'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"14'	"Battery voltage'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"15'	"Sensor power supply'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"16'	"Ignition +15'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"17'	"Relay, pre-/post-heating control'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"18'	"AC compressor'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"19'	"Brake pedal'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"20'	"Revolution signal'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"21'	"Camshaft position sensor'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"22'	"Fuel pressure'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"23'	"Fuel pressure regulator'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"24'	"Fuel flow regulator'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"25'	"Injection amount'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"26'	"Injection valves'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"27'	"Fuel quantity correction cylinder 1'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"28'	"Fuel quantity correction cylinder 2'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"29'	"Fuel quantity correction cylinder 3'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"30'	"Fuel quantity correction cylinder 4'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"31'	"EGR valve'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"32'	"Pre injection timing'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"33'	"Main injection timing'

"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"34'	"Target air mass'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"35'	"Air mass measured'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"36'	"Injection time'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"37'	"Target fuel pressure'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Tests'	"1'	"Cooling fan'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Tests'	"2'	"Fuel pressure regulator'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Tests'	"3'	"Fuel flow regulator'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Tests'	"4'	"Relay, pre-/post-heating control'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Tests'	"5'	"EGR valve'
"Citroën'	"C2'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Tests'	"6'	"Main relay, supply circuit'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"ECU Information'	"8'	"Software version'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"1'	"Boost pressure'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"2'	"Coolant temperature'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"3'	"Coolant temperature [input signal]'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"4'	"Inlet air temperature'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"5'	"Input air temperature [input signal]'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"6'	"Vehicle speed'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"7'	"Gear detected'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"8'	"Main relay command'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"9'	"Cooling fan relay'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"10'	"Cooling fan, duty factor'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"11'	"Cooling fan speed request'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"12'	"Fuel temperature'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"13'	"Atmospheric pressure'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"14'	"Accelerator pedal position'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"15'	"Battery voltage'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"16'	"Sensor power supply'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"17'	"Ignition +15'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"18'	"Relay, pre-/post-heating control'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"19'	"AC compressor'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"20'	"Brake pedal'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"21'	"Revolution signal'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"22'	"Camshaft position sensor'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"23'	"Fuel pressure'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"24'	"Fuel pressure regulator'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"25'	"Fuel flow regulator'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"26'	"Injection amount'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"27'	"Injection valves'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"28'	"Fuel quantity correction cylinder 1'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"29'	"Fuel quantity correction cylinder 2'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"30'	"Fuel quantity correction cylinder 3'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"31'	"Fuel quantity correction cylinder 4'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"32'	"EGR valve'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"33'	"Pre injection timing'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"34'	"Main injection timing'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"35'	"Target air mass'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"36'	"Air mass measured'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"37'	"Injection time'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"38'	"Target fuel pressure'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Tests'	"1'	"Cooling fan'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Tests'	"2'	"Fuel pressure regulator'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Tests'	"3'	"Fuel flow regulator'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Tests'	"4'	"Relay, pre-/post-heating control'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Tests'	"5'	"EGR valve'
"Citroën'	"C2'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Tests'	"6'	"Main relay, supply circuit'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"ECU Information'	"8'	"Part version suffix'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"1'	"Injection time'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"2'	"Throttle potentiometer'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"3'	"Throttle status'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"4'	"Coolant temperature'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"5'	"Inlet air temperature'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"6'	"Inlet manifold pressure'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"7'	"Stepper motor'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"8'	"Injection shut-off'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"9'	"Carbon filter solenoid valve'

"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"10'	"Ignition timing'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"11'	"Ignition coil 1'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"12'	"Ignition coil 2'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"13'	"Front lambda sensor'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"14'	"Rear lambda sensor'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"15'	"Fuelmixture'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"16'	"Revolution signal'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"17'	"Battery voltage'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"18'	"AC approved'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"19'	"Input, AC thermostat'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"20'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"21'	"Power relay'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"22'	"Road speed signal'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"23'	"Engine torque'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"24'	"Gear detected'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"25'	"Radiator fan relay'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"26'	"Blower speed'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"27'	"Cooling fan'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"1'	"Idle step engine'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"4'	"Fuel pump relay'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"5'	"Injection valve 1'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"6'	"Injection valve 2'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"7'	"Injection valve 3'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"8'	"Injection valve 4'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"9'	"Secondary air pump relay'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"10'	"Carbon filter solenoid valve'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"11'	"EGR valve'
"Citroën'	"C2'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"14'	"Cooling fan'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"ECU Information'	"8'	"Part version suffix'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"3'	"Torque control'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"4'	"Injection time'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"5'	"Injection shut-off'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"6'	"Accelerator pedal position'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"7'	"Throttle opening'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"8'	"Throttle potentiometer'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"9'	"Coolant temperature'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"10'	"Inlet air temperature'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"11'	"Inlet manifold pressure'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"12'	"Carbon filter solenoid valve'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"13'	"Ignition timing'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"14'	"Ignition coil'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"15'	"Ignition coil'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"16'	"Mixing regulation'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"17'	"Front lambda sensor'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"18'	"Rear lambda sensor'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"19'	"Front lambda sensor'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"20'	"Rear lambda sensor'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"21'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"22'	"AC approved'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"23'	"Input, AC thermostat'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"24'	"Road speed signal'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"25'	"Main relay'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"26'	"Cooling fan relay'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"27'	"Cooling fan, duty factor'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"28'	"Cooling fan speed request'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Tests'	"3'	"Injection valve 1'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Tests'	"4'	"Injection valve 2'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Tests'	"5'	"Injection valve 3'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Tests'	"6'	"Injection valve 4'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Tests'	"7'	"Fuel pump relay'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Tests'	"8'	"AC compressor'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Tests'	"9'	"Cooling fan'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Tests'	"10'	"Carbon filter solenoid valve'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"ECU Information'	"5'	"System'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"ECU Information'	"6'	"Application'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"ECU Information'	"7'	"Engine version'

"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"ECU Information'	"8'	"Software version'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"ECU Information'	"9'	"Software index'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Live Parameters'	"1'	"Injection time'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Live Parameters'	"2'	"Injection cut off request'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Live Parameters'	"3'	"Coolant temperature'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Live Parameters'	"4'	"Throttle status'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Live Parameters'	"5'	"Throttle valve angle'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Live Parameters'	"6'	"Throttle position sensor'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Live Parameters'	"7'	"Air inlet temperature'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Live Parameters'	"8'	"Inlet manifold pressure'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Live Parameters'	"9'	"Carbon filter solenoid valve'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Live Parameters'	"10'	"Engine speed'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Live Parameters'	"11'	"Battery voltage'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Live Parameters'	"12'	"Ignition advance/retard controller'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Live Parameters'	"13'	"Ignition coil 1 & 4'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Live Parameters'	"14'	"Ignition coil 2 & 3'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Live Parameters'	"15'	"Lambda regulation'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Live Parameters'	"16'	"Front lambda sensor'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Live Parameters'	"17'	"Front lambda sensor'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Live Parameters'	"18'	"Rear lambda sensor'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Live Parameters'	"19'	"Rear lambda sensor'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Live Parameters'	"20'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Live Parameters'	"21'	"Coolant temperature'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Live Parameters'	"22'	"Air inlet temperature'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Live Parameters'	"23'	"AC pressure sensor'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Live Parameters'	"24'	"Air conditioning authorisation'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Live Parameters'	"25'	"Input, AC thermostat'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Live Parameters'	"26'	"Oil temperatur'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Live Parameters'	"27'	"Cooling fan relay'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Live Parameters'	"28'	"Fan speed'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Live Parameters'	"29'	"Fan control reference value'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Tests'	"1'	"Injection valve 1'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Tests'	"2'	"Injection valve 2'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Tests'	"3'	"Injection valve 3'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Tests'	"4'	"Injection valve 4'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Tests'	"5'	"Front lambda sensor'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Tests'	"6'	"Rear lambda sensor'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Tests'	"7'	"Fuel pump relay'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Tests'	"8'	"Electronic throttle control'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Tests'	"9'	"Ignition coil 1 & 4'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Tests'	"10'	"Ignition coil 2 & 3'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Tests'	"11'	"Cooling fan high speed'
"Citroën'	"C2'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM2'	"	"Tests'	"12'	"Carbon filter solenoid valve'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"8'	"Part version suffix'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"1'	"Engine speed'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"3'	"Engine torque'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"4'	"Coolant temperature'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"5'	"Inlet air temperature'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"6'	"Inlet manifold pressure'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"7'	"Injection time'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"8'	"Injection shut-off'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"9'	"Throttle opening'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"10'	"Throttle potentiometer'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"11'	"Throttle status'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"12'	"Ignition timing'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"13'	"Ignition coil 1 & 4'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"14'	"Ignition coil 2 & 3'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"15'	"Front lambda sensor'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"16'	"Rear lambda sensor'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"17'	"Front lambda sensor'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"18'	"Rear lambda sensor'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"19'	"Lambda regulation, probe before catalytic converter'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"20'	"Lambda regulation, probe after catalytic converter'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"21'	"Carbon filter solenoid valve'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"22'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"23'	"AC approved'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"24'	"A/C requested'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"25'	"Vehicle speed'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"26'	"Gear detected'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"27'	"Cooling fan low speed'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"28'	"Cooling fan high speed'

"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"1'	"Ignition coil 1 & 4'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"2'	"Ignition coil 2 & 3'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"3'	"Injection valve 1'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"4'	"Injection valve 2'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"5'	"Injection valve 3'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"6'	"Injection valve 4'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"7'	"Fuel pump relay'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"8'	"Cooling fan high speed'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"9'	"Cooling fan low speed'
"Citroën'	"C2'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"10'	"Carbon filter solenoid valve'
"Citroën'	"C2'	"Gearbox / Automatic Transmission'	"Sequential'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C2'	"Gearbox / Automatic Transmission'	"Sequential'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C2'	"Gearbox / Automatic Transmission'	"Sequential'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C2'	"Gearbox / Automatic Transmission'	"Sequential'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C2'	"Gearbox / Automatic Transmission'	"Sequential'	"	"ECU Information'	"5'	"Software index'
"Citroën'	"C2'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"1'	"Vehicle speed'
"Citroën'	"C2'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"2'	"Gearbox input rpm'
"Citroën'	"C2'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"3'	"Battery voltage'
"Citroën'	"C2'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"4'	"Clutch position'
"Citroën'	"C2'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"5'	"Sequential/Automatic gearbox selector position'
"Citroën'	"C2'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"6'	"Kick down activated'
"Citroën'	"C2'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"7'	"Gear detected'
"Citroën'	"C2'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"8'	"Steering wheel gear shifter -'
"Citroën'	"C2'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"9'	"Steering wheel gear shifter +'
"Citroën'	"C2'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"10'	"Engine speed'
"Citroën'	"C2'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"11'	"Engine torque, actual value'
"Citroën'	"C2'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"12'	"Engine torque, target value'
"Citroën'	"C2'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"13'	"Accelerator pedal position'
"Citroën'	"C2'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"14'	"Coolant temperature'
"Citroën'	"C2'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"15'	"Brake switch 1'
"Citroën'	"C2'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"16'	"Brake switch 2'
"Citroën'	"C2'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"17'	"Program selector switch'
"Citroën'	"C2'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"18'	"1st engagements counter'
"Citroën'	"C2'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"19'	"2nd engagements counter'
"Citroën'	"C2'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"20'	"3rd engagements counter'
"Citroën'	"C2'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"21'	"4th engagements counter'
"Citroën'	"C2'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"22'	"5th engagements counter'
"Citroën'	"C2'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"23'	"Reverse engagements counter'
"Citroën'	"C2'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"24'	"Steering wheel gear shift counter'
"Citroën'	"C2'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"25'	"Gear selector counter'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"ECU Information'	"4'	"Software number'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"1'	"Oil level gauge'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"2'	"Service indicator'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"3'	"Unit for odometer'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"4'	"Value for the 2th segment'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"5'	"Value for the 3th segment'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"6'	"Value for the 4th segment'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"7'	"Value for the 5th segment'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"8'	"Value for the 6th segment'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"9'	"Rear demist switch'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"10'	"Switch, hazardwarning'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"11'	"AC button'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"12'	"Service indicator'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"13'	"Central locker, lock switch'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"14'	"Instrument cluster'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"15'	"Instrument cluster'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"16'	"Speed warning'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"17'	"Instrument cluster status'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"18'	"Reset button, trip meter'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"19'	"Instrument brightness adjustment button'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Tests'	"1'	"Speed meter gauge 100 km/h'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Tests'	"2'	"Rpm gauge (4000 Rpm)'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Tests'	"3'	"Fuel gauge, full tank'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Tests'	"4'	"Coolant temperature, high'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Tests'	"5'	"Low oil level'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Tests'	"6'	"Kilometre counter'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Tests'	"7'	"Hydraulic unit position sensor.gear range gearing'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Tests'	"8'	"Indicator lamps'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"ECU Information'	"5'	"Diagnostics indicator'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"1'	"Current odometer reading'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"2'	"Service indicator'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"3'	"Oil level gauge'

"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"4'	"Unit'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"5'	"Engine speed limit, orange light'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"6'	"Engine speed limit, red light'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"7'	"Overrun cutoff'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"8'	"Instrument panel lightning'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"9'	"Odometer reset button'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"10'	"Instrument brightness adjustment button'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"1'	"Speedometer'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"2'	"RPM-gauge'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"3'	"Fuel level'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"4'	"Oil level gauge'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"5'	"Segment display switched on'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"6'	"Park [P]'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"7'	"Reverse [R]'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"8'	"Neutral [N]'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"9'	"Drive [D]'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"10'	"Gear 6 [6]'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"11'	"Gear 5 [5]'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"12'	"Gear 4 [4]'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"13'	"Gear 3 [3]'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"14'	"Gear 2 [2]'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"15'	"Gear 1 [1]'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"16'	"Auto'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"17'	"Sport'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"18'	"Winter'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"19'	"Instrument panel lightning'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"20'	"Control panel warning lights'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"21'	"Button light'
"Citroën'	"C2'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"22'	"Setting, night panel'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"5'	"Calibration version'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"6'	"Diagnostics indicator'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"7'	"Checking of action in aftermarket'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"8'	"Checking at factory'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"9'	"Checking at supplier'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"10'	"After sales check'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"11'	"Front satellite sensors PSA reference'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"12'	"Satellite sensors supplier'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"13'	"Front satellites calibration version'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"14'	"Front satellites material version'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"15'	"Front satellites software version'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"16'	"Rear satellite sensors PSA reference'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"17'	"Rear satellite sensors supplier'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"18'	"Rear satellites calibration version'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"19'	"Rear satellites material version'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"20'	"Rear satellites software version'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"1'	"Driver airbag ignition squib 1'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"2'	"Driver airbag ignition squib 2'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"3'	"Driver knee airbag'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"4'	"Anti submarining, driver side'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"5'	"Driver seat position sensor'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"6'	"Front passenger airbag ignition squib 1'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"7'	"Front passenger airbag ignition squib 2'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"8'	"Passenger knee airbag'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"9'	"Anti submarining, passenger side'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"10'	"Passenger seat position sensor'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"11'	"Switch, passenger airbag'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"12'	"Number of impacts'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"13'	"Rear impact detected'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"14'	"Drivers pretensioner'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"15'	"Driver lap strap pretensioner'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"16'	"Passenger pretensioner'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"17'	"Passenger lap strap pretensioner'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"18'	"Center pretensioner squib circuit row 1'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"19'	"Right pretensioner squib circuit row 2'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"20'	"Left pretensioner squib circuit row 2'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"21'	"Center pretensioner squib circuit row 2'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"22'	"Right pretensioner squib circuit row 3'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"23'	"Left pretensioner squib circuit row 3'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"24'	"Center pretensioner squib circuit row 3'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"25'	"Right front side airbag ignition squib'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"26'	"Left front side airbag ignition squib'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"27'	"Right rear side airbag ignition squib'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"28'	"Left rear side airbag ignition squib'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"29'	"Right side curtain airbag'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"30'	"Left side curtain airbag'

"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"31'	"Equipment level'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"32'	"Driver airbag ignition squib 1'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"33'	"Driver airbag ignition squib 2'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"34'	"Driver knee airbag'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"35'	"Anti submarining, driver side'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"36'	"Driver seat position sensor'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"37'	"Equipment level'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"38'	"Front passenger airbag ignition squib 1'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"39'	"Front passenger airbag ignition squib 2'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"40'	"Passenger knee airbag'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"41'	"Anti submarining, passenger side'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"42'	"Passenger seat position sensor'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"43'	"Switch, passenger airbag'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"44'	"Equipment level'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"45'	"Pedestrian impact detection'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"46'	"Drivers pretensioner'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"47'	"Driver lap strap pretensioner'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"48'	"Passenger pretensioner'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"49'	"Passenger lap strap pretensioner'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"50'	"Equipment level'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"51'	"Center pretensioner squib circuit row 1'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"52'	"Left pretensioner squib circuit row 2'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"53'	"Right pretensioner squib circuit row 2'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"54'	"Center pretensioner squib circuit row 2'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"55'	"Equipment level'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"56'	"Left front side airbag ignition squib'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"57'	"Right front side airbag ignition squib'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"58'	"Left rear side airbag ignition squib'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"59'	"Right rear side airbag ignition squib'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"60'	"Left side curtain airbag'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"61'	"Right side curtain airbag'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"62'	"Equipment level'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"63'	"Right front satellite'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"64'	"Left front satellite'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"65'	"Right rear satellite'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"66'	"Left rear satellite'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"3'	"Version of program'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"4'	"Calibration number'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"5'	"Diagnostic version'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"6'	"Checking at after line production'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"7'	"Checking at factory'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"8'	"Checking at supplier'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"9'	"Checking of action in aftermarket'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"10'	"Front satellite sensors PSA reference'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"11'	"Satellite sensors supplier'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"12'	"Right satellite sensor unit number'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"13'	"Left satellite sensor unit number'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"14'	"Right satellite sensor program version'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"15'	"Left satellite sensor program version'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"16'	"Right satellite sensor material version'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"17'	"Left satellite sensor material version'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"1'	"Driver airbag'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"2'	"Passenger airbag'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"3'	"Driver knee airbag'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"4'	"Switch to disable passenger airbag'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"5'	"Frontal side airbag'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"6'	"Side head airbags'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"7'	"Pretensioner'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"8'	"Satellite sensors'
"Citroën'	"C2'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"9'	"Calibration status of satellit sensors'
"Citroën'	"C2'	"Steering'	"Power steering - KOYO'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"C2'	"Steering'	"Power steering - KOYO'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C2'	"Steering'	"Power steering - KOYO'	"	"ECU Information'	"3'	"Software version'
"Citroën'	"C2'	"Steering'	"Power steering - KOYO'	"	"ECU Information'	"4'	"Calibration version'
"Citroën'	"C2'	"Steering'	"Power steering - KOYO'	"	"ECU Information'	"5'	"Diagnostic version'
"Citroën'	"C2'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"1'	"Vehicle speed'
"Citroën'	"C2'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"2'	"Engine speed'
"Citroën'	"C2'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"3'	"Ignition on'
"Citroën'	"C2'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"4'	"Steering wheel torque'
"Citroën'	"C2'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"5'	"Current steering motor'
"Citroën'	"C2'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"6'	"Current steering motor, reference value'
"Citroën'	"C2'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"7'	"Electrical power steering motor'
"Citroën'	"C2'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"8'	"Assistance'
"Citroën'	"C2'	"Steering'	"Power steering - KOYO'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C2'	"Steering'	"Power steering - KOYO'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C2'	"Steering'	"Power steering - KOYO'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C2'	"Steering'	"Power steering - KOYO'	"	"ECU Information'	"4'	"Diagnostic version'

"Citroën'	"C2'	"Steering'	"Power steering - KOYO'	""	"Live Parameters'	"1'	"Vehicle speed'
"Citroën'	"C2'	"Steering'	"Power steering - KOYO'	""	"Live Parameters'	"2'	"Engine speed'
"Citroën'	"C2'	"Steering'	"Power steering - KOYO'	""	"Live Parameters'	"3'	"Torque sensor'
"Citroën'	"C2'	"Steering'	"Power steering - KOYO'	""	"Live Parameters'	"4'	"Ignition on'
"Citroën'	"C2'	"Steering'	"Power steering - KOYO'	""	"Live Parameters'	"5'	"Motor voltage'
"Citroën'	"C2'	"Steering'	"Power steering - KOYO'	""	"Live Parameters'	"6'	"Actual motor current'
"Citroën'	"C2'	"Steering'	"Power steering - KOYO'	""	"Live Parameters'	"7'	"Desired motor current'
"Citroën'	"C2'	"Steering'	"Power steering - KOYO'	""	"Live Parameters'	"8'	"Assistance'
"Citroën'	"C2'	"Steering'	"Steering wheel electronics - Diagnose'	""	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C2'	"Steering'	"Steering wheel electronics - Diagnose'	""	"ECU Information'	"2'	"Software number'
"Citroën'	"C2'	"Steering'	"Steering wheel electronics - Diagnose'	""	"ECU Information'	"3'	"Supplier'
"Citroën'	"C2'	"Steering'	"Steering wheel electronics - Diagnose'	""	"ECU Information'	"4'	"Software version'
"Citroën'	"C2'	"Steering'	"Steering wheel electronics - Diagnose'	""	"ECU Information'	"5'	"Software index'
"Citroën'	"C2'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"1'	"Light switch'
"Citroën'	"C2'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"2'	"Switch for main/dipped light'
"Citroën'	"C2'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"3'	"High beam flash switch'
"Citroën'	"C2'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"4'	"Fog lights switch'
"Citroën'	"C2'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"5'	"Switch, direction indicator'
"Citroën'	"C2'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"6'	"Twilight dipped beam lighting button'
"Citroën'	"C2'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"7'	"Windscreen wipers'
"Citroën'	"C2'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"8'	"Windscreen washer'
"Citroën'	"C2'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"9'	"Rear window washer'
"Citroën'	"C2'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"10'	"Rear screen wiper'
"Citroën'	"C2'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"11'	"Cruise control'
"Citroën'	"C2'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"12'	"Set cruise acceleration (+)'
"Citroën'	"C2'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"13'	"Set cruise deceleration (-)'
"Citroën'	"C2'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"14'	"Cruise control switch, set/resume'
"Citroën'	"C2'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"15'	"Scan button +'
"Citroën'	"C2'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"16'	"Scan button -'
"Citroën'	"C2'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"17'	"Volume button +'
"Citroën'	"C2'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"18'	"Volume button -'
"Citroën'	"C2'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"19'	"Function shows on trip computer'
"Citroën'	"C2'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"20'	"Horn'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Adaptations'	"1'	"Recall service message'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"ECU Information'	"2'	"Software number'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"ECU Information'	"3'	"Supplier'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"ECU Information'	"4'	"VIN code'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"ECU Information'	"5'	"Software version'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"ECU Information'	"6'	"Software index'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"ECU Information'	"7'	"ECU reference (Electronic Control Unit)'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"1'	"Economy mode'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"2'	"Engine running'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"3'	"Battery voltage'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"4'	"Alternator voltage'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"5'	"Supply, VAN body'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"6'	"Actual + for accessories (+ACC)'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"7'	"Ignition +15'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"8'	"Supply to window/sunroof'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"9'	"Fuel pump shut off'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"10'	"Air pump relay'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"11'	"Factory position'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"12'	"Multifunction display'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"13'	"Sidelights'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"14'	"Key reminder buzzer sound'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"15'	"Hazard warning flashers active'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"16'	"Communication with instrument panel'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"17'	"Instrument cluster'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"18'	"Alarm, theft sensor'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"19'	"Diagnostic tool detected'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"20'	"Horn control'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"21'	"Receiving remote control message'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"22'	"Control of AC compressor'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"23'	"AC relay control'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"24'	"A/C evaporator temp'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"25'	"ESP disarming request'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"26'	"Hand brake'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"27'	"Brake pedal status'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"28'	"Reverse gear signal'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"29'	"Belt lock, driver'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"30'	"Winter program'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"31'	"Sport program'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"32'	"Rear fog light control'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"33'	"Front fog light control'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"34'	"Control of right flashers'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"35'	"Control of left flashers'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"36'	"Bootlid light control'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"37'	"Interior lighting'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"38'	"Horn'

"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"39'	"Dipped headlight control'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"40'	"Main beam headlight control'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"41'	"Lights and courtesy light request'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"42'	"Twilight dipped beam lighting mode'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"43'	"Sidelights control'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"44'	"Alarm from passenger compartment monitoring'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"45'	"Ecu locked'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"46'	"BSI paired with engine control unit'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"47'	"BSI with anti-scanning'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"48'	"Code learnt'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"49'	"BSI ready for programming'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"50'	"Transponder antiscanning active'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"51'	"Transponder'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"52'	"Programmed keys'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"53'	"Programmed remote control'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"54'	"Battery in remote controller exhausted'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"55'	"Bonnet open'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"56'	"Boot lid'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"57'	"Boot lid opening required'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"58'	"Control, boot lid'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"59'	"Right front door'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"60'	"Left front door'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"61'	"Rear right door'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"62'	"Rear left door'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"63'	"Childproof lock activation control'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"64'	"Control, locking'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"65'	"Control, unlocking'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"66'	"Locks deadlocking control'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"67'	"Vehicle locked status'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"68'	"Lock protection'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"69'	"Vehicle locked status'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"70'	"Reception of invalid remote control message'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"71'	"Reception of valid remote control message'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"72'	"Long press on remote control button detected by BSI'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"73'	"Engine oil level'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"74'	"Oil pressure lamp'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"75'	"Engine coolant level warning lamp'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"76'	"Minimum window wash level lamp'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"77'	"Brake fluid level lamp'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"78'	"ABS warning lamp'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"79'	"Recall last navigation message'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"80'	"Water in fuel'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"81'	"Engine oil temperature'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"82'	"Coolant temperature'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"83'	"Outside temperature'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"84'	"Gross fuel level'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"85'	"Filtered fuel level'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"86'	"Fuel level pointer, instrumentation'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"87'	"Fuel gauge impedance'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"88'	"Maintenance counter'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"89'	"Distance to maintenance (km)'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"90'	"Average fuel consumption/travel'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"91'	"Average fuel consumption/distance'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"92'	"Total distance (km)'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"93'	"Levelled consumption'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"94'	"TCS/ESP warning lamp'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"95'	"Alarm LED'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"96'	"Front wipers high speed requested'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"97'	"Front wipers low speed requested'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"98'	"Headlight washer requested'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"99'	"Washers, front, requested'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"100'	"Washer, rear, requested'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"101'	"Wiper, rear, control'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"102'	"Wipers, front, control of stopping'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"103'	"Wiper, rear, control of stopping'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Live Parameters'	"104'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Tests'	"1'	"Rear foglight'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Tests'	"2'	"Front fog lights'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Tests'	"3'	"Control of right flashers'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Tests'	"4'	"Control of left flashers'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Tests'	"5'	"Luggage space lighting'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Tests'	"6'	"Interior lighting'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Tests'	"7'	"Horn'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Tests'	"8'	"Dipped beam'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Tests'	"9'	"Main beam'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Tests'	"10'	"Position light control'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Tests'	"11'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Tests'	"12'	"Rear screen wiper'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	""	"Tests'	"13'	"Windscreen wipers'

"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	"	"Tests'	"14'	"Rear window washer'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	"	"Tests'	"15'	"Windscreen washer'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	"	"Tests'	"16'	"Headlight washer'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	"	"Tests'	"17'	"AC compressor'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	"	"Tests'	"18'	"ESP button'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	"	"Tests'	"19'	"Locking/unlocking button from inside'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	"	"Tests'	"20'	"Control, locking'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	"	"Tests'	"21'	"Control, unlocking'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	"	"Tests'	"22'	"Locks deadlocking control'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 30.01'	"	"Tests'	"23'	"Control, boot lid'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Adaptations'	"1'	"Recall service message'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"ECU Information'	"4'	"VIN code'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"ECU Information'	"5'	"Software version'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"ECU Information'	"6'	"Software index'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"ECU Information'	"7'	"ECU reference (Electronic Control Unit)'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"1'	"Economy mode'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"2'	"Engine running'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"3'	"Battery voltage'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"4'	"Alternator voltage'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"5'	"Supply, VAN body'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"6'	"Actual + for accessories (+ACC)'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"7'	"Ignition +15'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"8'	"Supply to window/sunroof'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"9'	"Fuel pump shut off'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"10'	"Air pump relay'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"11'	"Factory position'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"12'	"Multifunction display'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"13'	"Sidelights'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"14'	"Key reminder buzzer sound'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"15'	"Hazard warning flashers active'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"16'	"Communication with instrument panel'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"17'	"Instrument cluster'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"18'	"Alarm, theft sensor'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"19'	"Diagnostic tool detected'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"20'	"Horn control'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"21'	"Receiving remote control message'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"22'	"Control of AC compressor'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"23'	"Safety valve, frost evaporator'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"24'	"A/C evaporator temp'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"25'	"Additional heater 1'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"26'	"Additional heater 2'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"27'	"ESP disarming request'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"28'	"Hand brake'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"29'	"Brake pedal status'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"30'	"Reverse gear signal'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"31'	"Belt lock, driver'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"32'	"Winter program'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"33'	"Sport program'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"34'	"Rear fog light control'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"35'	"Front fog light control'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"36'	"Control of right flashers'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"37'	"Control of left flashers'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"38'	"Bootlid light control'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"39'	"Interior lighting'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"40'	"Horn'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"41'	"Dipped headlight control'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"42'	"Main beam headlight control'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"43'	"Lights and courtesy light request'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"44'	"Twilight dipped beam lighting mode'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"45'	"Sidelights control'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"46'	"Alarm from passenger compartment monitoring'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"47'	"Ecu locked'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"48'	"BSI paired with engine control unit'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"49'	"BSI with anti-scanning'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"50'	"BSI not programmed'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"51'	"BSI ready for programming'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"52'	"Transponder antiscanning active'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"53'	"Transponder'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"54'	"Programmed keys'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"55'	"Programmed remote control'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"56'	"Battery in remote controller exhausted'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"57'	"Bonnet open'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"58'	"Boot lid'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"59'	"Boot lid opening required'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"60'	"Control, boot lid'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	"	"Live Parameters'	"61'	"Right front door'

"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"62'	"Left front door'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"63'	"Rear right door'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"64'	"Rear left door'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"65'	"Childproof lock activation control'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"66'	"Control, locking'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"67'	"Control, unlocking'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"68'	"Locks deadlocking control'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"69'	"Vehicle locked status'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"70'	"Lock protection'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"71'	"Vehicle locked status'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"72'	"Reception of invalid remote control message'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"73'	"Reception of valid remote control message'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"74'	"Long press on remote control button detected by BSI'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"75'	"Engine oil level'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"76'	"Oil pressure lamp'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"77'	"Engine coolant level warning lamp'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"78'	"Minimum window wash level lamp'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"79'	"Brake fluid level lamp'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"80'	"ABS warning lamp'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"81'	"Recall last navigation message'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"82'	"Water in fuel'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"83'	"Engine oil temperature'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"84'	"Coolant temperature'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"85'	"Outside temperature'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"86'	"Gross fuel level'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"87'	"Filtered fuel level'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"88'	"Fuel level pointer, instrumentation'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"89'	"Fuel gauge impedance'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"90'	"Maintenance counter'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"91'	"Distance to maintenance (km)'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"92'	"Average fuel consumption/travel'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"93'	"Average fuel consumption/distance'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"94'	"Total distance (km)'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"95'	"Levelled consumption'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"96'	"TCS/ESP warning lamp'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"97'	"Alarm LED'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"98'	"Front wipers high speed requested'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"99'	"Front wipers low speed requested'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"100'	"Headlight washer requested'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"101'	"Washers, front, requested'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"102'	"Washer, rear, requested'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"103'	"Wiper, rear, control'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"104'	"Wipers, front, control of stopping'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"105'	"Wiper, rear, control of stopping'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Live Parameters'	"106'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"1'	"Rear foglight'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"2'	"Front fog lights'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"3'	"Control of right flashers'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"4'	"Control of left flashers'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"5'	"Luggage space lighting'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"6'	"Interior lighting'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"7'	"Horn'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"8'	"Dipped beam'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"9'	"Main beam'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"10'	"Position light control'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"11'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"12'	"Rear screen wiper'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"13'	"Windscreen wipers'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"14'	"Rear window washer'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"15'	"Windscreen washer'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"16'	"Headlight washer'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"17'	"AC compressor'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"18'	"ESP button'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"19'	"Locking/unlocking button from inside'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"20'	"Control, locking'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"21'	"Control, unlocking'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"22'	"Locks deadlocking control'
"Citroën'	"C3 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 37.02'	""	"Tests'	"23'	"Control, boot lid'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60'	""	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60'	""	"ECU Information'	"2'	"Supplier'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60'	""	"ECU Information'	"3'	"Software version number'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60'	""	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60'	""	"Live Parameters'	"1'	"Vehicle speed'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60'	""	"Live Parameters'	"2'	"Rear left speed sensor'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60'	""	"Live Parameters'	"3'	"Rear right speed sensor'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60'	""	"Live Parameters'	"4'	"Front left speed sensor'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60'	""	"Live Parameters'	"5'	"Front right speed sensor'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60'	""	"Live Parameters'	"6'	"Control unit power supply'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60'	""	"Live Parameters'	"7'	"Brake light switch'

"Citroën'	"C3 I'	"Brake System'	"ABS MK 60'	"	"Live Parameters'	"8'	"Brake pad wear switch'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60'	"	"Live Parameters'	"9'	"Brake fluid level'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60'	"	"Live Parameters'	"10'	"Relay for solenoid valve'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60'	"	"Tests'	"1'	"Hydraulic pump ABS'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Adaptations'	"1'	"Steering angle decalibration'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Adaptations'	"2'	"Steering angle calibration'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Adaptations'	"3'	"Lateral acceleration sensor initialization'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Adaptations'	"4'	"Brake pressure sensor initialisation'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"ECU Information'	"3'	"Software version number'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"ECU Information'	"5'	"Type'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"1'	"Control unit power supply'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"2'	"Vehicle speed'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"3'	"Front left speed sensor'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"4'	"Front right speed sensor'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"5'	"Rear left speed sensor'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"6'	"Rear right speed sensor'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"7'	"Brake pedal switch'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"8'	"Brake fluid level'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"9'	"Brake lining condition'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"10'	"Yaw rate sensor'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"11'	"Brake pressure'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"12'	"Engine speed'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"13'	"Lateral acceleration sensor'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"14'	"Brake pedal switch 2'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"15'	"ESP disarming request'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"16'	"Hand brake'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"17'	"Engine torque request'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"18'	"Steering wheel angle'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"19'	"Communication ABS/ASR engine'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"20'	"Actual gear'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"21'	"CAN: Communication'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"22'	"Actual engine load'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"23'	"Accelerator pedal position'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"24'	"Reference value setting status ASR/MSR'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"25'	"Steering wheel angle sensor'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"26'	"Steering wheel angle sensor'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"27'	"Steering wheel angle sensor'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"28'	"Change of gear in progress'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"29'	"Torque converter'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Tests'	"1'	"Hydraulic pump ABS'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Tests'	"2'	"Switching solenoid valve 1'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Tests'	"3'	"Switching solenoid valve 2'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Tests'	"4'	"Limiting solenoid valve 1'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 60 ESP'	"	"Tests'	"5'	"Limiting solenoid valve 2'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"3'	"Software version number'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"4'	"Calibration number'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"5'	"Diagnostic version'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"6'	"Type'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"7'	"Gearbox configuration'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"8'	"Tire size'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"9'	"Supplier number'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"10'	"Number of configurations'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"1'	"Control unit power supply'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"2'	"Vehicle speed'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"3'	"Front left speed sensor'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"4'	"Front right speed sensor'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"5'	"Rear left speed sensor'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"6'	"Rear right speed sensor'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"7'	"Brake light switch'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"8'	"Brake fluid level'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"Tests'	"1'	"Hydraulic pump ABS'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"3'	"Software version number'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"5'	"Type'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"1'	"Control unit power supply'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"2'	"Vehicle speed'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"3'	"Front left speed sensor'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"4'	"Front right speed sensor'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"5'	"Rear left speed sensor'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"6'	"Rear right speed sensor'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"7'	"Brake light switch'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"8'	"Brake fluid level'

"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"Tests'	"1'	"Hydraulic pump ABS'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"3'	"Software version number'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"5'	"Type'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"1'	"Control unit power supply'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"2'	"Vehicle speed'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"3'	"Front left speed sensor'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"4'	"Front right speed sensor'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"5'	"Rear left speed sensor'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"6'	"Rear right speed sensor'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"7'	"Brake light switch'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"8'	"Brake fluid level'
"Citroën'	"C3 I'	"Brake System'	"ABS MK 70'	"	"Tests'	"1'	"Hydraulic pump ABS'
"Citroën'	"C3 I'	"Climate Control'	"Valeo'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 I'	"Climate Control'	"Valeo'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C3 I'	"Climate Control'	"Valeo'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C3 I'	"Climate Control'	"Valeo'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C3 I'	"Climate Control'	"Valeo'	"	"ECU Information'	"5'	"Diagnostic version'
"Citroën'	"C3 I'	"Climate Control'	"Valeo'	"	"Live Parameters'	"1'	"Control unit power supply'
"Citroën'	"C3 I'	"Climate Control'	"Valeo'	"	"Live Parameters'	"2'	"Compartment temperature'
"Citroën'	"C3 I'	"Climate Control'	"Valeo'	"	"Live Parameters'	"3'	"Compartment fan control power'
"Citroën'	"C3 I'	"Climate Control'	"Valeo'	"	"Live Parameters'	"4'	"Blower ctrl voltage'
"Citroën'	"C3 I'	"Climate Control'	"Valeo'	"	"Live Parameters'	"5'	"Mixing flap'
"Citroën'	"C3 I'	"Climate Control'	"Valeo'	"	"Live Parameters'	"6'	"Air distribution'
"Citroën'	"C3 I'	"Climate Control'	"Valeo'	"	"Live Parameters'	"7'	"Recirculation'
"Citroën'	"C3 I'	"Climate Control'	"Valeo'	"	"Live Parameters'	"8'	"Temperature +'
"Citroën'	"C3 I'	"Climate Control'	"Valeo'	"	"Live Parameters'	"9'	"Temperature -'
"Citroën'	"C3 I'	"Climate Control'	"Valeo'	"	"Live Parameters'	"10'	"Fan +'
"Citroën'	"C3 I'	"Climate Control'	"Valeo'	"	"Live Parameters'	"11'	"Fan -'
"Citroën'	"C3 I'	"Climate Control'	"Valeo'	"	"Live Parameters'	"12'	"Air distribution'
"Citroën'	"C3 I'	"Climate Control'	"Valeo'	"	"Live Parameters'	"13'	"Recirculation'
"Citroën'	"C3 I'	"Climate Control'	"Valeo'	"	"Live Parameters'	"14'	"Auto button'
"Citroën'	"C3 I'	"Climate Control'	"Valeo'	"	"Live Parameters'	"15'	"Defrost button'
"Citroën'	"C3 I'	"Climate Control'	"Valeo'	"	"Live Parameters'	"16'	"AC button'
"Citroën'	"C3 I'	"Climate Control'	"Valeo'	"	"Live Parameters'	"17'	"Windscreen button'
"Citroën'	"C3 I'	"Climate Control'	"Valeo'	"	"Tests'	"1'	"Recirculation actuator'
"Citroën'	"C3 I'	"Climate Control'	"Valeo'	"	"Tests'	"2'	"Air distribution valve'
"Citroën'	"C3 I'	"Climate Control'	"Valeo'	"	"Tests'	"3'	"Mixing flap'
"Citroën'	"C3 I'	"Climate Control'	"Valeo'	"	"Tests'	"4'	"Segment'
"Citroën'	"C3 I'	"Climate Control'	"Valeo'	"	"Tests'	"5'	"Cabin fan motor'
"Citroën'	"C3 I'	"Climate Control'	"Valeo'	"	"Tests'	"6'	"ACC-panel buttons lights'
"Citroën'	"C3 I'	"Climate Control'	"Valeo'	"	"Tests'	"7'	"Illumination'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"ECU Information'	"8'	"Software version'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"1'	"Coolant temperature'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"2'	"Coolant temperature [input signal]'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"3'	"Inlet air temperature'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"4'	"Input air temperature [input signal]'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"5'	"Vehicle speed'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"6'	"Gear detected'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"7'	"Main relay command'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"8'	"Cooling fan relay'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"9'	"Cooling fan, duty factor'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"10'	"Cooling fan speed request'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"11'	"Fuel temperature'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"12'	"Atmospheric pressure'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"13'	"Accelerator pedal position'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"14'	"Battery voltage'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"15'	"Sensor power supply'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"16'	"Ignition +15'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"17'	"Relay, pre-/post-heating control'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"18'	"AC compressor'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"19'	"Brake pedal'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"20'	"Revolution signal'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"21'	"Camshaft position sensor'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"22'	"Fuel pressure'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"23'	"Fuel pressure regulator'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"24'	"Fuel flow regulator'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"25'	"Injection amount'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"26'	"Injection valves'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"27'	"Fuel quantity correction cylinder 1'

"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"28'	"Fuel quantity correction cylinder 2'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"29'	"Fuel quantity correction cylinder 3'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"30'	"Fuel quantity correction cylinder 4'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"31'	"EGR valve'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"32'	"Pre injection timing'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"33'	"Main injection timing'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"34'	"Target air mass'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"35'	"Air mass measured'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"36'	"Injection time'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"37'	"Target fuel pressure'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Tests'	"1'	"Cooling fan'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Tests'	"2'	"Fuel pressure regulator'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Tests'	"3'	"Fuel flow regulator'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Tests'	"4'	"Relay, pre-/post-heating control'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Tests'	"5'	"EGR valve'
"Citroën'	"C3 I'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Tests'	"6'	"Main relay, supply circuit'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"ECU Information'	"4'	"Software version number'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"ECU Information'	"5'	"Diagnostic version'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"ECU Information'	"6'	"Calibration number'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"ECU Information'	"7'	"Control unit'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"ECU Information'	"8'	"Immobilisation status'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"ECU Information'	"9'	"Problems detected during transmission of unlocking code'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"1'	"Desired boost pressure'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"2'	"Measured boost pressure'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"3'	"Injector voltage Injector 1 and 4'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"4'	"Injector voltage Injector 2 and 3'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"5'	"Automatic gearbox'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"6'	"Gearbox ratio'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"7'	"Battery voltage'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"8'	"Fuel temperature'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"9'	"Brake switch'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"10'	"Engine speed'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"11'	"Rail pressure'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"12'	"Accelerator pedal position'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"13'	"Fuel delivery control valve'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"14'	"Pre injection time'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"15'	"Main injection time'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"16'	"Engine status'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"17'	"Inlet manifold pressure'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"18'	"Turbo regulating valve'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"19'	"EGR valve'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"20'	"Target idle speed'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"21'	"Engine speed'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"22'	"Vehicle speed'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"23'	"Particulate filter system'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"24'	"Status particle filter regeneration'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"25'	"Exhaust gas temperature, upstreams catalytic converter'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"26'	"Exhaust gas temperature, downstreams catalytic converter'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"27'	"Particle filter differential pressure'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"28'	"Air temperature'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"29'	"Additive quantity'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"30'	"Coolant temperature'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"31'	"Average distance between the last 5 regenerations'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"32'	"Distance travelled since last regeneration'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"33'	"Pilot fuel demand'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"34'	"Pilot fuel demand'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"35'	"Pilot fuel demand'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"36'	"Pilot fuel demand'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"37'	"Main fuel demand'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"38'	"Main fuel demand'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"39'	"Main fuel demand'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"40'	"Main fuel demand'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"41'	"MDP Minimum Drive Pulse Cylinder 1'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"42'	"MDP Minimum Drive Pulse Cylinder 2'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"43'	"MDP Minimum Drive Pulse Cylinder 3'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"44'	"MDP Minimum Drive Pulse Cylinder 4'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"45'	"Pre injection time'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"46'	"Pre injection time'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"47'	"Pre injection time'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"48'	"Pre injection time'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"49'	"Main injection time'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"50'	"Main injection time'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"51'	"Main injection time'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"52'	"Main injection time'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"53'	"Pilot fuel demand'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"54'	"Main fuel demand'

"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"55'	"Water heater control signal'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"56'	"Water heater control signal'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"57'	"Clutch switch'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"58'	"Rail pressure demand'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"59'	"Tool signature'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"60'	"Programmed'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"61'	"Individual injector correction, C2l cylinder 1'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"62'	"Individual injector correction, C2l cylinder 2'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"63'	"Individual injector correction, C2l cylinder 3'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Live Parameters'	"64'	"Individual injector correction, C2l cylinder 4'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Tests'	"1'	"Glow plug relay'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Tests'	"2'	"EGR valve'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Tests'	"3'	"Variable geometry turbocharger (VGT) actuator'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Tests'	"4'	"Intake manifold tuning valve'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Tests'	"5'	"Engine coolant temperature warning'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Tests'	"6'	"Relay low speed fan'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Tests'	"7'	"Relay high speed fan'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Tests'	"8'	"Injector 1'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Tests'	"9'	"Injector 2'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Tests'	"10'	"Injector 3'
"Citroën'	"C3 I'	"Engine Diesel'	"8HY 1,4 Delphi DV4TED4'	"	"Tests'	"11'	"Injector 4'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"ECU Information'	"8'	"Software version'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"1'	"Clutch pedal'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"2'	"Vehicle speed'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"3'	"Gear detected'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"4'	"Atmospheric pressure'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"5'	"Fuel temperature'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"6'	"A/C pressure'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"7'	"Coolant temperature'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"8'	"Inlet air temperature'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"9'	"Cooling fan relay'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"10'	"Cooling fan'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"11'	"Battery voltage'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"12'	"Ignition +15'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"13'	"Glowplug relay'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"14'	"Synchronising between camshaft and crankshaft'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"15'	"Fuel flow regulator'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"16'	"Injection pump, reference value'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"17'	"Brake pedal'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"18'	"Target air mass'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"19'	"A/C requested'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"20'	"Engine speed'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"21'	"Air mass measured'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"22'	"Accelerator pedal position sensor'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"23'	"Fuel pressure measured'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"24'	"Target fuel pressure'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"25'	"EGR solenoid valve'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"26'	"Pre injection timing'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"27'	"Main injection timing'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"28'	"Injection amount'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"29'	"Cylinder 1 fuel trim'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"30'	"Cylinder 2 fuel trim'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"31'	"Cylinder 3 fuel trim'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"32'	"Cylinder 4 fuel trim'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"33'	"Injector voltage Injector 1 and 4'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"34'	"Injector voltage Injector 2 and 3'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Tests'	"1'	"EGR valve'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Tests'	"2'	"Fuel pressure control valve'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Tests'	"3'	"Glowplug relay'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Tests'	"4'	"Cooling fan high speed'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Tests'	"5'	"Cooling fan low speed'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"ECU Information'	"8'	"Software version'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"1'	"Boost pressure'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"2'	"Coolant temperature'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"3'	"Coolant temperature [input signal]'

"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"4'	"Inlet air temperature'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"5'	"Input air temperature [input signal]'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"6'	"Vehicle speed'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"7'	"Gear detected'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"8'	"Main relay command'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"9'	"Cooling fan relay'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"10'	"Cooling fan, duty factor'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"11'	"Cooling fan speed request'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"12'	"Fuel temperature'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"13'	"Atmospheric pressure'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"14'	"Accelerator pedal position'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"15'	"Battery voltage'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"16'	"Sensor power supply'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"17'	"Ignition +15'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"18'	"Relay, pre-/post-heating control'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"19'	"AC compressor'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"20'	"Brake pedal'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"21'	"Revolution signal'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"22'	"Camshaft position sensor'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"23'	"Fuel pressure'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"24'	"Fuel pressure regulator'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"25'	"Fuel flow regulator'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"26'	"Injection amount'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"27'	"Injection valves'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"28'	"Fuel quantity correction cylinder 1'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"29'	"Fuel quantity correction cylinder 2'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"30'	"Fuel quantity correction cylinder 3'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"31'	"Fuel quantity correction cylinder 4'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"32'	"EGR valve'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"33'	"Pre injection timing'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"34'	"Main injection timing'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"35'	"Target air mass'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"36'	"Air mass measured'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"37'	"Injection time'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"38'	"Target fuel pressure'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Tests'	"1'	"Cooling fan'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Tests'	"2'	"Fuel pressure regulator'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Tests'	"3'	"Fuel flow regulator'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Tests'	"4'	"Relay, pre-/post-heating control'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Tests'	"5'	"EGR valve'
"Citroën'	"C3 I'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Tests'	"6'	"Main relay, supply circuit'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"ECU Information'	"8'	"Software version'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"1'	"Atmospheric pressure'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"2'	"Boost pressure'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"3'	"Inlet air temperature'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"4'	"Temperature sensor in Air Mass Meter'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"5'	"Fuel temperature'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"6'	"A/C pressure'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"7'	"Air conditioning authorisation'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"8'	"Input, AC thermostat'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"9'	"Gear detected'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"10'	"Additional heater'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"11'	"Vehicle speed'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"12'	"Brake pedal switch 2'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"13'	"Clutch pedal'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"14'	"Coolant temperature'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"15'	"Radiator fan relay'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"16'	"Cooling fan'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"17'	"Cyclic opening ratio, cooling fan unit'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"18'	"Battery voltage'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"19'	"Alternator voltage'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"20'	"Relay, pre-/post-heating control'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"21'	"Brake pedal switch 1'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"22'	"Synchronising between camshaft and crankshaft'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"23'	"A/C shutdown'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"24'	"Fuel flow regulator'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"25'	"Calculated mass air flow value'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"26'	"Injection pump, reference value'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"27'	"EGR valve'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"28'	"Feedback, EGR-valve'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"29'	"Engine speed'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"30'	"Air mass measured'

"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"31'	"Intake air shut-off solenoid valve'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"32'	"Boost pressure valve duty cycle'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"33'	"Desired boost pressure'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"34'	"Accelerator pedal position sensor'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"35'	"Injectors voltage'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"36'	"Fuel pressure measured'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"37'	"Target fuel pressure'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"38'	"Injection amount'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"39'	"Cylinder 1 fuel trim'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"40'	"Cylinder 2 fuel trim'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"41'	"Cylinder 3 fuel trim'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"42'	"Cylinder 4 fuel trim'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"43'	"Pre injection timing'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"44'	"Main injection timing'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Live Parameters'	"45'	"Intake air shut-off solenoid valve feedback'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Tests'	"1'	"Electric fan speed 1'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Tests'	"2'	"Electric fan speed 2'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Tests'	"3'	"Fuel flow regulator'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Tests'	"4'	"Relay, pre-/post-heating control'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Tests'	"5'	"EGR valve'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Tests'	"6'	"Charging pressure valve'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Tests'	"7'	"Intake air shut-off solenoid valve'
"Citroën'	"C3 I'	"Engine Diesel'	"9HX 1,6 EDC 16C34'	"	"Tests'	"8'	"Relay 1 (additional heater)'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"ECU Information'	"8'	"Part version suffix'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"1'	"Injection time'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"2'	"Throttle potentiometer'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"3'	"Throttle status'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"4'	"Coolant temperature'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"5'	"Inlet air temperature'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"6'	"Inlet manifold pressure'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"7'	"Stepper motor'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"8'	"Injection shut-off'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"9'	"Carbon filter solenoid valve'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"10'	"Ignition timing'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"11'	"Ignition coil 1'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"12'	"Ignition coil 2'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"13'	"Front lambda sensor'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"14'	"Rear lambda sensor'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"15'	"Fuelmixture'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"16'	"Revolution signal'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"17'	"Battery voltage'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"18'	"AC approved'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"19'	"Input, AC thermostat'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"20'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"21'	"Power relay'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"22'	"Road speed signal'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"23'	"Engine torque'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"24'	"Gear detected'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"25'	"Radiator fan relay'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"26'	"Blower speed'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Live Parameters'	"27'	"Cooling fan'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"1'	"Idle step engine'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"4'	"Fuel pump relay'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"5'	"Injection valve 1'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"6'	"Injection valve 2'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"7'	"Injection valve 3'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"8'	"Injection valve 4'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"9'	"Secondary air pump relay'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"10'	"Carbon filter solenoid valve'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"11'	"EGR valve'
"Citroën'	"C3 I'	"Engine Petrol'	"HFX 1,1 MM 48P'	"	"Tests'	"14'	"Cooling fan'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"ECU Information'	"8'	"Part version suffix'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"3'	"Torque control'

"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"4'	"Injection time'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"5'	"Injection shut-off'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"6'	"Accelerator pedal position'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"7'	"Throttle opening'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"8'	"Throttle potentiometer'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"9'	"Coolant temperature'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"10'	"Inlet air temperature'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"11'	"Inlet manifold pressure'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"12'	"Carbon filter solenoid valve'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"13'	"Ignition timing'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"14'	"Ignition coil'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"15'	"Ignition coil'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"16'	"Mixing regulation'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"17'	"Front lambda sensor'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"18'	"Rear lambda sensor'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"19'	"Front lambda sensor'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"20'	"Rear lambda sensor'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"21'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"22'	"AC approved'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"23'	"Input, AC thermostat'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"24'	"Road speed signal'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"25'	"Main relay'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"26'	"Cooling fan relay'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"27'	"Cooling fan, duty factor'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"28'	"Cooling fan speed request'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Tests'	"3'	"Injection valve 1'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Tests'	"4'	"Injection valve 2'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Tests'	"5'	"Injection valve 3'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Tests'	"6'	"Injection valve 4'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Tests'	"7'	"Fuel pump relay'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Tests'	"8'	"AC compressor'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Tests'	"9'	"Cooling fan'
"Citroën'	"C3 I'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Tests'	"10'	"Carbon filter solenoid valve'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"8'	"Part version suffix'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"1'	"Engine speed'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"3'	"Engine torque'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"4'	"Coolant temperature'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"5'	"Inlet air temperature'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"6'	"Inlet manifold pressure'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"7'	"Injection time'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"8'	"Injection shut-off'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"9'	"Throttle opening'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"10'	"Throttle potentiometer'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"11'	"Throttle status'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"12'	"Ignition timing'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"13'	"Ignition coil 1 & 4'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"14'	"Ignition coil 2 & 3'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"15'	"Front lambda sensor'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"16'	"Rear lambda sensor'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"17'	"Front lambda sensor'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"18'	"Rear lambda sensor'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"19'	"Lambda regulation, probe before catalytic converter'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"20'	"Lambda regulation, probe after catalytic converter'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"21'	"Carbon filter solenoid valve'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"22'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"23'	"AC approved'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"24'	"A/C requested'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"25'	"Vehicle speed'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"26'	"Gear detected'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"27'	"Cooling fan low speed'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"28'	"Cooling fan high speed'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"1'	"Ignition coil 1 & 4'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"2'	"Ignition coil 2 & 3'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"3'	"Injection valve 1'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"4'	"Injection valve 2'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"5'	"Injection valve 3'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"6'	"Injection valve 4'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"7'	"Fuel pump relay'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"8'	"Cooling fan high speed'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"9'	"Cooling fan low speed'
"Citroën'	"C3 I'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"10'	"Carbon filter solenoid valve'

"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"5'	"Software index'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"6'	"Software version'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"2'	"Brake light switch 1, normally open contact'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"3'	"Brake light switch 2, normally closed contact'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"4'	"Oil pressure sensor'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"5'	"Temperature sensor'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"6'	"Accelerator pedal position'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"7'	"Engine torque (from CAN)'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"8'	"Shift position'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"9'	"Actual gear'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"10'	"Sport program'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"11'	"Winter program'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"12'	"Multifunction switch P/N'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"13'	"Multifunction switch S4 (active in R,D,M,3)'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"14'	"Multifunction switch S3 (active in R,N,3,2)'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"15'	"Multifunction switch S2 (active in P,R,2)'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"16'	"Multifunction switch S1 (active in 3,2,M,M+)'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"17'	"Switch 1 (active in M-)'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"18'	"Solenoid valve 1'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"19'	"Solenoid valve 2'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"20'	"Solenoid valve 3'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"21'	"Solenoid valve 4'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"22'	"Solenoid valve 5'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"23'	"Solenoid valve 6'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"24'	"Oil temperature'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"25'	"Oil change'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"26'	"Solenoid valve supply'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"27'	"Torque control'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"28'	"Solenoid, shift lock'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"29'	"Torque converter lock-up clutch'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"30'	"Heat exchanger solenoid'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"31'	"Operating state'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"32'	"Program selector switch'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"33'	"Selector switch'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"34'	"Gear shift program'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"35'	"Engine speed'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"36'	"Gearbox input rpm'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"37'	"Gearbox output rpm'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"38'	"Requested oil pressure'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"39'	"Oil pressure'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"40'	"Oil temperature'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"41'	"Oil pressure regulation solenoid valve, activation time'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"42'	"Torque converter lock up solenoid valve, activation time'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"43'	"Gearbox input rpm, target value'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"44'	"Gearbox output rpm, target value'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"45'	"Date of last oil change'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"46'	"Service interval data - oil deterioration'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"1'	"Oil pressure regulation solenoid valve'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"2'	"Lock-up solenoid'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"3'	"Solenoid, shift lock'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"4'	"Solenoid valve 1'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"5'	"Solenoid valve 2'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"6'	"Solenoid valve 3'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"7'	"Solenoid valve 4'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"8'	"Solenoid valve 5'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"9'	"Solenoid valve 6'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"10'	"Heat exchanger solenoid'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"Sequential'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"Sequential'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"Sequential'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"Sequential'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"Sequential'	"	"ECU Information'	"5'	"Software index'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"1'	"Vehicle speed'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"2'	"Gearbox input rpm'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"3'	"Battery voltage'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"4'	"Clutch position'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"5'	"Sequential/Automatic gearbox selector position'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"6'	"Kick down activated'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"7'	"Gear detected'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"8'	"Steering wheel gear shifter -'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"9'	"Steering wheel gear shifter +'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"10'	"Engine speed'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"11'	"Engine torque, actual value'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"12'	"Engine torque, target value'

"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"13'	"Accelerator pedal position'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"14'	"Coolant temperature'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"15'	"Brake switch 1'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"16'	"Brake switch 2'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"17'	"Program selector switch'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"18'	"1st engagements counter'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"19'	"2nd engagements counter'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"20'	"3rd engagements counter'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"21'	"4th engagements counter'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"22'	"5th engagements counter'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"23'	"Reverse engagements counter'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"24'	"Steering wheel gear shift counter'
"Citroën'	"C3 I'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"25'	"Gear selector counter'
"Citroën'	"C3 I'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 I'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C3 I'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C3 I'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"ECU Information'	"4'	"Software number'
"Citroën'	"C3 I'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"1'	"Oil level gauge'
"Citroën'	"C3 I'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"2'	"Service indicator'
"Citroën'	"C3 I'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"3'	"Unit for odometer'
"Citroën'	"C3 I'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"4'	"Value for the 2th segment'
"Citroën'	"C3 I'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"5'	"Value for the 3th segment'
"Citroën'	"C3 I'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"6'	"Value for the 4th segment'
"Citroën'	"C3 I'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"7'	"Value for the 5th segment'
"Citroën'	"C3 I'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"8'	"Value for the 6th segment'
"Citroën'	"C3 I'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"9'	"Rear demist switch'
"Citroën'	"C3 I'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"10'	"Switch, hazardwarning'
"Citroën'	"C3 I'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"11'	"AC button'
"Citroën'	"C3 I'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"12'	"Service indicator'
"Citroën'	"C3 I'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"13'	"Central locker, lock switch'
"Citroën'	"C3 I'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"14'	"Instrument cluster'
"Citroën'	"C3 I'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"15'	"Instrument cluster'
"Citroën'	"C3 I'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"16'	"Speed warning'
"Citroën'	"C3 I'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"17'	"Instrument cluster status'
"Citroën'	"C3 I'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"18'	"Reset button, trip meter'
"Citroën'	"C3 I'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"19'	"Instrument brightness adjustment button'
"Citroën'	"C3 I'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Tests'	"1'	"Speed meter gauge 100 km/h'
"Citroën'	"C3 I'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Tests'	"2'	"Rpm gauge (4000 Rpm)'
"Citroën'	"C3 I'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Tests'	"3'	"Fuel gauge, full tank'
"Citroën'	"C3 I'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Tests'	"4'	"Coolant temperature, high'
"Citroën'	"C3 I'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Tests'	"5'	"Low oil level'
"Citroën'	"C3 I'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Tests'	"6'	"Kilometre counter'
"Citroën'	"C3 I'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Tests'	"7'	"Hydraulic unit position sensor,gear range gearing'
"Citroën'	"C3 I'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Tests'	"8'	"Indicator lamps'
"Citroën'	"C3 I'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 I'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C3 I'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"3'	"Version of program'
"Citroën'	"C3 I'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"4'	"Calibration number'
"Citroën'	"C3 I'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"5'	"Diagnostic version'
"Citroën'	"C3 I'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"6'	"Checking at after line production'
"Citroën'	"C3 I'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"7'	"Checking at factory'
"Citroën'	"C3 I'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"8'	"Checking at supplier'
"Citroën'	"C3 I'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"9'	"Checking of action in aftermarket'
"Citroën'	"C3 I'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"10'	"Front satellite sensors PSA reference'
"Citroën'	"C3 I'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"11'	"Satellite sensors supplier'
"Citroën'	"C3 I'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"12'	"Right satellite sensor unit number'
"Citroën'	"C3 I'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"13'	"Left satellite sensor unit number'
"Citroën'	"C3 I'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"14'	"Right satellite sensor program version'
"Citroën'	"C3 I'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"15'	"Left satellite sensor program version'
"Citroën'	"C3 I'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"16'	"Right satellite sensor material version'
"Citroën'	"C3 I'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"17'	"Left satellite sensor material version'
"Citroën'	"C3 I'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"1'	"Driver airbag'
"Citroën'	"C3 I'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"2'	"Passenger airbag'
"Citroën'	"C3 I'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"3'	"Driver knee airbag'
"Citroën'	"C3 I'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"4'	"Switch to disable passenger airbag'
"Citroën'	"C3 I'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"5'	"Frontal side airbag'
"Citroën'	"C3 I'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"6'	"Side head airbags'
"Citroën'	"C3 I'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"7'	"Pretensioner'
"Citroën'	"C3 I'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"8'	"Satellite sensors'
"Citroën'	"C3 I'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"9'	"Calibration status of satellit sensors'
"Citroën'	"C3 I'	"Steering'	"Power steering - KOYO'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 I'	"Steering'	"Power steering - KOYO'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C3 I'	"Steering'	"Power steering - KOYO'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C3 I'	"Steering'	"Power steering - KOYO'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C3 I'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"1'	"Vehicle speed'
"Citroën'	"C3 I'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"2'	"Engine speed'
"Citroën'	"C3 I'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"3'	"Torque sensor'
"Citroën'	"C3 I'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"4'	"Ignition on'
"Citroën'	"C3 I'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"5'	"Motor voltage'

"Citroën'	"C3 I'	"Steering'	"Power steering - KOYO'	""	"Live Parameters'	"6'	"Actual motor current'
"Citroën'	"C3 I'	"Steering'	"Power steering - KOYO'	""	"Live Parameters'	"7'	"Desired motor current'
"Citroën'	"C3 I'	"Steering'	"Power steering - KOYO'	""	"Live Parameters'	"8'	"Assistance'
"Citroën'	"C3 I'	"Steering'	"Steering wheel electronics - Diagnose'	""	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 I'	"Steering'	"Steering wheel electronics - Diagnose'	""	"ECU Information'	"2'	"Software number'
"Citroën'	"C3 I'	"Steering'	"Steering wheel electronics - Diagnose'	""	"ECU Information'	"3'	"Supplier'
"Citroën'	"C3 I'	"Steering'	"Steering wheel electronics - Diagnose'	""	"ECU Information'	"4'	"Software version'
"Citroën'	"C3 I'	"Steering'	"Steering wheel electronics - Diagnose'	""	"ECU Information'	"5'	"Software index'
"Citroën'	"C3 I'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"1'	"Light switch'
"Citroën'	"C3 I'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"2'	"Switch for main/dipped light'
"Citroën'	"C3 I'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"3'	"High beam flash switch'
"Citroën'	"C3 I'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"4'	"Fog lights switch'
"Citroën'	"C3 I'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"5'	"Switch, direction indicator'
"Citroën'	"C3 I'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"6'	"Twilight dipped beam lighting button'
"Citroën'	"C3 I'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"7'	"Windscreen wipers'
"Citroën'	"C3 I'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"8'	"Windscreen washer'
"Citroën'	"C3 I'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"9'	"Rear window washer'
"Citroën'	"C3 I'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"10'	"Rear screen wiper'
"Citroën'	"C3 I'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"11'	"Cruise control'
"Citroën'	"C3 I'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"12'	"Set cruise acceleration (+)'
"Citroën'	"C3 I'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"13'	"Set cruise deceleration (-)'
"Citroën'	"C3 I'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"14'	"Cruise control switch, set/resume'
"Citroën'	"C3 I'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"15'	"Scan button +'
"Citroën'	"C3 I'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"16'	"Scan button -'
"Citroën'	"C3 I'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"17'	"Volume button +'
"Citroën'	"C3 I'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"18'	"Volume button -'
"Citroën'	"C3 I'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"19'	"Function shows on trip computer'
"Citroën'	"C3 I'	"Steering'	"Steering wheel electronics - Diagnose'	""	"Live Parameters'	"20'	"Horn'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Adaptations'	"1'	"Configuration, door with mirror folding'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Adaptations'	"2'	"Configuration, window closing on lock command'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Adaptations'	"3'	"Configuration, rear wiper on reverse gear'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Adaptations'	"4'	"Configuration, tyre pressure monitoring'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Adaptations'	"5'	"Configuration, daytime running lights'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Adaptations'	"6'	"Configuration, seat belt detection driver side'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"ECU Information'	"1'	"Supplier'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"ECU Information'	"3'	"Software number'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"ECU Information'	"4'	"VIN code'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"ECU Information'	"5'	"Software version'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"ECU Information'	"6'	"Software index'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"2'	"Alternator voltage'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"3'	"BSI information'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"4'	"Engine status'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"5'	"Electrical control'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"6'	"Economy mode'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"7'	"Ignition on'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"8'	"Cranking'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"9'	"Supply to window/sunroof'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"10'	"Switch for power window rear'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"11'	"Seat heater'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"12'	"Supply voltage sunroof switch'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"13'	"Switch for power window front'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"14'	"no load shedding'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"15'	"preheater plug load shedding'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"16'	"fan unit forced low speed load shedding'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"17'	"Load shedding during particle filter regeneration'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"18'	"deicing load shedding'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"19'	"partial heating load shedding'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"20'	"complete heating load shedding'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"21'	"A/C blower load shedding'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"22'	"A/C compressor load shedding'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"23'	"A/C condenser fan'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"24'	"Evaporator temperature sensor'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"25'	"Additional heating'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"26'	"Evaporator icing safety circuit'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"27'	"A/C compressor status'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"28'	"A/C clutch'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"29'	"A/C compressor control'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"30'	"AC compressor control, output stage'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"31'	"High pressure safety'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"32'	"Low pressure safety'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"33'	"Parking brake'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"34'	"Brake pedal'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"35'	"Cruise control system, operating state'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"36'	"Reverse gear'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"37'	"Set cruise acceleration (+)'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"38'	"Set cruise deceleration (-)'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"39'	"ESP off switch'

"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"40'	"Belt lock, driver'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"41'	"Belt lock, passenger'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"42'	"Rear right hand door child safety'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"43'	"Rear left hand door child safety'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"44'	"Horn'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"45'	"Horn control'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"46'	"Position light control'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"47'	"Left position light'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"48'	"Right position light'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"49'	"Automatic light switch'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"50'	"Dipped beam'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"51'	"Dipped beam control'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"52'	"Headlamp flasher'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"53'	"Switch for main/dipped light'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"54'	"Main beam'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"55'	"Trailer turn indicator, left side'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"56'	"Trailer turn indicator, right side'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"57'	"Front fog light control'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"58'	"Rear fog light control'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"59'	"Interior light requested'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"60'	"Interior lighting'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"61'	"Bootlid light control'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"62'	"Hazard warning lights'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"63'	"Reversing lights control'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"64'	"Brake light'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"65'	"Passenger compartment monitoring'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"66'	"Alarm from passenger compartment monitoring'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"67'	"Ecu locked'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"68'	"Transponder code'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"69'	"BSI paired with engine control unit'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"70'	"Programmed keys'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"71'	"Access code learnt'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"72'	"BSI with anti-scanning'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"73'	"Number of learnt remote controls'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"74'	"BSI ready for programming'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"75'	"Transponder anticrossing active'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"76'	"Key 1'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"77'	"Key 2'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"78'	"Key 3'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"79'	"Key 4'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"80'	"Key 5'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"81'	"Remote battery low'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"82'	"Reception of valid remote control message'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"83'	"Reception of invalid remote control message'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"84'	"Remote control, button 1'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"85'	"Remote control, button 2'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"86'	"Remote control, button 3'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"87'	"Remote control, button 4'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"88'	"Vehicle locked status'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"89'	"Temperature disconnection centrallocking'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"90'	"Driver's door locking'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"91'	"Passengers door locking'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"92'	"Central locking, locking'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"93'	"Central locking, unlocking'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"94'	"Locks deadlocking control'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"95'	"Opening of bootlid requested'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"96'	"Boot lid opening control'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"97'	"Child safety control'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"98'	"Child safety request'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"99'	"Bonnet open'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"100'	"Left front door'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"101'	"Right front door'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"102'	"Rear right door'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"103'	"Rear left door'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"104'	"Boot'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"105'	"Outside temperature'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"106'	"Brake fluid level lamp'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"107'	"Coolant temperature'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"108'	"Water in diesel detector'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"109'	"Oil pressure warning'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"110'	"Fuel level'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"111'	"Gross fuel level'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"112'	"Filtered fuel level'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"113'	"Driving range to next servicing [km]'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"114'	"Maintenance counter'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"115'	"Distance indicator at last service reset'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"116'	"Days since service'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"117'	"Days until service'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"118'	"Current odometer reading'

"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"119'	"Average fuel consumption'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"120'	"Levelled consumption'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"121'	"Fuel consumption'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"122'	"ESP control light'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"123'	"Windscreen wipers'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"124'	"Windscreen wiper parked position'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"125'	"Control circuit windshield washer pump'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"126'	"Head light cleaning'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"127'	"Rear wiper requested'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"128'	"Rear screen wiper'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"129'	"Rear screen wiper parked position'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"130'	"Washer, rear, requested'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"131'	"Control circuit rear window washer pump'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Live Parameters'	"132'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Tests'	"1'	"AC-compressor'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Tests'	"2'	"Horn activation'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Tests'	"3'	"Dipped beam'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Tests'	"4'	"Main beam'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Tests'	"5'	"Left flasher'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Tests'	"6'	"Right flasher'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Tests'	"7'	"Front fog lights'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Tests'	"8'	"Rear fog lights'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Tests'	"9'	"Reversing light'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Tests'	"10'	"Brake light'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Tests'	"11'	"Interior lighting'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Tests'	"12'	"Luggage space lighting'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Tests'	"13'	"Central locking, locking'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Tests'	"14'	"Relay central locking, deadlock'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Tests'	"15'	"Central locking, unlocking'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Tests'	"16'	"Boot lid opening control'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Tests'	"17'	"ESP control light'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Tests'	"18'	"Wipers slow speed'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Tests'	"19'	"Wipers high speed'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Tests'	"20'	"Rear screen wiper'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Tests'	"21'	"Windscreen washer'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Tests'	"22'	"Rear washer'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Tests'	"23'	"Headlight washer'
"Citroën'	"C3 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C3 II BSI'	"Tests'	"24'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Adaptations'	"1'	"Steering angle decalibration'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Adaptations'	"2'	"Calibration of steering angle sensor'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"ECU Information'	"5'	"Calibration version'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"ECU Information'	"6'	"Diagnostic version'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"2'	"Solenoid relay'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"3'	"Recirculating Pump'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"4'	"Brake fluid level'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"5'	"Brake light switch'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"6'	"Brake pads'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"7'	"Vehicle speed'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"8'	"Front left wheel speed sensor'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"9'	"Front right wheel speed sensor'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"10'	"Rear left wheel speed sensor'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"11'	"Rear right wheel speed sensor'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"12'	"Engine speed'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"13'	"Yaw rate sensor'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"14'	"Lateral acceleration'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"15'	"Steering wheel angle'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"16'	"Brake pressure'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"17'	"Engine torque requested by driver'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"18'	"Communication ABS/ASR engine'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"19'	"Brake pedal switch 2'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"20'	"Parking brake'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"21'	"Steering wheel angle sensor signal'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"22'	"Steering wheel angle sensor'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"23'	"Steering wheel angle sensor'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"24'	"Rotation rate signal'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"25'	"Diagnostic for data-bus'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"26'	"Engine torque'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"27'	"Accelerator pedal position'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"28'	"ASR/MSR torque intervention'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"29'	"Torque converter'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"30'	"Selector lever position'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"31'	"Gear engaged'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"32'	"Change of gear in progress'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Tests'	"1'	"Recirculating Pump'

"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Tests'	"2'	"Front left drain valve'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Tests'	"3'	"Front right drain valve'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Tests'	"4'	"Left rear drain valve'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Tests'	"5'	"Right rear drain valve'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Tests'	"6'	"Front left load valve'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Tests'	"7'	"Front right load valve'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Tests'	"8'	"Left rear load valve'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Tests'	"9'	"Right rear load valve'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Tests'	"10'	"Limiting solenoid valve 1'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Tests'	"11'	"Limiting solenoid valve 2'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Tests'	"12'	"Switching solenoid valve 1'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 60 ESP'	"	"Tests'	"13'	"Switching solenoid valve 2'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"5'	"Calibration version'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"6'	"Diagnostic version'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"1'	"Vehicle speed'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"2'	"Front left wheel speed sensor'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"3'	"Front right wheel speed sensor'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"4'	"Rear left wheel speed sensor'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"5'	"Rear right wheel speed sensor'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"6'	"Battery voltage'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"7'	"Brake pads'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"8'	"Recirculating Pump'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"9'	"Solenoid relay'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 70'	"	"Tests'	"1'	"Recirculating Pump'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 70'	"	"Tests'	"2'	"Front left drain valve'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 70'	"	"Tests'	"3'	"Front right drain valve'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 70'	"	"Tests'	"4'	"Left rear drain valve'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 70'	"	"Tests'	"5'	"Right rear drain valve'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 70'	"	"Tests'	"6'	"Front left load valve'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 70'	"	"Tests'	"7'	"Front right load valve'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 70'	"	"Tests'	"8'	"Left rear load valve'
"Citroën'	"C3 II'	"Brake System'	"ABS MK 70'	"	"Tests'	"9'	"Right rear load valve'
"Citroën'	"C3 II'	"Climate Control'	"Valeo'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 II'	"Climate Control'	"Valeo'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C3 II'	"Climate Control'	"Valeo'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C3 II'	"Climate Control'	"Valeo'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C3 II'	"Climate Control'	"Valeo'	"	"ECU Information'	"5'	"Calibration version'
"Citroën'	"C3 II'	"Climate Control'	"Valeo'	"	"ECU Information'	"6'	"Diagnostics indicator'
"Citroën'	"C3 II'	"Climate Control'	"Valeo'	"	"ECU Information'	"7'	"Software index'
"Citroën'	"C3 II'	"Climate Control'	"Valeo'	"	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"C3 II'	"Climate Control'	"Valeo'	"	"Live Parameters'	"2'	"Compartement temperature'
"Citroën'	"C3 II'	"Climate Control'	"Valeo'	"	"Live Parameters'	"3'	"Blower motor voltage, reference value'
"Citroën'	"C3 II'	"Climate Control'	"Valeo'	"	"Live Parameters'	"4'	"Blower motor voltage'
"Citroën'	"C3 II'	"Climate Control'	"Valeo'	"	"Live Parameters'	"5'	"Recirculation'
"Citroën'	"C3 II'	"Climate Control'	"Valeo'	"	"Live Parameters'	"6'	"Air distribution'
"Citroën'	"C3 II'	"Climate Control'	"Valeo'	"	"Live Parameters'	"7'	"Mixing flap position'
"Citroën'	"C3 II'	"Climate Control'	"Valeo'	"	"Live Parameters'	"8'	"AC button'
"Citroën'	"C3 II'	"Climate Control'	"Valeo'	"	"Live Parameters'	"9'	"Windscreen button'
"Citroën'	"C3 II'	"Climate Control'	"Valeo'	"	"Live Parameters'	"10'	"Auto button'
"Citroën'	"C3 II'	"Climate Control'	"Valeo'	"	"Live Parameters'	"11'	"Recirculation button'
"Citroën'	"C3 II'	"Climate Control'	"Valeo'	"	"Live Parameters'	"12'	"Defrost button'
"Citroën'	"C3 II'	"Climate Control'	"Valeo'	"	"Live Parameters'	"13'	"Air distribution'
"Citroën'	"C3 II'	"Climate Control'	"Valeo'	"	"Live Parameters'	"14'	"Fan +'
"Citroën'	"C3 II'	"Climate Control'	"Valeo'	"	"Live Parameters'	"15'	"Fan -'
"Citroën'	"C3 II'	"Climate Control'	"Valeo'	"	"Live Parameters'	"16'	"Temp +button'
"Citroën'	"C3 II'	"Climate Control'	"Valeo'	"	"Live Parameters'	"17'	"Temp -button'
"Citroën'	"C3 II'	"Climate Control'	"Valeo'	"	"Tests'	"1'	"Recycling motor control'
"Citroën'	"C3 II'	"Climate Control'	"Valeo'	"	"Tests'	"2'	"Air distribution flap motor'
"Citroën'	"C3 II'	"Climate Control'	"Valeo'	"	"Tests'	"3'	"Illumination'
"Citroën'	"C3 II'	"Climate Control'	"Valeo'	"	"Tests'	"4'	"Button light'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Adaptations'	"1'	"EGR valve'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Adaptations'	"2'	"Regeneration'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Adaptations'	"3'	"Intake air bypass valve'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Adaptations'	"4'	"Catalytic particle filter (CPF) change'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"ECU Information'	"5'	"ECU status'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"ECU Information'	"8'	"Software version'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"ECU Information'	"9'	"Software index'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"1'	"Vehicle speed'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"2'	"Fuel temperature'

"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"3'	"Air inlet sensor'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"4'	"Intake manifold'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"5'	"Atmospheric pressure'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"6'	"Turbo charging pressure'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"7'	"Additional heating'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"8'	"Gear'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"9'	"A/C pressure'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"10'	"A/C compressor status'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"11'	"A/C status'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"12'	"Secondary brake contact'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"13'	"Clutch pedal'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"14'	"EGR valve'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"15'	"Intake air shut-off solenoid valve'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"16'	"Intake air bypass valve'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"17'	"Coolant temperature'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"18'	"Relay fan supply'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"19'	"Fan speed'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"20'	"Fan speed reference value'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"21'	"Programming'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"22'	"Air mass reference value'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"23'	"EGR-valve demand'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"24'	"Feedback, EGR-valve'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"25'	"Engine speed'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"26'	"Battery voltage'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"27'	"Glow plug state'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"28'	"A/C cut off relay'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"29'	"Synchronising between camshaft and crankshaft'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"30'	"Engine speed'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"31'	"Fuel pressure'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"32'	"Target fuel pressure'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"33'	"Injection quantity'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"34'	"Fuel quantity correction cylinder 1'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"35'	"Fuel quantity correction cylinder 2'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"36'	"Fuel quantity correction cylinder 3'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"37'	"Fuel quantity correction cylinder 4'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"38'	"Fuel injector control module'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"39'	"Air flow rate'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"40'	"Preinjection'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"41'	"Main injection'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"42'	"Intake air shut-off solenoid valve'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"43'	"Turbo wastegate valve position'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"44'	"Intake air bypass valve'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"45'	"Desired boost pressure'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"46'	"Accelerator pedal'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"47'	"Intake air bypass valve'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"48'	"Intake air shut-off solenoid valve feedback'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Tests'	"1'	"Cooling fan high speed'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Tests'	"2'	"Cooling fan low speed'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Tests'	"3'	"Injection pump regulator'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Tests'	"4'	"Glow plug relay'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Tests'	"5'	"EGR valve'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Tests'	"6'	"Auxiliary heater relay control'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Tests'	"7'	"Intake air shut-off solenoid valve'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Tests'	"8'	"Power relay'
"Citroën'	"C3 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Tests'	"9'	"Diesel additive pump'
"Citroën'	"C3 II'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 II'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C3 II'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C3 II'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C3 II'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM'	"	"ECU Information'	"5'	"System'
"Citroën'	"C3 II'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM'	"	"ECU Information'	"6'	"Application'
"Citroën'	"C3 II'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM'	"	"ECU Information'	"7'	"Engine version'
"Citroën'	"C3 II'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM'	"	"ECU Information'	"8'	"Software version'
"Citroën'	"C3 II'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM'	"	"Live Parameters'	"1'	"Injection time'
"Citroën'	"C3 II'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM'	"	"Live Parameters'	"2'	"Injection cut off request'
"Citroën'	"C3 II'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM'	"	"Live Parameters'	"3'	"Coolant temperature'
"Citroën'	"C3 II'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM'	"	"Live Parameters'	"4'	"Throttle status'
"Citroën'	"C3 II'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM'	"	"Live Parameters'	"5'	"Throttle valve angle'
"Citroën'	"C3 II'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM'	"	"Live Parameters'	"6'	"Throttle position sensor'
"Citroën'	"C3 II'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM'	"	"Live Parameters'	"7'	"Air inlet temperature'
"Citroën'	"C3 II'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM'	"	"Live Parameters'	"8'	"Inlet manifold pressure'
"Citroën'	"C3 II'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM'	"	"Live Parameters'	"9'	"Carbon filter solenoid valve'
"Citroën'	"C3 II'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM'	"	"Live Parameters'	"10'	"Engine speed'
"Citroën'	"C3 II'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM'	"	"Live Parameters'	"11'	"Battery voltage'
"Citroën'	"C3 II'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM'	"	"Live Parameters'	"12'	"Ignition advance/retard controller'
"Citroën'	"C3 II'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM'	"	"Live Parameters'	"13'	"Ignition coil 1 & 4'
"Citroën'	"C3 II'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM'	"	"Live Parameters'	"14'	"Ignition coil 2 & 3'
"Citroën'	"C3 II'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM'	"	"Live Parameters'	"15'	"Lambda regulation'
"Citroën'	"C3 II'	"Engine Petrol'	"KFV 1,4 Sagem S2000 PM'	"	"Live Parameters'	"16'	"Front lambda sensor'

"Citroën'	"C3 II'	"Engine Petrol'	"KfV 1,4 Sagem S2000 PM'	"	"Live Parameters'	"17'	"Front lambda sensor'
"Citroën'	"C3 II'	"Engine Petrol'	"KfV 1,4 Sagem S2000 PM'	"	"Live Parameters'	"18'	"Rear lambda sensor'
"Citroën'	"C3 II'	"Engine Petrol'	"KfV 1,4 Sagem S2000 PM'	"	"Live Parameters'	"19'	"Rear lambda sensor'
"Citroën'	"C3 II'	"Engine Petrol'	"KfV 1,4 Sagem S2000 PM'	"	"Live Parameters'	"20'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"C3 II'	"Engine Petrol'	"KfV 1,4 Sagem S2000 PM'	"	"Live Parameters'	"21'	"Coolant temperature'
"Citroën'	"C3 II'	"Engine Petrol'	"KfV 1,4 Sagem S2000 PM'	"	"Live Parameters'	"22'	"Air inlet temperature'
"Citroën'	"C3 II'	"Engine Petrol'	"KfV 1,4 Sagem S2000 PM'	"	"Live Parameters'	"23'	"AC pressure sensor'
"Citroën'	"C3 II'	"Engine Petrol'	"KfV 1,4 Sagem S2000 PM'	"	"Live Parameters'	"24'	"Air conditioning authorisation'
"Citroën'	"C3 II'	"Engine Petrol'	"KfV 1,4 Sagem S2000 PM'	"	"Live Parameters'	"25'	"Input, AC thermostat'
"Citroën'	"C3 II'	"Engine Petrol'	"KfV 1,4 Sagem S2000 PM'	"	"Live Parameters'	"26'	"Oil temperatur'
"Citroën'	"C3 II'	"Engine Petrol'	"KfV 1,4 Sagem S2000 PM'	"	"Live Parameters'	"27'	"Cooling fan relay'
"Citroën'	"C3 II'	"Engine Petrol'	"KfV 1,4 Sagem S2000 PM'	"	"Live Parameters'	"28'	"Fan speed'
"Citroën'	"C3 II'	"Engine Petrol'	"KfV 1,4 Sagem S2000 PM'	"	"Live Parameters'	"29'	"Fan control reference value'
"Citroën'	"C3 II'	"Engine Petrol'	"KfV 1,4 Sagem S2000 PM'	"	"Tests'	"1'	"Injection valve 1'
"Citroën'	"C3 II'	"Engine Petrol'	"KfV 1,4 Sagem S2000 PM'	"	"Tests'	"2'	"Injection valve 2'
"Citroën'	"C3 II'	"Engine Petrol'	"KfV 1,4 Sagem S2000 PM'	"	"Tests'	"3'	"Injection valve 3'
"Citroën'	"C3 II'	"Engine Petrol'	"KfV 1,4 Sagem S2000 PM'	"	"Tests'	"4'	"Injection valve 4'
"Citroën'	"C3 II'	"Engine Petrol'	"KfV 1,4 Sagem S2000 PM'	"	"Tests'	"5'	"Front lambda sensor'
"Citroën'	"C3 II'	"Engine Petrol'	"KfV 1,4 Sagem S2000 PM'	"	"Tests'	"6'	"Rear lambda sensor'
"Citroën'	"C3 II'	"Engine Petrol'	"KfV 1,4 Sagem S2000 PM'	"	"Tests'	"7'	"Fuel pump relay'
"Citroën'	"C3 II'	"Engine Petrol'	"KfV 1,4 Sagem S2000 PM'	"	"Tests'	"8'	"Electronic throttle control'
"Citroën'	"C3 II'	"Engine Petrol'	"KfV 1,4 Sagem S2000 PM'	"	"Tests'	"9'	"Ignition coil 1 & 4'
"Citroën'	"C3 II'	"Engine Petrol'	"KfV 1,4 Sagem S2000 PM'	"	"Tests'	"10'	"Ignition coil 2 & 3'
"Citroën'	"C3 II'	"Engine Petrol'	"KfV 1,4 Sagem S2000 PM'	"	"Tests'	"11'	"Cooling fan high speed'
"Citroën'	"C3 II'	"Engine Petrol'	"KfV 1,4 Sagem S2000 PM'	"	"Tests'	"12'	"Cooling fan low speed'
"Citroën'	"C3 II'	"Engine Petrol'	"KfV 1,4 Sagem S2000 PM'	"	"Tests'	"13'	"Carbon filter solenoid valve'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"ECU Information'	"5'	"Diagnostics indicator'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"1'	"Current odometer reading'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"2'	"Service indicator'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"3'	"Oil level gauge'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"4'	"Unit'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"5'	"Engine speed limit, orange light'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"6'	"Engine speed limit, red light'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"7'	"Overrun cutoff'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"8'	"Instrument panel lightning'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"9'	"Odometer reset button'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"10'	"Instrument brightness adjustment button'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"1'	"Speedometer'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"2'	"RPM-gauge'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"3'	"Fuel level'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"4'	"Oil level gauge'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"5'	"Segment display switched on'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"6'	"Park [P]'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"7'	"Reverse [R]'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"8'	"Neutral [N]'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"9'	"Drive [D]'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"10'	"Gear 6 [6]'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"11'	"Gear 5 [5]'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"12'	"Gear 4 [4]'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"13'	"Gear 3 [3]'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"14'	"Gear 2 [2]'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"15'	"Gear 1 [1]'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"16'	"Auto'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"17'	"Sport'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"18'	"Winter'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"19'	"Instrument panel lightning'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"20'	"Control panel warning lights'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"21'	"Button light'
"Citroën'	"C3 II'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"22'	"Setting, night panel'
"Citroën'	"C3 II'	"Other'	"Diesel additive - MGI'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 II'	"Other'	"Diesel additive - MGI'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C3 II'	"Other'	"Diesel additive - MGI'	"	"ECU Information'	"3'	"Software version'
"Citroën'	"C3 II'	"Other'	"Diesel additive - MGI'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C3 II'	"Other'	"Diesel additive - MGI'	"	"ECU Information'	"5'	"Supplier'
"Citroën'	"C3 II'	"Other'	"Diesel additive - MGI'	"	"Live Parameters'	"1'	"Tank level, additive'
"Citroën'	"C3 II'	"Other'	"Diesel additive - MGI'	"	"Live Parameters'	"2'	"Additive tank capacity'
"Citroën'	"C3 II'	"Other'	"Diesel additive - MGI'	"	"Tests'	"1'	"Diesel additive pump'
"Citroën'	"C3 II'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 II'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C3 II'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C3 II'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C3 II'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"5'	"Calibration version'
"Citroën'	"C3 II'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"6'	"Diagnostics indicator'
"Citroën'	"C3 II'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"7'	"Checking of action in aftermarket'
"Citroën'	"C3 II'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"8'	"Checking at factory'

"Citroën'	"C3 II'	"Steering'	"Power steering - KOYO'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C3 II'	"Steering'	"Power steering - KOYO'	"	"ECU Information'	"3'	"Software version'
"Citroën'	"C3 II'	"Steering'	"Power steering - KOYO'	"	"ECU Information'	"4'	"Calibration version'
"Citroën'	"C3 II'	"Steering'	"Power steering - KOYO'	"	"ECU Information'	"5'	"Diagnostic version'
"Citroën'	"C3 II'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"1'	"Vehicle speed'
"Citroën'	"C3 II'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"2'	"Engine speed'
"Citroën'	"C3 II'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"3'	"Ignition on'
"Citroën'	"C3 II'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"4'	"Steering wheel torque'
"Citroën'	"C3 II'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"5'	"Current steering motor'
"Citroën'	"C3 II'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"6'	"Current steering motor, reference value'
"Citroën'	"C3 II'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"7'	"Electrical power steering motor'
"Citroën'	"C3 II'	"Steering'	"Power steering - KOYO'	"	"Live Parameters'	"8'	"Assistance'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Adaptations'	"1'	"Recall service message'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"ECU Information'	"4'	"VIN code'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"ECU Information'	"5'	"Software version'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"ECU Information'	"6'	"Software index'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"ECU Information'	"7'	"ECU reference (Electronic Control Unit)'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"1'	"Economy mode'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"2'	"Engine running'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"3'	"Battery voltage'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"4'	"Alternator voltage'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"5'	"Actual + for accessories (+ACC)'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"6'	"Ignition +15'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"7'	"Supply, VAN body'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"8'	"Supply to window/sunroof'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"9'	"Fuel pump shut off'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"10'	"Air pump relay'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"11'	"Factory position'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"12'	"Multifunction display'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"13'	"Sidelights'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"14'	"Key reminder buzzer sound'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"15'	"Hazard warning flashers active'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"16'	"Communication with instrument panel'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"17'	"Instrument cluster'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"18'	"Alarm, theft sensor'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"19'	"Diagnostic tool detected'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"20'	"Horn control'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"21'	"Receiving remote control message'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"22'	"Control of AC compressor'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"23'	"Safety valve, frost evaporator'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"24'	"Additional heater 1'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"25'	"Additional heater 2'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"26'	"A/C evaporator temp'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"27'	"ESP disarming request'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"28'	"Hand brake'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"29'	"Brake pedal status'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"30'	"Reverse gear signal'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"31'	"Belt lock, driver'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"32'	"Rear fog light control'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"33'	"Front fog light control'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"34'	"Control of right flashers'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"35'	"Control of left flashers'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"36'	"Bootlid light control'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"37'	"Interior lighting'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"38'	"Horn'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"39'	"Dipped headlight control'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"40'	"Main beam headlight control'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"41'	"Lights and courtesy light request'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"42'	"Twilight dipped beam lighting mode'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"43'	"Sidelights control'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"44'	"Alarm from passenger compartment monitoring'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"45'	"Ecu locked'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"46'	"BSI paired with engine control unit'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"47'	"BSI with anti-scanning'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"48'	"BSI not programmed'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"49'	"BSI ready for programming'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"50'	"Transponder antiscanning active'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"51'	"Transponder'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"52'	"Programmed keys'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"53'	"Programmed remote control'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"54'	"Battery in remote controller exhausted'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"55'	"Bonnet open'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"56'	"Boot lid'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"57'	"Boot lid opening required'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"58'	"Control, boot lid'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	"	"Live Parameters'	"59'	"Right front door'

"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"60'	"Left front door'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"61'	"Control, locking'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"62'	"Control, unlocking'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"63'	"Locks deadlocking control'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"64'	"Vehicle locked status'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"65'	"Lock protection'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"66'	"Vehicle locked status'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"67'	"Reception of unvalid remote control message'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"68'	"Reception of valid remote control message'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"69'	"Long press on remote control button detected by BSI'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"70'	"Engine oil level'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"71'	"Oil pressure lamp'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"72'	"Engine coolant level warning lamp'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"73'	"Minimum window wash level lamp'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"74'	"Brake fluid level lamp'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"75'	"ABS warning lamp'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"76'	"Recall last navigation message'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"77'	"Water in fuel'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"78'	"Engine oil temperature'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"79'	"Coolant temperature'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"80'	"Outside temperature'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"81'	"Gross fuel level'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"82'	"Filtered fuel level'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"83'	"Fuel level pointer, instrumentation'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"84'	"Fuel gauge impedance'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"85'	"Maintenance counter'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"86'	"Distance to maintenance (km)'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"87'	"Average fuel consumption/travel'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"88'	"Average fuel consumption/distance'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"89'	"Total distance (km)'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"90'	"Levelled consumption'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"91'	"TCS/ESP warning lamp'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"92'	"Alarm LED'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"93'	"Front wipers high speed requested'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"94'	"Front wipers low speed requested'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"95'	"Headlight washer requested'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"96'	"Washers, front, requested'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"97'	"Wipers, front, control of stopping'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Live Parameters'	"98'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Tests'	"1'	"Rear foglight'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Tests'	"2'	"Front fog lights'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Tests'	"3'	"Control of right flashers'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Tests'	"4'	"Control of left flashers'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Tests'	"5'	"Luggage space lighting'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Tests'	"6'	"Interior lighting'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Tests'	"7'	"Horn'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Tests'	"8'	"Dipped beam'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Tests'	"9'	"Main beam'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Tests'	"10'	"Position light control'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Tests'	"11'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Tests'	"12'	"Windscreen wipers'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Tests'	"13'	"Windscreen washer'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Tests'	"14'	"Headlight washer'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Tests'	"15'	"AC compressor'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Tests'	"16'	"Warning lights'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Tests'	"17'	"Control, locking'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Tests'	"18'	"Control, unlocking'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Tests'	"19'	"Locks deadlocking control'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Tests'	"20'	"Control, boot lid'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Tests'	"21'	"ESP button'
"Citroën'	"C3 Pluriel'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 39.01'	""	"Tests'	"22'	"Rear screen opening control'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	""	"Adaptations'	"1'	"Steering angle decalibration'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	""	"Adaptations'	"2'	"Steering angle calibration'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	""	"Adaptations'	"3'	"Lateral acceleration sensor initialization'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	""	"Adaptations'	"4'	"Brake pressure sensor initialisation'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	""	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	""	"ECU Information'	"2'	"Supplier'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	""	"ECU Information'	"3'	"Software version number'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	""	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	""	"ECU Information'	"5'	"Type'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"1'	"Control unit power supply'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"2'	"Vehicle speed'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"3'	"Front left speed sensor'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"4'	"Front right speed sensor'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"5'	"Rear left speed sensor'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"6'	"Rear right speed sensor'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"7'	"Brake pedal switch'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"8'	"Brake fluid level'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"9'	"Brake lining condition'

"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"10'	"Yaw rate sensor'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"11'	"Brake pressure'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"12'	"Engine speed'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"13'	"Lateral acceleration sensor'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"14'	"Brake pedal switch 2'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"15'	"ESP disarming request'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"16'	"Hand brake'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"17'	"Engine torque request'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"18'	"Steering wheel angle'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"19'	"Communication ABS/ASR engine'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"20'	"Actual gear'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"21'	"CAN: Communication'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"22'	"Actual engine load'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"23'	"Accelerator pedal position'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"24'	"Reference value setting status ASR/MSR'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"25'	"Steering wheel angle sensor'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"26'	"Steering wheel angle sensor'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"27'	"Steering wheel angle sensor'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"28'	"Change of gear in progress'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"29'	"Torque converter'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	"	"Tests'	"1'	"Hydraulic pump ABS'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	"	"Tests'	"2'	"Switching solenoid valve 1'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	"	"Tests'	"3'	"Switching solenoid valve 2'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	"	"Tests'	"4'	"Limiting solenoid valve 1'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 60 ESP'	"	"Tests'	"5'	"Limiting solenoid valve 2'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"3'	"Software version number'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 70'	"	"ECU Information'	"5'	"Type'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"1'	"Control unit power supply'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"2'	"Vehicle speed'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"3'	"Front left speed sensor'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"4'	"Front right speed sensor'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"5'	"Rear left speed sensor'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"6'	"Rear right speed sensor'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"7'	"Brake light switch'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 70'	"	"Live Parameters'	"8'	"Brake fluid level'
"Citroën'	"C3 Pluriel'	"Brake System'	"ABS MK 70'	"	"Tests'	"1'	"Hydraulic pump ABS'
"Citroën'	"C3 Pluriel'	"Climate Control'	"Valeo'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 Pluriel'	"Climate Control'	"Valeo'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C3 Pluriel'	"Climate Control'	"Valeo'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C3 Pluriel'	"Climate Control'	"Valeo'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C3 Pluriel'	"Climate Control'	"Valeo'	"	"ECU Information'	"5'	"Diagnostic version'
"Citroën'	"C3 Pluriel'	"Climate Control'	"Valeo'	"	"Live Parameters'	"1'	"Control unit power supply'
"Citroën'	"C3 Pluriel'	"Climate Control'	"Valeo'	"	"Live Parameters'	"2'	"Compartment temperature'
"Citroën'	"C3 Pluriel'	"Climate Control'	"Valeo'	"	"Live Parameters'	"3'	"Compartment fan control power'
"Citroën'	"C3 Pluriel'	"Climate Control'	"Valeo'	"	"Live Parameters'	"4'	"Blower ctrl voltage'
"Citroën'	"C3 Pluriel'	"Climate Control'	"Valeo'	"	"Live Parameters'	"5'	"Mixing flap'
"Citroën'	"C3 Pluriel'	"Climate Control'	"Valeo'	"	"Live Parameters'	"6'	"Air distribution'
"Citroën'	"C3 Pluriel'	"Climate Control'	"Valeo'	"	"Live Parameters'	"7'	"Recirculation'
"Citroën'	"C3 Pluriel'	"Climate Control'	"Valeo'	"	"Live Parameters'	"8'	"Temperature +'
"Citroën'	"C3 Pluriel'	"Climate Control'	"Valeo'	"	"Live Parameters'	"9'	"Temperature -'
"Citroën'	"C3 Pluriel'	"Climate Control'	"Valeo'	"	"Live Parameters'	"10'	"Fan +'
"Citroën'	"C3 Pluriel'	"Climate Control'	"Valeo'	"	"Live Parameters'	"11'	"Fan -'
"Citroën'	"C3 Pluriel'	"Climate Control'	"Valeo'	"	"Live Parameters'	"12'	"Air distribution'
"Citroën'	"C3 Pluriel'	"Climate Control'	"Valeo'	"	"Live Parameters'	"13'	"Recirculation'
"Citroën'	"C3 Pluriel'	"Climate Control'	"Valeo'	"	"Live Parameters'	"14'	"Auto button'
"Citroën'	"C3 Pluriel'	"Climate Control'	"Valeo'	"	"Live Parameters'	"15'	"Defrost button'
"Citroën'	"C3 Pluriel'	"Climate Control'	"Valeo'	"	"Live Parameters'	"16'	"AC button'
"Citroën'	"C3 Pluriel'	"Climate Control'	"Valeo'	"	"Live Parameters'	"17'	"Windscreen button'
"Citroën'	"C3 Pluriel'	"Climate Control'	"Valeo'	"	"Tests'	"1'	"Recirculation actuator'
"Citroën'	"C3 Pluriel'	"Climate Control'	"Valeo'	"	"Tests'	"2'	"Air distribution valve'
"Citroën'	"C3 Pluriel'	"Climate Control'	"Valeo'	"	"Tests'	"3'	"Mixing flap'
"Citroën'	"C3 Pluriel'	"Climate Control'	"Valeo'	"	"Tests'	"4'	"Segment'
"Citroën'	"C3 Pluriel'	"Climate Control'	"Valeo'	"	"Tests'	"5'	"Cabin fan motor'
"Citroën'	"C3 Pluriel'	"Climate Control'	"Valeo'	"	"Tests'	"6'	"ACC-panel buttons lights'
"Citroën'	"C3 Pluriel'	"Climate Control'	"Valeo'	"	"Tests'	"7'	"Illumination'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"ECU Information'	"8'	"Software version'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"1'	"Coolant temperature'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"2'	"Coolant temperature [input signal]'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"3'	"Inlet air temperature'

"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"4'	"Input air temperature [input signal]'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"5'	"Vehicle speed'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"6'	"Gear detected'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"7'	"Main relay command'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"8'	"Cooling fan relay'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"9'	"Cooling fan, duty factor'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"10'	"Cooling fan speed request'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"11'	"Fuel temperature'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"12'	"Atmospheric pressure'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"13'	"Accelerator pedal position'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"14'	"Battery voltage'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"15'	"Sensor power supply'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"16'	"Ignition +15'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"17'	"Relay, pre-/post-heating control'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"18'	"AC compressor'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"19'	"Brake pedal'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"20'	"Revolution signal'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"21'	"Camshaft position sensor'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"22'	"Fuel pressure'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"23'	"Fuel pressure regulator'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"24'	"Fuel flow regulator'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"25'	"Injection amount'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"26'	"Injection valves'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"27'	"Fuel quantity correction cylinder 1'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"28'	"Fuel quantity correction cylinder 2'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"29'	"Fuel quantity correction cylinder 3'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"30'	"Fuel quantity correction cylinder 4'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"31'	"EGR valve'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"32'	"Pre injection timing'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"33'	"Main injection timing'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"34'	"Target air mass'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"35'	"Air mass measured'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"36'	"Injection time'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Live Parameters'	"37'	"Target fuel pressure'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Tests'	"1'	"Cooling fan'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Tests'	"2'	"Fuel pressure regulator'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Tests'	"3'	"Fuel flow regulator'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Tests'	"4'	"Relay, pre-/post-heating control'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Tests'	"5'	"EGR valve'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HX 1,4 SID 804'	"	"Tests'	"6'	"Main relay, supply circuit'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"ECU Information'	"8'	"Software version'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"1'	"Boost pressure'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"2'	"Coolant temperature'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"3'	"Coolant temperature [input signal]'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"4'	"Inlet air temperature'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"5'	"Input air temperature [input signal]'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"6'	"Vehicle speed'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"7'	"Gear detected'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"8'	"Main relay command'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"9'	"Cooling fan relay'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"10'	"Cooling fan, duty factor'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"11'	"Cooling fan speed request'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"12'	"Fuel temperature'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"13'	"Atmospheric pressure'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"14'	"Accelerator pedal position'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"15'	"Battery voltage'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"16'	"Sensor power supply'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"17'	"Ignition +15'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"18'	"Relay, pre-/post-heating control'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"19'	"AC compressor'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"20'	"Brake pedal'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"21'	"Revolution signal'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"22'	"Camshaft position sensor'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"23'	"Fuel pressure'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"24'	"Fuel pressure regulator'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"25'	"Fuel flow regulator'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"26'	"Injection amount'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"27'	"Injection valves'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"28'	"Fuel quantity correction cylinder 1'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"29'	"Fuel quantity correction cylinder 2'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"30'	"Fuel quantity correction cylinder 3'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"31'	"Fuel quantity correction cylinder 4'

"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"32'	"EGR valve'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"33'	"Pre injection timing'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"34'	"Main injection timing'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"35'	"Target air mass'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"36'	"Air mass measured'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"37'	"Injection time'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Live Parameters'	"38'	"Target fuel pressure'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Tests'	"1'	"Cooling fan'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Tests'	"2'	"Fuel pressure regulator'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Tests'	"3'	"Fuel flow regulator'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Tests'	"4'	"Relay, pre-/post-heating control'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Tests'	"5'	"EGR valve'
"Citroën'	"C3 Pluriel'	"Engine Diesel'	"8HZ 1,4 SID 804'	"	"Tests'	"6'	"Main relay, supply circuit'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"ECU Information'	"8'	"Part version suffix'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"3'	"Torque control'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"4'	"Injection time'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"5'	"Injection shut-off'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"6'	"Accelerator pedal position'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"7'	"Throttle opening'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"8'	"Throttle potentiometer'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"9'	"Coolant temperature'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"10'	"Inlet air temperature'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"11'	"Inlet manifold pressure'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"12'	"Carbon filter solenoid valve'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"13'	"Ignition timing'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"14'	"Ignition coil'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"15'	"Ignition coil'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"16'	"Mixing regulation'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"17'	"Front lambda sensor'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"18'	"Rear lambda sensor'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"19'	"Front lambda sensor'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"20'	"Rear lambda sensor'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"21'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"22'	"AC approved'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"23'	"Input, AC thermostat'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"24'	"Road speed signal'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"25'	"Main relay'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"26'	"Cooling fan relay'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"27'	"Cooling fan, duty factor'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Live Parameters'	"28'	"Cooling fan speed request'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Tests'	"3'	"Injection valve 1'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Tests'	"4'	"Injection valve 2'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Tests'	"5'	"Injection valve 3'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Tests'	"6'	"Injection valve 4'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Tests'	"7'	"Fuel pump relay'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Tests'	"8'	"AC compressor'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Tests'	"9'	"Cooling fan'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"KFV 1,4 Sagem S2000'	"	"Tests'	"10'	"Carbon filter solenoid valve'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"8'	"Part version suffix'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"1'	"Engine speed'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"3'	"Engine torque'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"4'	"Coolant temperature'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"5'	"Inlet air temperature'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"6'	"Inlet manifold pressure'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"7'	"Injection time'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"8'	"Injection shut-off'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"9'	"Throttle opening'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"10'	"Throttle potentiometer'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"11'	"Throttle status'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"12'	"Ignition timing'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"13'	"Ignition coil 1 & 4'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"14'	"Ignition coil 2 & 3'

"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"15'	"Front lambda sensor'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"16'	"Rear lambda sensor'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"17'	"Front lambda sensor'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"18'	"Rear lambda sensor'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"19'	"Lambda regulation, probe before catalytic converter'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"20'	"Lambda regulation, probe after catalytic converter'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"21'	"Carbon filter solenoid valve'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"22'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"23'	"AC approved'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"24'	"A/C requested'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"25'	"Vehicle speed'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"26'	"Gear detected'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"27'	"Cooling fan low speed'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"28'	"Cooling fan high speed'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"1'	"Ignition coil 1 & 4'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"2'	"Ignition coil 2 & 3'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"3'	"Injection valve 1'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"4'	"Injection valve 2'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"5'	"Injection valve 3'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"6'	"Injection valve 4'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"7'	"Fuel pump relay'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"8'	"Cooling fan high speed'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"9'	"Cooling fan low speed'
"Citroën'	"C3 Pluriel'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"10'	"Carbon filter solenoid valve'
"Citroën'	"C3 Pluriel'	"Gearbox / Automatic Transmission'	"Sequential'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 Pluriel'	"Gearbox / Automatic Transmission'	"Sequential'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C3 Pluriel'	"Gearbox / Automatic Transmission'	"Sequential'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C3 Pluriel'	"Gearbox / Automatic Transmission'	"Sequential'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C3 Pluriel'	"Gearbox / Automatic Transmission'	"Sequential'	"	"ECU Information'	"5'	"Software index'
"Citroën'	"C3 Pluriel'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"1'	"Vehicle speed'
"Citroën'	"C3 Pluriel'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"2'	"Gearbox input rpm'
"Citroën'	"C3 Pluriel'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"3'	"Battery voltage'
"Citroën'	"C3 Pluriel'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"4'	"Clutch position'
"Citroën'	"C3 Pluriel'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"5'	"Sequential/Automatic gearbox selector position'
"Citroën'	"C3 Pluriel'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"6'	"Kick down activated'
"Citroën'	"C3 Pluriel'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"7'	"Gear detected'
"Citroën'	"C3 Pluriel'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"8'	"Steering wheel gear shifter -'
"Citroën'	"C3 Pluriel'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"9'	"Steering wheel gear shifter +'
"Citroën'	"C3 Pluriel'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"10'	"Engine speed'
"Citroën'	"C3 Pluriel'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"11'	"Engine torque, actual value'
"Citroën'	"C3 Pluriel'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"12'	"Engine torque, target value'
"Citroën'	"C3 Pluriel'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"13'	"Accelerator pedal position'
"Citroën'	"C3 Pluriel'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"14'	"Coolant temperature'
"Citroën'	"C3 Pluriel'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"15'	"Brake switch 1'
"Citroën'	"C3 Pluriel'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"16'	"Brake switch 2'
"Citroën'	"C3 Pluriel'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"17'	"Program selector switch'
"Citroën'	"C3 Pluriel'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"18'	"1st engagements counter'
"Citroën'	"C3 Pluriel'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"19'	"2nd engagements counter'
"Citroën'	"C3 Pluriel'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"20'	"3rd engagements counter'
"Citroën'	"C3 Pluriel'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"21'	"4th engagements counter'
"Citroën'	"C3 Pluriel'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"22'	"5th engagements counter'
"Citroën'	"C3 Pluriel'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"23'	"Reverse engagements counter'
"Citroën'	"C3 Pluriel'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"24'	"Steering wheel gear shift counter'
"Citroën'	"C3 Pluriel'	"Gearbox / Automatic Transmission'	"Sequential'	"	"Live Parameters'	"25'	"Gear selector counter'
"Citroën'	"C3 Pluriel'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 Pluriel'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C3 Pluriel'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C3 Pluriel'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"ECU Information'	"4'	"Software number'
"Citroën'	"C3 Pluriel'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"1'	"Oil level gauge'
"Citroën'	"C3 Pluriel'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"2'	"Service indicator'
"Citroën'	"C3 Pluriel'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"3'	"Unit for odometer'
"Citroën'	"C3 Pluriel'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"4'	"Value for the 2th segment'
"Citroën'	"C3 Pluriel'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"5'	"Value for the 3th segment'
"Citroën'	"C3 Pluriel'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"6'	"Value for the 4th segment'
"Citroën'	"C3 Pluriel'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"7'	"Value for the 5th segment'
"Citroën'	"C3 Pluriel'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"8'	"Value for the 6th segment'
"Citroën'	"C3 Pluriel'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"9'	"Rear demist switch'
"Citroën'	"C3 Pluriel'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"10'	"Switch, hazardwarning'
"Citroën'	"C3 Pluriel'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"11'	"AC button'
"Citroën'	"C3 Pluriel'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"12'	"Service indicator'
"Citroën'	"C3 Pluriel'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"13'	"Central locker, lock switch'
"Citroën'	"C3 Pluriel'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"14'	"Instrument cluster'
"Citroën'	"C3 Pluriel'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"15'	"Instrument cluster'
"Citroën'	"C3 Pluriel'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"16'	"Speed warning'
"Citroën'	"C3 Pluriel'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"17'	"Instrument cluster status'
"Citroën'	"C3 Pluriel'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"18'	"Reset button, trip meter'
"Citroën'	"C3 Pluriel'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Live Parameters'	"19'	"Instrument brightness adjustment button'
"Citroën'	"C3 Pluriel'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Tests'	"1'	"Speed meter gauge 100 km/h'
"Citroën'	"C3 Pluriel'	"Instrument / Dashboard'	"Instrument - Sagem'	"	"Tests'	"2'	"Rpm gauge (4000 Rpm)'

"Citroën'	"C3 Pluriel'	"Instrument / Dashboard'	"Instrument - Sagem'	""	"Tests'	"3'	"Fuel gauge, full tank'
"Citroën'	"C3 Pluriel'	"Instrument / Dashboard'	"Instrument - Sagem'	""	"Tests'	"4'	"Coolant temperature, high'
"Citroën'	"C3 Pluriel'	"Instrument / Dashboard'	"Instrument - Sagem'	""	"Tests'	"5'	"Low oil level'
"Citroën'	"C3 Pluriel'	"Instrument / Dashboard'	"Instrument - Sagem'	""	"Tests'	"6'	"Kilometre counter'
"Citroën'	"C3 Pluriel'	"Instrument / Dashboard'	"Instrument - Sagem'	""	"Tests'	"7'	"Hydraulic unit position sensor,gear range gearing'
"Citroën'	"C3 Pluriel'	"Instrument / Dashboard'	"Instrument - Sagem'	""	"Tests'	"8'	"Indicator lamps'
"Citroën'	"C3 Pluriel'	"Restrains'	"Airbag - Temic'	""	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C3 Pluriel'	"Restrains'	"Airbag - Temic'	""	"ECU Information'	"2'	"Supplier'
"Citroën'	"C3 Pluriel'	"Restrains'	"Airbag - Temic'	""	"ECU Information'	"3'	"Version of program'
"Citroën'	"C3 Pluriel'	"Restrains'	"Airbag - Temic'	""	"ECU Information'	"4'	"Calibration number'
"Citroën'	"C3 Pluriel'	"Restrains'	"Airbag - Temic'	""	"ECU Information'	"5'	"Diagnostic version'
"Citroën'	"C3 Pluriel'	"Restrains'	"Airbag - Temic'	""	"ECU Information'	"6'	"Checking at after line production'
"Citroën'	"C3 Pluriel'	"Restrains'	"Airbag - Temic'	""	"ECU Information'	"7'	"Checking at factory'
"Citroën'	"C3 Pluriel'	"Restrains'	"Airbag - Temic'	""	"ECU Information'	"8'	"Checking at supplier'
"Citroën'	"C3 Pluriel'	"Restrains'	"Airbag - Temic'	""	"ECU Information'	"9'	"Checking of action in aftermarket'
"Citroën'	"C3 Pluriel'	"Restrains'	"Airbag - Temic'	""	"ECU Information'	"10'	"Front satellite sensors PSA reference'
"Citroën'	"C3 Pluriel'	"Restrains'	"Airbag - Temic'	""	"ECU Information'	"11'	"Satellite sensors supplier'
"Citroën'	"C3 Pluriel'	"Restrains'	"Airbag - Temic'	""	"ECU Information'	"12'	"Right satellite sensor unit number'
"Citroën'	"C3 Pluriel'	"Restrains'	"Airbag - Temic'	""	"ECU Information'	"13'	"Left satellite sensor unit number'
"Citroën'	"C3 Pluriel'	"Restrains'	"Airbag - Temic'	""	"ECU Information'	"14'	"Right satellite sensor program version'
"Citroën'	"C3 Pluriel'	"Restrains'	"Airbag - Temic'	""	"ECU Information'	"15'	"Left satellite sensor program version'
"Citroën'	"C3 Pluriel'	"Restrains'	"Airbag - Temic'	""	"ECU Information'	"16'	"Right satellite sensor material version'
"Citroën'	"C3 Pluriel'	"Restrains'	"Airbag - Temic'	""	"ECU Information'	"17'	"Left satellite sensor material version'
"Citroën'	"C3 Pluriel'	"Restrains'	"Airbag - Temic'	""	"Live Parameters'	"1'	"Driver airbag'
"Citroën'	"C3 Pluriel'	"Restrains'	"Airbag - Temic'	""	"Live Parameters'	"2'	"Passenger airbag'
"Citroën'	"C3 Pluriel'	"Restrains'	"Airbag - Temic'	""	"Live Parameters'	"3'	"Driver knee airbag'
"Citroën'	"C3 Pluriel'	"Restrains'	"Airbag - Temic'	""	"Live Parameters'	"4'	"Switch to disable passenger airbag'
"Citroën'	"C3 Pluriel'	"Restrains'	"Airbag - Temic'	""	"Live Parameters'	"5'	"Frontal side airbag'
"Citroën'	"C3 Pluriel'	"Restrains'	"Airbag - Temic'	""	"Live Parameters'	"6'	"Side head airbags'
"Citroën'	"C3 Pluriel'	"Restrains'	"Airbag - Temic'	""	"Live Parameters'	"7'	"Pretensioner'
"Citroën'	"C3 Pluriel'	"Restrains'	"Airbag - Temic'	""	"Live Parameters'	"8'	"Satellite sensors'
"Citroën'	"C3 Pluriel'	"Restrains'	"Airbag - Temic'	""	"Live Parameters'	"9'	"Calibration status of satellit sensors'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose'	""	"ECU Information'	"1'	"Supplier'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose'	""	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose'	""	"ECU Information'	"3'	"Software number'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose'	""	"ECU Information'	"4'	"VIN code'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose'	""	"ECU Information'	"5'	"Software version'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose'	""	"ECU Information'	"6'	"Software index'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Adaptations'	"1'	"Configuration, door with mirror folding'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Adaptations'	"2'	"Configuration, window closing on lock command'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Adaptations'	"3'	"Configuration, rear wiper on reverse gear'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Adaptations'	"4'	"Configuration, tyre pressure monitoring'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Adaptations'	"5'	"Configuration, daytime running lights'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Adaptations'	"6'	"Configuration, seat belt detection driver side'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Configurations'	"1'	"Tyre pressure monitoring'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Configurations'	"2'	"Door with mirror folding'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Configurations'	"3'	"Window closing on lock command'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Configurations'	"4'	"Rear wiper on reverse gear'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Configurations'	"5'	"Daytime running light'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Configurations'	"6'	"Seat belt detection driver side'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"ECU Information'	"1'	"Supplier'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"ECU Information'	"3'	"Software number'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"ECU Information'	"4'	"VIN code'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"ECU Information'	"5'	"Software version'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"ECU Information'	"6'	"Software index'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"2'	"Alternator voltage'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"3'	"Economy mode'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"4'	"BSI information'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"5'	"Ignition on'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"6'	"Cranking'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"7'	"Engine status'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"8'	"Supply to window/sunroof'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"9'	"Reasons for CAN bus keep alive'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"10'	"Ignition on'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"11'	"Key reminder buzzer sound'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"12'	"Horn'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"13'	"Main beam headlight control'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"14'	"Position light control'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"15'	"Hazard warning flashers'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"16'	"Alarm horn'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"17'	"Reasons for CAN bus keep alive'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"18'	"Windowlift activation'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"19'	"Luggage space lighting'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"20'	"Interior lighting'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"21'	"Door mirror control'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"22'	"Control module telematic'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"23'	"Reasons for CAN bus keep alive'

"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"24'	"Power seat'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"25'	"Memory, drivers seat position'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"26'	"Memory, drivers seat position'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"27'	"Diagnostic tool detected'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"28'	"The last CAN wake-up was requested by:'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"29'	"no load shedding'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"30'	"preheater plug load shedding'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"31'	"fan unit forced low speed load shedding'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"32'	"Load shedding during particle filter regeneration'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"33'	"deicing load shedding'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"34'	"partial heating load shedding'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"35'	"complete heating load shedding'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"36'	"A/C blower load shedding'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"37'	"A/C compressor load shedding'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"38'	"Evaporator temperature sensor'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"39'	"Evaporator icing safety circuit'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"40'	"A/C requested'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"41'	"A/C compressor status'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"42'	"A/C clutch'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"43'	"A/C compressor status'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"44'	"High pressure safety'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"45'	"Low pressure safety'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"46'	"Parking brake'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"47'	"Brake pedal'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"48'	"Set cruise acceleration (+)'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"49'	"Set cruise deceleration (-)'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"50'	"Cruise control system, operating state'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"51'	"Winter program'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"52'	"Sport program'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"53'	"Park [P]'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"54'	"Reverse gear'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"55'	"ESP off switch'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"56'	"Belt lock, driver'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"57'	"Belt lock, passenger'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"58'	"Seat belt lock rear left'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"59'	"Seat belt lock rear right'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"60'	"Rear center seat belt lock'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"61'	"Child safety request'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"62'	"Rear right hand door child safety'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"63'	"Rear left hand door child safety'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"64'	"Horn'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"65'	"Horn control'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"66'	"Position light control'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"67'	"Left position light'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"68'	"Right position light'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"69'	"Daytime running light'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"70'	"Dipped beam'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"71'	"Dipped beam control'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"72'	"Headlamp flasher'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"73'	"Switch for main/dipped light'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"74'	"Main beam'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"75'	"Left side direction indicator lamp'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"76'	"Right side direction indicator lamp'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"77'	"Hazard warning lights'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"78'	"Trailer turn indicator, left side'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"79'	"Trailer turn indicator, right side'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"80'	"Rear fog light control'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"81'	"Interior light requested'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"82'	"Interior lighting'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"83'	"Passenger compartment monitoring'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"84'	"Alarm from passenger compartment monitoring'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"85'	"Ecu locked'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"86'	"Transponder code'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"87'	"BSI paired with engine control unit'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"88'	"Programmed keys'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"89'	"Access code learnt'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"90'	"BSI with anti-scanning'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"91'	"Number of learnt remote controls'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"92'	"BSI ready for programming'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"93'	"Key 1'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"94'	"Key 2'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"95'	"Key 3'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"96'	"Key 4'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"97'	"Key 5'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"98'	"Remote battery low'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"99'	"Reception of valid remote control message'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"100'	"Reception of invalid remote control message'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"101'	"Door locking remote control button'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"102'	"Door unlocking remote control button'

"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"103'	"Center remote control button'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"104'	"Vehicle locked status'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"105'	"Vehicle locking/unlocking'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"106'	"Temperature disconnection centrallocking'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"107'	"Driver's door locking'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"108'	"Driver's door unlocking'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"109'	"Passengers door locking'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"110'	"Passengers door unlocking'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"111'	"Central locking, locking'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"112'	"Central locking, unlocking'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"113'	"Locks deadlocking control'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"114'	"Opening of bootlid requested'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"115'	"Boot lid opening control'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"116'	"Child safety request'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"117'	"Child safety control'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"118'	"Bonnet open'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"119'	"Left front door'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"120'	"Right front door'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"121'	"Rear right door'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"122'	"Rear left door'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"123'	"Driving range to next servicing [km]'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"124'	"Maintenance counter'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"125'	"Engine oil temperature'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"126'	"Engine oil level'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"127'	"Oil pressure warning'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"128'	"Engine Coolant Level Low'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"129'	"Brake fluid level lamp'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"130'	"Outside temperature'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"131'	"Fuel level'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"132'	"Gross fuel level'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"133'	"Filtered fuel level'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"134'	"Fuel level'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"135'	"Current odometer reading'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"136'	"Average fuel consumption'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"137'	"Levelled consumption'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"138'	"Fuel consumption'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"139'	"Engine coolant temperature warning'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"140'	"Engine coolant level warning lamp'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"141'	"Oil temperature warning lamp'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"142'	"Oil pressure warning lamp'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"143'	"Low fuel level warning light'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"144'	"Airbag Warning Activated'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"145'	"Belt reminder'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"146'	"ESP control light'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"147'	"Alarm LED'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"148'	"Window rear left, up'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"149'	"Window rear right, up'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"150'	"Window rear left, down'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"151'	"Window rear right, down'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"152'	"Windscreen wiper control'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"153'	"Windscreen wipers'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"154'	"Windscreen wipers switch, step 1'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"155'	"Windscreen wipers switch, step 2'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"156'	"Windscreen wiper parked position'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"157'	"Washers, front, requested'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"158'	"Control circuit windshield washer pump'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"159'	"Head light cleaning'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"160'	"Rear wiper requested'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"161'	"Rear screen wiper'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"162'	"Rear screen wiper parked position'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"163'	"Washer, rear, requested'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"164'	"Control circuit rear window washer pump'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Live Parameters'	"165'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Tests'	"1'	"AC-compressor'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Tests'	"2'	"Horn activation'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Tests'	"3'	"Dipped beam'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Tests'	"4'	"Main beam'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Tests'	"5'	"Left position light'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Tests'	"6'	"Right position light'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Tests'	"7'	"Left flasher'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Tests'	"8'	"Right flasher'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Tests'	"9'	"Rear fog lights'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Tests'	"10'	"Interior lighting'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Tests'	"11'	"Central locking, locking'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Tests'	"12'	"Relay central locking, deadlock'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Tests'	"13'	"Central locking, unlocking'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Tests'	"14'	"Boot lid opening control'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Tests'	"15'	"Child safety lock motor'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Tests'	"16'	"Alarm LED'

"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Tests'	"17'	"Window rear left, up'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Tests'	"18'	"Window rear right, up'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Tests'	"19'	"Window rear left, down'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Tests'	"20'	"Window rear right, down'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Tests'	"21'	"Rear screen wiper'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Tests'	"22'	"Front wipers low speed requested'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Tests'	"23'	"Front wipers high speed requested'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Tests'	"24'	"Headlight washer'
"Citroën'	"C4'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 BSI'	"Tests'	"25'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Adaptations'	"1'	"Steering angle decalibration'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Adaptations'	"2'	"Calibration of steering angle sensor'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Adaptations'	"3'	"Bleed rear left hand wheel circuit.'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Adaptations'	"4'	"Bleed front left hand wheel circuit'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Adaptations'	"5'	"Bleed front right hand wheel circuit'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Adaptations'	"6'	"Bleed rear right hand wheel circuit.'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"ECU Information'	"5'	"Calibration version'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"ECU Information'	"6'	"Diagnostic version'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"ECU Information'	"7'	"BOSCH'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"2'	"Vehicle speed'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"3'	"Front left wheel speed sensor'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"4'	"Front right wheel speed sensor'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"5'	"Rear left wheel speed sensor'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"6'	"Rear right wheel speed sensor'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"7'	"Relay for solenoid valve'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"8'	"Hydraulic pump relay'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"9'	"Brake lining condition'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"10'	"Brake light switch 1'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"11'	"Brake fluid level'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"12'	"Engine speed'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"13'	"Brake light switch 2'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"14'	"Brake pressure'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"15'	"Yaw rate sensor'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"16'	"Lateral acceleration'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"17'	"Steering wheel angle sensor'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"18'	"Engine torque requested by driver'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"19'	"Communication ABS/ASR engine'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"20'	"Actual gear'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"21'	"Diagnostic for data-bus'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"22'	"Steering wheel angle sensor'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"23'	"Steering wheel angle sensor'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"24'	"Steering wheel angle sensor programming'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"25'	"Rotation rate signal'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"26'	"Engine torque'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"27'	"Accelerator pedal position sensor'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"28'	"Reference value setting status ASR/MSR'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"29'	"Change of gear in progress'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"30'	"Gear selector'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"31'	"Gear selected (calculated)'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"32'	"Torque converter'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Tests'	"1'	"Recirculating Pump'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Tests'	"2'	"Front left load valve'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Tests'	"3'	"Front right load valve'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Tests'	"4'	"Left rear load valve'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Tests'	"5'	"Right rear load valve'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Tests'	"6'	"Switching solenoid valve 1'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Tests'	"7'	"Switching solenoid valve 2'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Tests'	"8'	"Limiting solenoid valve 1'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Tests'	"9'	"Limiting solenoid valve 2'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Tests'	"10'	"Front left drain valve'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Tests'	"11'	"Front right drain valve'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Tests'	"12'	"Left rear drain valve'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Tests'	"13'	"Right rear drain valve'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Adaptations'	"1'	"Steering angle decalibration'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Adaptations'	"2'	"Calibration of steering angle sensor'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Adaptations'	"3'	"Bleed rear left hand wheel circuit.'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Adaptations'	"4'	"Bleed front left hand wheel circuit'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Adaptations'	"5'	"Bleed front right hand wheel circuit'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Adaptations'	"6'	"Bleed rear right hand wheel circuit.'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"ECU Information'	"5'	"Application'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"ECU Information'	"6'	"Programmed'

"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"ECU Information'	"7'	"Manufacturing date'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"ECU Information'	"8'	"Programming date'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"ECU Information'	"9'	"Fabrication code'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"1'	"Rear left wheel speed sensor'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"2'	"Rear right wheel speed sensor'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"3'	"Front left wheel speed sensor'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"4'	"Front right wheel speed sensor'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"5'	"Vehicle speed'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"6'	"Brake light switch 1'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"7'	"Brake lining condition'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"8'	"Relay for solenoid valve'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"9'	"Recirculating Pump'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"10'	"Brake fluid level'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"11'	"Supply voltage'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"12'	"Yaw rate sensor'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"13'	"Lateral acceleration'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"14'	"Longitudinal acceleration'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"15'	"Brake pressure'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"16'	"ESP off switch'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"17'	"Engine speed'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"18'	"Brake pedal switch 2'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"19'	"Steering wheel angle sensor'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"20'	"Engine torque requested by driver'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"21'	"Communication ABS/ASR engine'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"22'	"Accelerator pedal position sensor'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"23'	"Diagnostic for data-bus'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"24'	"Steering wheel angle sensor'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"25'	"Steering wheel angle sensor'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"26'	"Steering wheel angle sensor programming'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"27'	"Rotation rate signal'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"28'	"Steering wheel angle'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"29'	"Engine torque'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"30'	"Reference value setting status ASR/MSR'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"31'	"Torque converter'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"32'	"Gear selector'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"33'	"Gear selected (calculated)'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"34'	"Change of gear in progress'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Tests'	"1'	"Recirculating Pump'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Tests'	"2'	"Front left drain valve'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Tests'	"3'	"Front right drain valve'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Tests'	"4'	"Left rear drain valve'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Tests'	"5'	"Right rear drain valve'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Tests'	"6'	"Front left load valve'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Tests'	"7'	"Front right load valve'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Tests'	"8'	"Left rear load valve'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Tests'	"9'	"Right rear load valve'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Tests'	"10'	"Switching solenoid valve 1'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Tests'	"11'	"Switching solenoid valve 2'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Tests'	"12'	"Limiting solenoid valve 1'
"Citroën'	"C4'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Tests'	"13'	"Limiting solenoid valve 2'
"Citroën'	"C4'	"Climate Control'	"Behr'	"	"Adaptations'	"1'	"Change climate control unit to Celsius.'
"Citroën'	"C4'	"Climate Control'	"Behr'	"	"Adaptations'	"2'	"Change climate control unit to Fahrenheit.'
"Citroën'	"C4'	"Climate Control'	"Behr'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C4'	"Climate Control'	"Behr'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C4'	"Climate Control'	"Behr'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C4'	"Climate Control'	"Behr'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C4'	"Climate Control'	"Behr'	"	"ECU Information'	"5'	"Calibration version'
"Citroën'	"C4'	"Climate Control'	"Behr'	"	"ECU Information'	"6'	"Diagnostics indicator'
"Citroën'	"C4'	"Climate Control'	"Behr'	"	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"C4'	"Climate Control'	"Behr'	"	"Live Parameters'	"2'	"Left outlet air temperature'
"Citroën'	"C4'	"Climate Control'	"Behr'	"	"Live Parameters'	"3'	"Right outlet air temperature'
"Citroën'	"C4'	"Climate Control'	"Behr'	"	"Live Parameters'	"4'	"Evaporator temperature sensor'
"Citroën'	"C4'	"Climate Control'	"Behr'	"	"Live Parameters'	"5'	"Sun sensor'
"Citroën'	"C4'	"Climate Control'	"Behr'	"	"Live Parameters'	"6'	"Compartment fan control power'
"Citroën'	"C4'	"Climate Control'	"Behr'	"	"Live Parameters'	"7'	"Recirculation'
"Citroën'	"C4'	"Climate Control'	"Behr'	"	"Live Parameters'	"8'	"Air distribution'
"Citroën'	"C4'	"Climate Control'	"Behr'	"	"Live Parameters'	"9'	"Left blending flap'
"Citroën'	"C4'	"Climate Control'	"Behr'	"	"Live Parameters'	"10'	"Right blending flap'
"Citroën'	"C4'	"Climate Control'	"Behr'	"	"Live Parameters'	"11'	"AC button'
"Citroën'	"C4'	"Climate Control'	"Behr'	"	"Live Parameters'	"12'	"Windscreen button'
"Citroën'	"C4'	"Climate Control'	"Behr'	"	"Live Parameters'	"13'	"Auto button'
"Citroën'	"C4'	"Climate Control'	"Behr'	"	"Live Parameters'	"14'	"Recirculation button'
"Citroën'	"C4'	"Climate Control'	"Behr'	"	"Live Parameters'	"15'	"Defrost button'
"Citroën'	"C4'	"Climate Control'	"Behr'	"	"Live Parameters'	"16'	"Air distribution'
"Citroën'	"C4'	"Climate Control'	"Behr'	"	"Live Parameters'	"17'	"Fan +'
"Citroën'	"C4'	"Climate Control'	"Behr'	"	"Live Parameters'	"18'	"Fan -'
"Citroën'	"C4'	"Climate Control'	"Behr'	"	"Tests'	"1'	"Recycling motor control'
"Citroën'	"C4'	"Climate Control'	"Behr'	"	"Tests'	"2'	"Air distribution flap motor'
"Citroën'	"C4'	"Climate Control'	"Behr'	"	"Tests'	"3'	"LH mixing actuator'

"Citroën'	"C4'	"Climate Control'	"Behr'	"	"Tests'	"4'	"RH mixing actuator'
"Citroën'	"C4'	"Climate Control'	"Behr'	"	"Tests'	"5'	"Segment display switched on'
"Citroën'	"C4'	"Climate Control'	"Behr'	"	"Tests'	"6'	"Illumination'
"Citroën'	"C4'	"Climate Control'	"Behr'	"	"Tests'	"7'	"Fan motor'
"Citroën'	"C4'	"Climate Control'	"Behr'	"	"Tests'	"8'	"Button light'
"Citroën'	"C4'	"Door'	"Driver door'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"C4'	"Door'	"Driver door'	"	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C4'	"Door'	"Driver door'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C4'	"Door'	"Driver door'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C4'	"Door'	"Driver door'	"	"ECU Information'	"5'	"Diagnostic version'
"Citroën'	"C4'	"Door'	"Driver door'	"	"Live Parameters'	"1'	"Switch for Mirror-Adjust'
"Citroën'	"C4'	"Door'	"Driver door'	"	"Live Parameters'	"2'	"Selection Switch for Mirror-Adjust'
"Citroën'	"C4'	"Door'	"Driver door'	"	"Live Parameters'	"3'	"Battery voltage'
"Citroën'	"C4'	"Door'	"Driver door'	"	"Live Parameters'	"4'	"Switch windowlift front left'
"Citroën'	"C4'	"Door'	"Driver door'	"	"Live Parameters'	"5'	"Switch windowlift front right'
"Citroën'	"C4'	"Door'	"Driver door'	"	"Live Parameters'	"6'	"Switch for power window rear'
"Citroën'	"C4'	"Door'	"Driver door'	"	"Live Parameters'	"7'	"Switch windowlift rear left'
"Citroën'	"C4'	"Door'	"Driver door'	"	"Live Parameters'	"8'	"Switch windowlift rear right'
"Citroën'	"C4'	"Door'	"Driver door'	"	"Live Parameters'	"9'	"Steering'
"Citroën'	"C4'	"Door'	"Driver door'	"	"Tests'	"3'	"Drivers mirror downward'
"Citroën'	"C4'	"Door'	"Driver door'	"	"Tests'	"4'	"Drivers mirror upward'
"Citroën'	"C4'	"Door'	"Driver door'	"	"Tests'	"5'	"Drivers mirror to the left'
"Citroën'	"C4'	"Door'	"Driver door'	"	"Tests'	"6'	"Drivers mirror to the right'
"Citroën'	"C4'	"Door'	"Driver door'	"	"Tests'	"7'	"Drivers mirror folding in'
"Citroën'	"C4'	"Door'	"Driver door'	"	"Tests'	"8'	"Drivers mirror folding out'
"Citroën'	"C4'	"Door'	"Driver door'	"	"Tests'	"9'	"Illumination driver door control switches'
"Citroën'	"C4'	"Door'	"Passenger door'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"C4'	"Door'	"Passenger door'	"	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C4'	"Door'	"Passenger door'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C4'	"Door'	"Passenger door'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C4'	"Door'	"Passenger door'	"	"ECU Information'	"5'	"Diagnostic version'
"Citroën'	"C4'	"Door'	"Passenger door'	"	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"C4'	"Door'	"Passenger door'	"	"Live Parameters'	"2'	"Outside temperature'
"Citroën'	"C4'	"Door'	"Passenger door'	"	"Live Parameters'	"3'	"Steering'
"Citroën'	"C4'	"Door'	"Passenger door'	"	"Tests'	"1'	"Passenger window down'
"Citroën'	"C4'	"Door'	"Passenger door'	"	"Tests'	"2'	"Passenger window up'
"Citroën'	"C4'	"Door'	"Passenger door'	"	"Tests'	"3'	"Passenger mirror downward'
"Citroën'	"C4'	"Door'	"Passenger door'	"	"Tests'	"4'	"Passenger mirror upward'
"Citroën'	"C4'	"Door'	"Passenger door'	"	"Tests'	"5'	"Passenger mirror to the left'
"Citroën'	"C4'	"Door'	"Passenger door'	"	"Tests'	"6'	"Passenger mirror to the right'
"Citroën'	"C4'	"Door'	"Passenger door'	"	"Tests'	"7'	"Passenger mirror folding in'
"Citroën'	"C4'	"Door'	"Passenger door'	"	"Tests'	"8'	"Passenger mirror folding out'
"Citroën'	"C4'	"Door'	"Passenger door'	"	"Tests'	"9'	"Switch illumination'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Adaptations'	"1'	"EGR valve'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Adaptations'	"2'	"Regeneration'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Adaptations'	"3'	"Intake air bypass valve'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Adaptations'	"4'	"Catalytic particle filter (CPF) change'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Adaptations'	"5'	"Pump, additive'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"ECU Information'	"5'	"ECU status'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"ECU Information'	"8'	"Software version'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"1'	"Vehicle speed'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"2'	"Clutch pedal'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"3'	"Brake pedal'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"4'	"Gear'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"5'	"Atmospheric pressure'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"6'	"Turbo charging pressure'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"7'	"Intake manifold'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"8'	"Air inlet sensor'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"9'	"Fuel temperature'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"10'	"A/C compressor status'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"11'	"A/C status'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"12'	"A/C pressure'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"13'	"Additional heating'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"14'	"Diesel additive'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"15'	"Coolant temperature'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"16'	"Relay fan supply'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"17'	"Fan speed'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"18'	"Fan speed reference value'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"19'	"Programming'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"20'	"Engine speed'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"21'	"Battery voltage'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"22'	"Glow plug state'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"23'	"A/C cut off relay'

"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"24'	"Synchronising between camshaft and crankshaft'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"25'	"Brake pedal'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"26'	"Air mass'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"27'	"Air mass reference value'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"28'	"Fuel flow regulator'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"29'	"Fuel pump'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"30'	"Feedback, EGR-valve'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"31'	"EGR-valve demand'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"32'	"Engine speed'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"33'	"Accelerator pedal'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"34'	"Fuel pressure'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"35'	"Target fuel pressure'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"36'	"Air flow rate'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"37'	"Intake air bypass valve'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"38'	"Intake air shut-off solenoid valve'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"39'	"Desired boost pressure'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"40'	"Turbo wastegate valve position'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"41'	"Injection quantity'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"42'	"Fuel quantity correction cylinder 1'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"43'	"Fuel quantity correction cylinder 2'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"44'	"Fuel quantity correction cylinder 3'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"45'	"Fuel quantity correction cylinder 4'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"46'	"Preinjection'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"47'	"Main injection'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"48'	"Fuel injector control module'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"49'	"Content of soot in the particle emission filter'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"50'	"Distance travelled since last regeneration'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"51'	"Exhaust gas temperature, downstreams catalytic converter'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"52'	"Pressure difference between inlet and outlet in particle emission filter'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"53'	"Intake manifold'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"54'	"Intake air bypass valve'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"55'	"Intake air shut-off solenoid valve feedback'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Tests'	"1'	"Cooling fan high speed'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Tests'	"2'	"Cooling fan low speed'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Tests'	"3'	"Injection pump regulator'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Tests'	"4'	"Glow plug relay'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Tests'	"5'	"EGR valve'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Tests'	"6'	"Heater relay 1'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Tests'	"7'	"Intake air shut-off solenoid valve'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Tests'	"8'	"Regulation waste gate valve'
"Citroën'	"C4'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Tests'	"9'	"Power relay'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Adaptations'	"1'	"EGR valve'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Adaptations'	"2'	"Regeneration'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"ECU Information'	"1'	"PSA number'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"ECU Information'	"2'	"Supplier code'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"ECU Information'	"3'	"Complementary number'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"ECU Information'	"4'	"Diagnostic issue number'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"ECU Information'	"5'	"Associated parameters number'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"1'	"Engine speed'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"2'	"Vehicle speed'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"3'	"Brake switch'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"4'	"Brake safety switch'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"5'	"Clutch switch'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"6'	"Pedal track 1 raw'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"7'	"Pedal track 2 raw'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"8'	"Pedal position'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"9'	"Kick down switch'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"10'	"Actual gear'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"11'	"Gearbox'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"12'	"Engine state'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"13'	"Engine at idle condition'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"14'	"Cruise control'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"15'	"Programmed speed cruise control'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"16'	"Speed limitation'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"17'	"Speed limiter reference speed'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"18'	"Intake air temperature signal'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"19'	"Coolant temperature'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"20'	"GMV demand'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"21'	"GMV speed'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"22'	"Fan 2 drive'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"23'	"A/C pressure'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"24'	"Battery voltage'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"25'	"Pedal track 1 supply'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"26'	"Pedal track 2 supply'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"27'	"IMV current'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"28'	"Rail pressure control'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"29'	"Rail pressure demand'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"30'	"Rail pressure'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"31'	"IMV drive (PWM)'

"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"32'	"Fuel quantity'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"33'	"Cylinder balancing offset cylinder 1'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"34'	"Cylinder balancing offset cylinder 3'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"35'	"Cylinder balancing offset cylinder 4'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"36'	"Cylinder balancing offset cylinder 2'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"37'	"Fuel temperature'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"38'	"HSD voltage'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"39'	"Cylinder balance control'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"40'	"Injector control error'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"41'	"Air mass flow demand'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"42'	"Mass air flow sensor'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"43'	"Intake air temperature signal'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"44'	"Boost air temperature'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"45'	"EGR throttle solenoid valve PWM'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"46'	"EGR control'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"47'	"EGR valve PWM drive'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"48'	"EGR position'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"49'	"Boost pressure regulation'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"50'	"Atmospheric pressure'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"51'	"Boost Pressure demand'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"52'	"Engine boost pressure'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"53'	"TGV valve position'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"54'	"Turbo valve position'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"55'	"FAP load'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"56'	"Regeneration help state'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"57'	"Temperature after catalyst'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"58'	"Differential Pressure'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"59'	"Electric consumers activation'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"60'	"DPF air flow'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"61'	"Distance covered since DPF change'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"62'	"Distance covered since DPF change'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"63'	"Distance travelled since last regeneration'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"64'	"Distance'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"65'	"FAP additive quantity'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"66'	"Fuel Additive Level Low'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"67'	"Additive reservoir volume'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"68'	"Synchronisation state'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"69'	"PPH control state'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"70'	"Additional heater drive 1'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"71'	"Additional heater drive 2'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"72'	"Main fuel demand'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"73'	"Main pulse'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"74'	"DCU relay state'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"75'	"First DPF additivation not done'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Tests'	"1'	"Injector cylinder 1'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Tests'	"2'	"Injector cylinder 2'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Tests'	"3'	"Injector cylinder 3'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Tests'	"4'	"Injector cylinder 4'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Tests'	"5'	"DCU feed relay'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Tests'	"6'	"PPH controller'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Tests'	"7'	"Additional heater'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Tests'	"8'	"Cooling fan low speed'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Tests'	"9'	"Cooling fan high speed'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Tests'	"10'	"IMV'
"Citroën'	"C4'	"Engine Diesel'	"RHR 2.0 DCM3.4 (DW10BTED4)'	"	"Tests'	"11'	"EGR throttle'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"ECU Information'	"5'	"Calibration version'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"ECU Information'	"6'	"Control unit'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"ECU Information'	"7'	"Immobilisation status'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"ECU Information'	"8'	"Problems detected during transmission of unlocking code'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"ECU Information'	"9'	"Software version'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Live Parameters'	"1'	"Engine speed'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Live Parameters'	"3'	"Operating state'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Live Parameters'	"4'	"Throttle position sensor'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Live Parameters'	"5'	"Throttle valve angle'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Live Parameters'	"6'	"Injection time'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Live Parameters'	"7'	"Injection cut off request'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Live Parameters'	"8'	"Coolant temperature'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Live Parameters'	"9'	"Engine speed'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Live Parameters'	"10'	"Battery voltage'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Live Parameters'	"11'	"Ignition advance/retard controller'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Live Parameters'	"12'	"Ignition coil 1 & 4'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Live Parameters'	"13'	"Ignition coil 2 & 3'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Live Parameters'	"14'	"Front lambda sensor'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Live Parameters'	"15'	"Front lambda sensor'

"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Live Parameters'	"16'	"Rear lambda sensor'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Live Parameters'	"17'	"Rear lambda sensor'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Live Parameters'	"18'	"Lambda regulation, probe before catalytic converter'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Live Parameters'	"19'	"Lambda regulation, probe after catalytic converter'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Live Parameters'	"20'	"Carbon filter solenoid valve'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Live Parameters'	"21'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Live Parameters'	"22'	"Air conditioning requested'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Live Parameters'	"23'	"Battery voltage'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Live Parameters'	"24'	"Cooling fan relay'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Live Parameters'	"25'	"Cooling fan relay'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Live Parameters'	"26'	"Fan control reference value'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Live Parameters'	"27'	"Refrigerant pressure sensor'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Tests'	"1'	"Electronic throttle control'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Tests'	"2'	"Ignition coil 1 & 4'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Tests'	"3'	"Ignition coil 2 & 3'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Tests'	"4'	"Injection valve 1'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Tests'	"5'	"Injection valve 2'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Tests'	"6'	"Injection valve 3'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Tests'	"7'	"Injection valve 4'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Tests'	"8'	"Fuel pump relay'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Tests'	"9'	"Carbon filter solenoid valve'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Tests'	"10'	"Cooling fan high speed'
"Citroën'	"C4'	"Engine Petrol'	"NFU 1,6 Bosch ME 7.4.5'	"	"Tests'	"11'	"Cooling fan low speed'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"ECU Information'	"5'	"Diagnostic version'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"ECU Information'	"6'	"Control unit'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"ECU Information'	"7'	"Immobilisation status'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"ECU Information'	"8'	"Problems detected during transmission of unlocking code'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"ECU Information'	"9'	"Software version'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"1'	"Engine speed'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"3'	"Injection time'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"4'	"Injection cut off request'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"5'	"Throttle status'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"6'	"Throttle position'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"7'	"Coolant temperature'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"8'	"Inlet air temperature'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"9'	"Inlet manifold pressure'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"10'	"Engine speed'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"11'	"Battery voltage'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"12'	"Ignition angle'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"13'	"Coil charge time cylinder 1'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"14'	"Coil charge time cylinder 2'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"15'	"Coil charge time cylinder 3'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"16'	"Coil charge time cylinder 4'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"17'	"Front lambda sensor'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"18'	"Rear lambda sensor'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"19'	"Lambda regulation'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"20'	"Carbon filter solenoid valve'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"21'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"22'	"Air conditioning authorisation'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"23'	"Refrigerant pressure'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"24'	"Oil temperature'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"25'	"Engine load'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"26'	"Vehicle speed'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"27'	"Gearbox ratio'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"28'	"Injection time'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"29'	"Main relay'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"30'	"Relay fan supply'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"31'	"Blower speed'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"32'	"Wake up line, status'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"33'	"ECU status'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"34'	"Motor controlled throttle'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"35'	"Camshaft adjustment'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"36'	"Camshaft adjustment'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"1'	"Electronic throttle control'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"2'	"Ignition coil 1'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"3'	"Ignition coil 2'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"4'	"Ignition coil 3'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"5'	"Ignition coil 4'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"6'	"Injection valve 1'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"7'	"Injection valve 2'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"8'	"Injection valve 3'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"9'	"Injection valve 4'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"10'	"Camshaft adjustment'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"11'	"Fuel pump relay'

"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"12'	"Carbon filter solenoid valve'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"13'	"Front lambda sensor'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"14'	"Rear lambda sensor'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"15'	"Cooling fan high speed'
"Citroën'	"C4'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"16'	"Cooling fan low speed'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"8'	"Software version'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"1'	"Engine speed'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"3'	"Injection time'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"4'	"Injection cut off request'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"5'	"Coolant temperature'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"6'	"Operating state'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"7'	"Throttle valve'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"8'	"Inlet manifold pressure'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"9'	"Inlet air temperature'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"10'	"Engine speed'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"11'	"Battery voltage'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"12'	"Ignition timing'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"13'	"Ignition coil cylinder 1/3 load time'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"14'	"Ignition coil cylinder 2/4 load time'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"15'	"Front lambda sensor'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"16'	"Rear lambda sensor'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"17'	"Air-fuel mixture regulation'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"18'	"Coolant temperature'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"19'	"Carbon filter solenoid valve'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"20'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"21'	"Air conditioning authorisation'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"22'	"A/C requested'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"23'	"Inlet air temperature'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"24'	"Engine load'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"25'	"Injection time'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"26'	"Control unit power supply'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"27'	"Vehicle speed'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"28'	"Gear detected'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"29'	"Cooling fan relay'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"30'	"Blower speed'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"31'	"Wake up line, status'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"32'	"ECU status'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"1'	"Electronic throttle control'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"2'	"Ignition coil 1'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"3'	"Ignition coil 2'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"4'	"Injection valve 1'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"5'	"Injection valve 2'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"6'	"Injection valve 3'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"7'	"Injection valve 4'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"8'	"Fuel pump relay'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"9'	"Carbon filter solenoid valve'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"10'	"Front lambda sensor'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"11'	"Rear lambda sensor'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"12'	"Cooling fan high speed'
"Citroën'	"C4'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"13'	"Cooling fan low speed'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Adaptations'	"1'	"Clear adaption memory'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"5'	"Supplier'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"6'	"System'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"7'	"Application'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"8'	"Version index'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"9'	"Version index'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"1'	"Write date of last after sales operation'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"2'	"Selector lever position'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"3'	"Multifunction switch P/N'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"4'	"Multifunction switch S4 (active in R,D,M,3)'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"5'	"Multifunction switch S3 (active in R,N,3,2)'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"6'	"Multifunction switch S2 (active in P,R,2)'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"7'	"Multifunction switch S1 (active in 3,2,M,M+)'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"8'	"Switch 1 (active in M)'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"9'	"Accelerator pedal position'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"10'	"Engine torque (from CAN)'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"11'	"Battery voltage'

"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"12'	"Brake light switch 1, normally open contact'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"13'	"Brake light switch 2, normally closed contact'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"14'	"Kick down switch'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"15'	"Oil pressure'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"16'	"Oil pressure sensor'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"17'	"Oil temperature'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"18'	"Oil temperature sensor'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"19'	"Gear shift program'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"20'	"Oil temperature'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"21'	"Oil change'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"22'	"Solenoid valve supply'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"23'	"Torque control'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"24'	"Solenoid, shift lock'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"25'	"Torque converter lock-up clutch'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"26'	"Solenoid valve 1'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"27'	"Solenoid valve 2'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"28'	"Solenoid valve 3'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"29'	"Solenoid valve 4'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"30'	"Solenoid valve 5'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"31'	"Solenoid valve 6'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"32'	"Heat exchanger solenoid'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"33'	"Operating state'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"34'	"Program selector switch'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"35'	"Selector switch'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"36'	"Engine speed'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"37'	"Gearbox input rpm'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"38'	"Gearbox output rpm'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"39'	"Requested oil pressure'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"40'	"Oil pressure'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"41'	"Oil temperature'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"42'	"Oil pressure regulation solenoid valve, activation time'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"43'	"Torque converter lock up solenoid valve, activation time'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"44'	"Date of last oil change'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"45'	"Oil deterioration'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"1'	"Oil pressure regulation solenoid valve'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"2'	"Lock-up solenoid'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"3'	"Solenoid, shift lock'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"4'	"Solenoid valve 1'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"5'	"Solenoid valve 2'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"6'	"Solenoid valve 3'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"7'	"Solenoid valve 4'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"8'	"Solenoid valve 5'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"9'	"Solenoid valve 6'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"10'	"Heat exchanger solenoid'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Adaptations'	"1'	"Depressurise the hydraulic circuit'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Adaptations'	"2'	"Pressurise the hydraulic circuit'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Adaptations'	"3'	"Bleeding hydraulic circuit'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Adaptations'	"4'	"Programming clutch drag point'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Adaptations'	"5'	"Programming gearbox grid'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Adaptations'	"6'	"Reset adaption'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Adaptations'	"7'	"Clutch cycle counter'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Adaptations'	"8'	"Gearbox counter'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Adaptations'	"9'	"Gear selector counter'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"ECU Information'	"5'	"Supplier'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"ECU Information'	"6'	"System'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"ECU Information'	"7'	"Application'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"ECU Information'	"8'	"Version index'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"ECU Information'	"9'	"Version index'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"ECU Information'	"10'	"Software index'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"2'	"Gearbox selector position (automatic gearbox)'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"3'	"Gear engaged'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"4'	"Hydraulic circuit pressure'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"5'	"Clutch status'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"6'	"Steering wheel gear shifter +'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"7'	"Steering wheel gear shifter -'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"8'	"Gearbox input rpm'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"9'	"Vehicle speed'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"10'	"Kick-down'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"11'	"Start lock'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"12'	"Brake light switch 1'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"13'	"Brake light switch 2'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"14'	"Automatic mode'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"15'	"Engine speed'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"16'	"Accelerator pedal position'

"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"17'	"Engine torque'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"18'	"Engine torque requested by driver'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"19'	"Coolant temperature'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"20'	"Gearbox actuator position gear selection axis, reference value'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"21'	"Gearbox actuator position gear selection axis'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"22'	"Gearbox actuator position gear changing axis, reference value'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"23'	"Gearbox actuator position gear changing axis'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"24'	"Clutch position, reference value'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"25'	"Clutch position'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"26'	"Clutch drag point programmed'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"27'	"Wake up line, status'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"28'	"Wake up line, status'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"29'	"Reverse gear position programmed'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"30'	"Neutral position programmed'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"31'	"Gear 1 position programmed'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"32'	"Gear 2 position programmed'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"33'	"Gear 3 position programmed'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"34'	"Gear 4 position programmed'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"35'	"Gear 5 position programmed'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"36'	"Gear 6 position programmed'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"37'	"Neutral position programmed of reverse gear'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"38'	"Neutral position programmed of gears 1 and 2'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"39'	"Neutral position programmed of gears 3 and 4'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"40'	"Neutral position programmed of gears 5 and 6'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"41'	"Counters'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"42'	"Clutch cycle counter'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"43'	"Counters'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"44'	"1st engagements counter'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"45'	"2nd engagements counter'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"46'	"3rd engagements counter'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"47'	"4th engagements counter'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"48'	"5th engagements counter'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"49'	"6th engagements counter'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"50'	"Reverse engagements counter'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"51'	"Neutral engagements counter'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"52'	"Counters'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"53'	"Gear selector counter'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"54'	"Steering wheel gear shift counter'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"55'	"Electric pump motor counter'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"56'	"Counters'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"57'	"Gear 1 to 2 changing counter'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"58'	"Gear 2 to 3 changing counter'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Tests'	"1'	"Gear 1 [1]'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Tests'	"2'	"Gear 2 [2]'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Tests'	"3'	"Gear 3 [3]'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Tests'	"4'	"Gear 4 [4]'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Tests'	"5'	"Gear 5 [5]'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Tests'	"6'	"Gear 6 [6]'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Tests'	"7'	"Neutral [N]'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Tests'	"8'	"Reverse [R]'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Tests'	"9'	"Clutch is opening'
"Citroën'	"C4'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Tests'	"10'	"Clutch is closing'
"Citroën'	"C4'	"Instrument / Dashboard'	"Instrument JCAE'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C4'	"Instrument / Dashboard'	"Instrument JCAE'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C4'	"Instrument / Dashboard'	"Instrument JCAE'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C4'	"Instrument / Dashboard'	"Instrument JCAE'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C4'	"Instrument / Dashboard'	"Instrument JCAE'	"	"ECU Information'	"5'	"Diagnostics indicator'
"Citroën'	"C4'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"1'	"Service indicator'
"Citroën'	"C4'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"2'	"Oil level gauge'
"Citroën'	"C4'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"3'	"Setting, night panel'
"Citroën'	"C4'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"4'	"Cruise Control'
"Citroën'	"C4'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"5'	"Maximum speed limitation'
"Citroën'	"C4'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"6'	"Range'
"Citroën'	"C4'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"7'	"Unit'
"Citroën'	"C4'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"8'	"Lane assist'
"Citroën'	"C4'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"9'	"ESP button'
"Citroën'	"C4'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"10'	"Parking assistance'
"Citroën'	"C4'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"11'	"Button, heated rear window'
"Citroën'	"C4'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"12'	"Button, A/C control'
"Citroën'	"C4'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"13'	"Check control button'
"Citroën'	"C4'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"14'	"Instrument brightness adjustment button'
"Citroën'	"C4'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"15'	"Odometer reset button'
"Citroën'	"C4'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"16'	"Instrument panel internal status'
"Citroën'	"C4'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"1'	"Speedometer'
"Citroën'	"C4'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"2'	"Fuel level'
"Citroën'	"C4'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"3'	"Coolant temperature'
"Citroën'	"C4'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"4'	"Display test, black segments'
"Citroën'	"C4'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"5'	"Setting, night panel'
"Citroën'	"C4'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"6'	"Instrument panel lightning'

"Citroën'	"C4'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"7'	"Control panel warning lights'
"Citroën'	"C4'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"8'	"Button light'
"Citroën'	"C4'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"9'	"Hazard lights indication'
"Citroën'	"C4'	"Instrument / Dashboard'	"Multifunction Display - Borg'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C4'	"Instrument / Dashboard'	"Multifunction Display - Borg'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C4'	"Instrument / Dashboard'	"Multifunction Display - Borg'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C4'	"Instrument / Dashboard'	"Multifunction Display - Borg'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C4'	"Instrument / Dashboard'	"Multifunction Display - Borg'	"	"ECU Information'	"5'	"Diagnostics indicator'
"Citroën'	"C4'	"Instrument / Dashboard'	"Multifunction Display - Borg'	"	"ECU Information'	"6'	"Language'
"Citroën'	"C4'	"Instrument / Dashboard'	"Multifunction Display - Borg'	"	"Live Parameters'	"1'	"Date format'
"Citroën'	"C4'	"Instrument / Dashboard'	"Multifunction Display - Borg'	"	"Live Parameters'	"2'	"Temperature unit'
"Citroën'	"C4'	"Instrument / Dashboard'	"Multifunction Display - Borg'	"	"Live Parameters'	"3'	"Unit for odometer'
"Citroën'	"C4'	"Instrument / Dashboard'	"Multifunction Display - Borg'	"	"Live Parameters'	"4'	"CD changer'
"Citroën'	"C4'	"Instrument / Dashboard'	"Multifunction Display - Borg'	"	"Live Parameters'	"5'	"Outside temperature display'
"Citroën'	"C4'	"Instrument / Dashboard'	"Multifunction Display - Borg'	"	"Live Parameters'	"6'	"Radio'
"Citroën'	"C4'	"Instrument / Dashboard'	"Multifunction Display - Borg'	"	"Live Parameters'	"7'	"Trip computer'
"Citroën'	"C4'	"Instrument / Dashboard'	"Multifunction Display - Borg'	"	"Live Parameters'	"8'	"Tyre pressure monitoring'
"Citroën'	"C4'	"Instrument / Dashboard'	"Multifunction Display - Borg'	"	"Live Parameters'	"9'	"Parking aid'
"Citroën'	"C4'	"Instrument / Dashboard'	"Multifunction Display - Borg'	"	"Live Parameters'	"10'	"Handsfree function'
"Citroën'	"C4'	"Instrument / Dashboard'	"Multifunction Display - Borg'	"	"Live Parameters'	"11'	"Display of warning log'
"Citroën'	"C4'	"Instrument / Dashboard'	"Multifunction Display - Borg'	"	"Live Parameters'	"12'	"Display of status log'
"Citroën'	"C4'	"Instrument / Dashboard'	"Multifunction Display - Borg'	"	"Live Parameters'	"13'	"Information'
"Citroën'	"C4'	"Instrument / Dashboard'	"Multifunction Display - Borg'	"	"Live Parameters'	"14'	"Customized menu'
"Citroën'	"C4'	"Instrument / Dashboard'	"Multifunction Display - Borg'	"	"Live Parameters'	"15'	"Parking assistance system'
"Citroën'	"C4'	"Instrument / Dashboard'	"Multifunction Display - Borg'	"	"Live Parameters'	"16'	"Rear wiper on reverse gear'
"Citroën'	"C4'	"Instrument / Dashboard'	"Multifunction Display - Borg'	"	"Live Parameters'	"17'	"Automatic low beam'
"Citroën'	"C4'	"Instrument / Dashboard'	"Multifunction Display - Borg'	"	"Live Parameters'	"18'	"Automatic Headlamp Level'
"Citroën'	"C4'	"Instrument / Dashboard'	"Multifunction Display - Borg'	"	"Live Parameters'	"19'	"Headlight control'
"Citroën'	"C4'	"Instrument / Dashboard'	"Multifunction Display - Borg'	"	"Live Parameters'	"20'	"Coming home, status'
"Citroën'	"C4'	"Instrument / Dashboard'	"Multifunction Display - Borg'	"	"Live Parameters'	"21'	"Boot lid close control'
"Citroën'	"C4'	"Instrument / Dashboard'	"Multifunction Display - Borg'	"	"Live Parameters'	"22'	"Driver's door locking'
"Citroën'	"C4'	"Instrument / Dashboard'	"Multifunction Display - Borg'	"	"Live Parameters'	"23'	"Automatic locking'
"Citroën'	"C4'	"Instrument / Dashboard'	"Multifunction Display - Borg'	"	"Live Parameters'	"24'	"Locks deadlocking control'
"Citroën'	"C4'	"Instrument / Dashboard'	"Multifunction Display - Borg'	"	"Tests'	"1'	"Display test, black segments'
"Citroën'	"C4'	"Instrument / Dashboard'	"Multifunction Display - Borg'	"	"Tests'	"2'	"Display test, white segments'
"Citroën'	"C4'	"Instrument / Dashboard'	"Multifunction Display - Borg'	"	"Tests'	"3'	"Segment display switched on'
"Citroën'	"C4'	"Instrument / Dashboard'	"Rpm gauge - Borg'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C4'	"Instrument / Dashboard'	"Rpm gauge - Borg'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C4'	"Instrument / Dashboard'	"Rpm gauge - Borg'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C4'	"Instrument / Dashboard'	"Rpm gauge - Borg'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C4'	"Instrument / Dashboard'	"Rpm gauge - Borg'	"	"ECU Information'	"5'	"Diagnostics indicator'
"Citroën'	"C4'	"Instrument / Dashboard'	"Rpm gauge - Borg'	"	"Live Parameters'	"1'	"Engine type'
"Citroën'	"C4'	"Instrument / Dashboard'	"Rpm gauge - Borg'	"	"Live Parameters'	"2'	"Setting, night panel'
"Citroën'	"C4'	"Instrument / Dashboard'	"Rpm gauge - Borg'	"	"Tests'	"1'	"Tachometer pointer, instrumentation'
"Citroën'	"C4'	"Instrument / Dashboard'	"Rpm gauge - Borg'	"	"Tests'	"2'	"Segment display switched on'
"Citroën'	"C4'	"Instrument / Dashboard'	"Rpm gauge - Borg'	"	"Tests'	"3'	"Illumination of lamps and screen'
"Citroën'	"C4'	"Instrument / Dashboard'	"Rpm gauge - Borg'	"	"Tests'	"4'	"Setting, night panel'
"Citroën'	"C4'	"Instrument / Dashboard'	"Rpm gauge - Borg'	"	"Tests'	"5'	"Park [P]'
"Citroën'	"C4'	"Instrument / Dashboard'	"Rpm gauge - Borg'	"	"Tests'	"6'	"Reverse [R]'
"Citroën'	"C4'	"Instrument / Dashboard'	"Rpm gauge - Borg'	"	"Tests'	"7'	"Neutral [N]'
"Citroën'	"C4'	"Instrument / Dashboard'	"Rpm gauge - Borg'	"	"Tests'	"8'	"Drive [D]'
"Citroën'	"C4'	"Instrument / Dashboard'	"Rpm gauge - Borg'	"	"Tests'	"9'	"Gear 1 [1]'
"Citroën'	"C4'	"Instrument / Dashboard'	"Rpm gauge - Borg'	"	"Tests'	"10'	"Gear 2 [2]'
"Citroën'	"C4'	"Instrument / Dashboard'	"Rpm gauge - Borg'	"	"Tests'	"11'	"Gear 3 [3]'
"Citroën'	"C4'	"Instrument / Dashboard'	"Rpm gauge - Borg'	"	"Tests'	"12'	"Gear 4 [4]'
"Citroën'	"C4'	"Instrument / Dashboard'	"Rpm gauge - Borg'	"	"Tests'	"13'	"Gear 5 [5]'
"Citroën'	"C4'	"Instrument / Dashboard'	"Rpm gauge - Borg'	"	"Tests'	"14'	"Gear 6 [6]'
"Citroën'	"C4'	"Instrument / Dashboard'	"Rpm gauge - Borg'	"	"Tests'	"15'	"Auto'
"Citroën'	"C4'	"Instrument / Dashboard'	"Rpm gauge - Borg'	"	"Tests'	"16'	"Sport'
"Citroën'	"C4'	"Instrument / Dashboard'	"Rpm gauge - Borg'	"	"Tests'	"17'	"Winter Mode'
"Citroën'	"C4'	"Other'	"Diesel additive - MGI'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C4'	"Other'	"Diesel additive - MGI'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C4'	"Other'	"Diesel additive - MGI'	"	"ECU Information'	"3'	"Software version'
"Citroën'	"C4'	"Other'	"Diesel additive - MGI'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C4'	"Other'	"Diesel additive - MGI'	"	"ECU Information'	"5'	"Supplier'
"Citroën'	"C4'	"Other'	"Diesel additive - MGI'	"	"Live Parameters'	"1'	"Tank level, additive'
"Citroën'	"C4'	"Other'	"Diesel additive - MGI'	"	"Live Parameters'	"2'	"Additive tank capacity'
"Citroën'	"C4'	"Other'	"Diesel additive - MGI'	"	"Tests'	"1'	"Diesel additive pump'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"5'	"Calibration version'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"6'	"Diagnostics indicator'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"7'	"Checking of action in aftermarket'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"8'	"Checking at factory'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"9'	"Checking at supplier'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"10'	"After sales check'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"11'	"Front satellite sensors PSA reference'

"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"12'	"Satellite sensors supplier'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"13'	"Front satellites calibration version'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"14'	"Front satellites material version'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"15'	"Front satellites software version'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"16'	"Rear satellite sensors PSA reference'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"17'	"Rear satellite sensors supplier'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"18'	"Rear satellites calibration version'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"19'	"Rear satellites material version'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"20'	"Rear satellites software version'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"1'	"Driver airbag ignition squib 1'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"2'	"Driver airbag ignition squib 2'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"3'	"Driver knee airbag'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"4'	"Anti submarining, driver side'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"5'	"Driver seat position sensor'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"6'	"Front passenger airbag ignition squib 1'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"7'	"Front passenger airbag ignition squib 2'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"8'	"Passenger knee airbag'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"9'	"Anti submarining, passenger side'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"10'	"Passenger seat position sensor'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"11'	"Switch, passenger airbag'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"12'	"Number of impacts'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"13'	"Rear impact detected'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"14'	"Drivers pretensioner'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"15'	"Driver lap strap pretensioner'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"16'	"Passenger pretensioner'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"17'	"Passenger lap strap pretensioner'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"18'	"Center pretensioner squib circuit row 1'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"19'	"Right pretensioner squib circuit row 2'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"20'	"Left pretensioner squib circuit row 2'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"21'	"Center pretensioner squib circuit row 2'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"22'	"Right pretensioner squib circuit row 3'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"23'	"Left pretensioner squib circuit row 3'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"24'	"Center pretensioner squib circuit row 3'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"25'	"Right side airbag and window airbag sensor'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"26'	"Left side airbag and window airbag sensor'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"27'	"Right rear side airbag ignition squib'
"Citroën'	"C4'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"28'	"Left rear side airbag ignition squib'
"Citroën'	"C4'	"Steering'	"Power steering - HPI'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C4'	"Steering'	"Power steering - HPI'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C4'	"Steering'	"Power steering - HPI'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C4'	"Steering'	"Power steering - HPI'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C4'	"Steering'	"Power steering - HPI'	"	"Live Parameters'	"1'	"Steering angle signal'
"Citroën'	"C4'	"Steering'	"Power steering - HPI'	"	"Live Parameters'	"2'	"Rotation speed'
"Citroën'	"C4'	"Steering'	"Power steering - HPI'	"	"Live Parameters'	"3'	"Steering wheel turn'
"Citroën'	"C4'	"Steering'	"Power steering - HPI'	"	"Live Parameters'	"4'	"Power steering pump'
"Citroën'	"C4'	"Steering'	"Power steering - HPI'	"	"Live Parameters'	"5'	"Current steering motor'
"Citroën'	"C4'	"Steering'	"Power steering - HPI'	"	"Live Parameters'	"6'	"Electrical power steering motor'
"Citroën'	"C4'	"Steering'	"Power steering - HPI'	"	"Live Parameters'	"7'	"Pump engine speed'
"Citroën'	"C4'	"Steering'	"Power steering - HPI'	"	"Live Parameters'	"8'	"Engine running'
"Citroën'	"C4'	"Steering'	"Power steering - HPI'	"	"Live Parameters'	"9'	"Road speed signal'
"Citroën'	"C4'	"Steering'	"Power steering - HPI'	"	"Live Parameters'	"10'	"Vehicle speed'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"ECU Information'	"5'	"Diagnostics indicator'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Live Parameters'	"1'	"Light switch position'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Live Parameters'	"2'	"Switch, main beam'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Live Parameters'	"3'	"Headlamp flasher'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Live Parameters'	"4'	"Foglights'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Live Parameters'	"5'	"Navigation'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Live Parameters'	"6'	"Windscreen wipers switch'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Live Parameters'	"7'	"Single wipe'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Live Parameters'	"8'	"Windscreen washer'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Live Parameters'	"9'	"Rear screen wiper'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Live Parameters'	"10'	"Rear washer'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Live Parameters'	"11'	"Trip computer'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Live Parameters'	"12'	"Switch, direction indicator'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Live Parameters'	"13'	"Cruise control/speed limiter operation'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Live Parameters'	"14'	"Cruise control/speed limiter operation, increment button pressed'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Live Parameters'	"15'	"Cruise control/speed limiter operation, decrement button pressed'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Live Parameters'	"16'	"Standby'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Live Parameters'	"17'	"Horn'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Live Parameters'	"18'	"Handsfree button'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Live Parameters'	"19'	"Customize button'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Live Parameters'	"20'	"Dimmer potentiometer'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Live Parameters'	"21'	"Search button'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Live Parameters'	"22'	"Volume button +'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Live Parameters'	"23'	"Volume button -'

"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Live Parameters'	"24'	"Radio stations in memory'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Live Parameters'	"25'	"Multifunction buttons'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Live Parameters'	"26'	"OK button'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Live Parameters'	"27'	"Back button'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Live Parameters'	"28'	"Button for menu choice'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Live Parameters'	"29'	"Mode button'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Live Parameters'	"30'	"Recirculation button'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Tests'	"1'	"Activate warning buzzer'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Tests'	"2'	"Light reminder'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Tests'	"3'	"Key reminder buzzer sound'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Tests'	"4'	"Turn signal, acoustic feedback'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Tests'	"5'	"Parking aid'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Tests'	"6'	"Left hand indicator information'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Tests'	"7'	"Right hand indicator information'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Tests'	"8'	"Rear fog lights'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Tests'	"9'	"Front fog lights'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Tests'	"10'	"Main beam indicator lamp'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Tests'	"11'	"Low beam indicator'
"Citroën'	"C4'	"Steering'	"Steering wheel electronics - Valeo'	"	"Tests'	"12'	"Side lights information'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Adaptations'	"1'	"The reading / write of the number of the identification body (VIN)'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Adaptations'	"2'	"Used in a geographical area'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Adaptations'	"3'	"CD changer'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Adaptations'	"4'	"Function of FADER'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Adaptations'	"5'	"Frequency Band AM'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Adaptations'	"6'	"Feedback volume of vehicle speed'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Adaptations'	"7'	"Hi-Fi Amplifier'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Adaptations'	"8'	"The method of correction loudness level'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Adaptations'	"9'	"Sensitivity curve LO / DX'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Adaptations'	"10'	"Function of radiotext'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Adaptations'	"11'	"Function of cd-text'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Adaptations'	"12'	"Assist stopping'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Adaptations'	"13'	"Auxiliary input 1'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Adaptations'	"14'	"Auxiliary input 2'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Adaptations'	"15'	"The level sound system, front the parking assist'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Adaptations'	"16'	"The level sound system, rear parking assist'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Adaptations'	"17'	"Detection of damage to the antenna or antennas'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Adaptations'	"18'	"Number of Antennas'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Adaptations'	"19'	"Antenna type number 1'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Adaptations'	"20'	"Antenna type number 2'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Configurations'	"1'	"Used in a geographical area'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Configurations'	"2'	"CD changer'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Configurations'	"3'	"Function of FADER'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Configurations'	"4'	"Frequency Band AM'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Configurations'	"5'	"Feedback volume of vehicle speed'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Configurations'	"6'	"Hi-Fi Amplifier'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Configurations'	"7'	"The method of correction loudness level'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Configurations'	"8'	"Sensitivity curve LO / DX'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Configurations'	"9'	"Function of radiotext'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Configurations'	"10'	"Function of cd-text'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Configurations'	"11'	"Assist stopping'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Configurations'	"12'	"Auxiliary input 1'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Configurations'	"13'	"Auxiliary input 2'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Configurations'	"14'	"The level sound system, front the parking assist'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Configurations'	"15'	"The level sound system, rear parking assist'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Configurations'	"16'	"Detection of damage to the antenna or antennas'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Configurations'	"17'	"Number of Antennas'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Configurations'	"18'	"Antenna type number 1'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Configurations'	"19'	"Antenna type number 2'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"ECU Information'	"5'	"Software index'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"ECU Information'	"6'	"Diagnostics indicator'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Tests'	"1'	"Search the increasing frequency'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Tests'	"2'	"Search the decreasing frequency'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Tests'	"3'	"Emission a loud squeak : the front left speaker'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Tests'	"4'	"Emission loud squeak: right front speaker'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Tests'	"5'	"Emission loud squeak: left rear speaker'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Tests'	"6'	"Emission loud squeak: right rear speaker'
"Citroën'	"C4 Picasso'	"Audio Control Module'	"Radio MP3 Siemens-VDO'	"	"Tests'	"7'	"Lighting the front plate'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Adaptations'	"1'	"Configuration, door with mirror folding'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Adaptations'	"2'	"Configuration, rear wiper on reverse gear'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Adaptations'	"3'	"Configuration, window closing on lock command'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Adaptations'	"4'	"Configuration, tyre pressure monitoring'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Adaptations'	"5'	"Configuration, daytime running lights'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Adaptations'	"6'	"Configuration, daytime running lights and side lights'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Adaptations'	"7'	"Configuration, seat belt detection driver side'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Configurations'	"1'	"Tyre pressure monitoring'

"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Configurations'	"2'	"Door with mirror folding'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Configurations'	"3'	"Window closing on lock command'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Configurations'	"4'	"Rear wiper on reverse gear'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Configurations'	"5'	"Fuel type'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Configurations'	"6'	"Daytime running light'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Configurations'	"7'	"Daytime running lights and side lights'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Configurations'	"8'	"Seat belt detection driver side'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Configurations'	"9'	"Source of information on the oil level'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"ECU Information'	"1'	"Supplier'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"ECU Information'	"3'	"Software number'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"ECU Information'	"4'	"VIN code'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"ECU Information'	"5'	"Software version'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"ECU Information'	"6'	"Software index'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Inspections'	"1'	"Reset service'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"2'	"Alternator voltage'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"3'	"BSI information'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"4'	"Engine status'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"5'	"Electrical control'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"6'	"Economy mode'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"7'	"Ignition on'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"8'	"Cranking'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"9'	"Switch for power window rear'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"10'	"Seat Heating'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"11'	"Supply to window/sunroof'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"12'	"Switch for power window front'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"13'	"Water pump heat recovery system'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"14'	"no load shedding'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"15'	"preheater plug load shedding'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"16'	"fan unit forced low speed load shedding'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"17'	"Load shedding during particle filter regeneration'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"18'	"deicing load shedding'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"19'	"partial heating load shedding'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"20'	"complete heating load shedding'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"21'	"A/C blower load shedding'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"22'	"A/C compressor load shedding'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"23'	"Evaporator temperature sensor'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"24'	"Heating resistor'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"25'	"Blower motor speed level'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"26'	"Evaporator icing safety circuit'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"27'	"A/C compressor status'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"28'	"A/C requested'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"29'	"A/C clutch'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"30'	"A/C compressor status'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"31'	"A/C compressor control'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"32'	"High pressure safety'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"33'	"Low pressure safety'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"34'	"Electric parking brake'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"35'	"Cruise control/speed limiter operation'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"36'	"Gearbox selector position (automatic gearbox)'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"37'	"ESP off switch'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"38'	"Set cruise acceleration (+)'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"39'	"Set cruise deceleration (-)'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"40'	"Brake pedal'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"41'	"Cruise control system, operating state'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"42'	"Reverse gear'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"43'	"Belt lock, driver'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"44'	"Belt lock, passenger'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"45'	"Seat belt lock rear left'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"46'	"Seat belt lock rear right'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"47'	"Rear center seat belt lock'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"48'	"Child safety request'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"49'	"Seat belt lock rear left'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"50'	"Seat belt lock rear right'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"51'	"Rear right hand door child safety'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"52'	"Rear left hand door child safety'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"53'	"Park/Neutral Switch Circuit Failure'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"54'	"Horn'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"55'	"Horn control'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"56'	"Daytime running light'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"57'	"Position light control'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"58'	"Left position light'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"59'	"Right position light'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"60'	"Dipped beam'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"61'	"Dipped beam control'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"62'	"Switch for main/dipped light'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"63'	"Main beam'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"64'	"Hazard warning lights'

"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"144'	"Window rear left, down'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"145'	"Window rear right, down'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"146'	"Switch for power window rear'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"147'	"Automatic wipe mode'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"148'	"Windscreen wipers switch, step 1'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"149'	"Windscreen wipers switch, step 2'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"150'	"Windscreen wiper control'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"151'	"Windscreen wiper parked position'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"152'	"Washers, front, requested'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"153'	"Windscreen washer'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"154'	"Head light cleaning'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"155'	"Rear wiper requested'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"156'	"Rear screen wiper'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"157'	"Rear screen wiper parked position'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"158'	"Washer, rear, requested'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"159'	"Rear screen washing'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"160'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Live Parameters'	"161'	"Park/neutral position'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Tests'	"1'	"AC-compressor'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Tests'	"2'	"Water pump heat recovery system'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Tests'	"3'	"Horn activation'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Tests'	"4'	"Dipped beam'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Tests'	"5'	"Main beam'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Tests'	"6'	"Left position light'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Tests'	"7'	"Right position light'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Tests'	"8'	"Left flasher'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Tests'	"9'	"Right flasher'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Tests'	"10'	"Rear fog lights'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Tests'	"11'	"Interior lighting'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Tests'	"12'	"Interior lights at rear'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Tests'	"13'	"Central locking, locking'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Tests'	"14'	"Relay central locking, deadlock'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Tests'	"15'	"Central locking, unlocking'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Tests'	"16'	"Boot lid opening control'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Tests'	"17'	"Childproof lock activation control'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Tests'	"18'	"Window rear left, up'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Tests'	"19'	"Window rear right, up'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Tests'	"20'	"Window rear left, down'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Tests'	"21'	"Window rear right, down'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Tests'	"22'	"Windscreen wiper control'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Tests'	"23'	"Rear screen wiper'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Tests'	"24'	"Windscreen washer'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Tests'	"25'	"Rear washer'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Tests'	"26'	"Headlight washer'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Rest'	"Tests'	"27'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"1'	"The reading / write of the number of the identification body (VIN)'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"2'	"Door with mirror folding'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"3'	"Rear wiper on reverse gear'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"4'	"Window closing on lock command'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"5'	"Tyre pressure monitoring'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"6'	"Daytime running light'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"7'	"Daytime running lights and side lights'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"8'	"Seat belt detection driver side'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"9'	"Fuel type'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"10'	"Tank capacity'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"11'	"Resistance pointer fuel - tank empty'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"12'	"Resistance pointer fuel - tank full'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"13'	"Operating Characteristics pointer fuel level - the level of warnings'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"14'	"Operating characteristics pointer fuel'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"15'	"The choice of the measurement table oil in the engine lubrication'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"16'	"Source of information on the oil level'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"17'	"The option of opening the trunk with the remote control'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"18'	"Central locking remote control locks'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"19'	"Type of block'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"20'	"Two lifted windshields multiplexed'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"21'	"Number / type of roof window'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"22'	"Optional rear window opening'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"23'	"Optional security the door to children'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"24'	"Option closing windows remote key'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"25'	"Type of child protection'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"26'	"Passenger door lock'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"27'	"Type of alarm'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"28'	"Option permanent locking trunk'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"29'	"Manufacturer of the remote control'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"30'	"Inviolability mode'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"31'	"Protection function before trimming (the power windows and sunroof)'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"32'	"The presence of a multiplexed sunroof'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"33'	"The option of opening the rear window remote control'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"34'	"Receiving task security of children'

"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"35'	"Type of closure boot'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"36'	"When you unlock the remote control'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"37'	"Lock when driving the load compartment'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"38'	"The rear doors / flaps are in the vehicle'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"39'	"Detection alarm volume'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"40'	"Type of mounting alarm'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"41'	"Type of electrical architecture for doors and flaps'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"42'	"Locking / unlocking the vehicle locks remote control'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"43'	"The presence of locks for a super lock used only for simple closure'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"44'	"The presence of a specific high-frequency receiver (Japan)'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"45'	"Ambient brightness sensor'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"46'	"The rain sensor'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"47'	"Optional wiping windows'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"48'	"Headlight washer option'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"49'	"Location of the vehicle with direction indicators'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"50'	"The automatic inclusion of emergency lighting in the event of a collision'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"51'	"This option temporarily incorporated of lights - lighting extension'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"52'	"The option of emergency lights with strong braking'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"53'	"The presence of the fog lights'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"54'	"Folding rear view mirrors with the remote control'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"55'	"Rear-view mirrors, electric multiplexed'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"56'	"Indexed mirrors in reverse gear'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"57'	"The presence of wiping the rear window in reverse gear'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"58'	"Enabling warning lights when you press a button to call for help'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"59'	"The presence of rear fog lamps'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"60'	"Type headlights'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"61'	"Type daytime running lights'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"62'	"The presence of the rain sensor / light intensity with the a variable-speed wiper'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"63'	"The presence of the four-way light switch'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"64'	"The presence of the switch complex with the inclusion of pulse Wiper in automatic mode'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"65'	"Enabling automatic ignition of lights by the personalize menu'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"66'	"The presence of the third button on the remote control to turn on of lights'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"67'	"The presence of left reversing light'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"68'	"The presence of right reversing lamp'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"69'	"Daytime running lights enabled by default'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"70'	"Simultaneous switching daytime running lamp and position lamps'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"71'	"The presence of parking lamps'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"72'	"The presence of the left rear fog lamp'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"73'	"The presence of the right rear fog lamp'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"74'	"The presence of the module set of lights'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"75'	"Switch type ceiling lamp'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"76'	"Type of the bend Lighting'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"77'	"The presence of an external temperature sensor'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"78'	"Neutralization load shedding air conditioning blower'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"79'	"The presence of impurities sensor'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"80'	"The presence of powering on blowers to replace the main blower'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"81'	"The type of sun sensor'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"82'	"The type of air mixing'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"83'	"The type of air distribution'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"84'	"The type of of auxiliary heating'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"85'	"Drive ratio Compressor'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"86'	"The presence of controlled blower'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"87'	"The presence and type of airflow sensor'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"88'	"Air intake the type of'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"89'	"Exhaust heat recovery for heating the cabin'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"90'	"Engine heat recovery for heating the cabin'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"91'	"The rear of blower type'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"92'	"Type of climate'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"93'	"Type compressor'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"94'	"The presence of air conditioning'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"95'	"Type pressure sensor in the air conditioning system'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"96'	"Location of the evaporator temperature sensor'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"97'	"Overspeed alarm for the Arab countries'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"98'	"Memory module position passenger seat'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"99'	"Automatic gearbox'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"100'	"The vehicle with the steering wheel on the right side'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"101'	"Electronic Stability Program (ESP)'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"102'	"Driving school car'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"103'	"Passenger airbag'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"104'	"Option telematics (RT3/RT4)'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"105'	"The presence of water-in-oil sensor drive'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"106'	"The presence of the air pump'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"107'	"Multifunction screen'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"108'	"Automated Manual Transmission'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"109'	"A source of information about the presence of water in diesel fuel'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"110'	"Storing the parameters of the driving position'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"111'	"Trailer control module (BSR)'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"112'	"The presence and type of control vehicle speed'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"113'	"Source of information on the oil temperature'

"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"114'	"The presence of the parking assistance'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"115'	"Type of parking assistance'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"116'	"Official functions'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"117'	"Alarm log'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"118'	"Parking assistance of visual information'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"119'	"Park Assist auditory information'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"120'	"Detection type insufficient tire pressure'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"121'	"The presence of key configuration'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"122'	"Type of detecting the presence of the fuel cap'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"123'	"Control of diesel additive pump'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"124'	"Type alternator'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"125'	"The measurement of the available space'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"126'	"The indicator measuring the available space'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"127'	"Time to next review in months'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"128'	"The term first inspection'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"129'	"The period between inspections'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"130'	"Mileage threshold to force client mode in kilometers.'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"131'	"Remembering faults'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"132'	"Type personalization menu'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"133'	"The presence of the auxiliary electric brake'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"134'	"Oil pressure information'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"135'	"The presence of shifter pointer ANBC'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"136'	"Number of contacts not fastened safety belt'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"137'	"The system detects the presence of the front passenger'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"138'	"Detection is not the driver's seat belt'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"139'	"Detection of fasten-seatbelt passenger'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"140'	"The presence of the player RD4'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"141'	"Value tolerance limit / vehicle speed control'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"142'	"Alarm option unintentionally cross the line'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"143'	"The presence of the fuel pump'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"144'	"The type of information handled by the module seat belt'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"145'	"The presence of the block controls fasten-seatbelt network LIN'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"146'	"Type of car'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"147'	"The presence of the correction module rear ground clearance'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"148'	"The presence of electrical control automatic gearbox'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"149'	"Detection of no seat belt passenger in the rear center seat'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"150'	"Detection of no seat belt passenger in the left rear seat'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"151'	"Detection of no seat belt passenger in the rear right seat'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"152'	"The presence of the tachometer module or module pointers odometer'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"153'	"The presence of the amplifier audio equalizer'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"154'	"Detection of no seat belt in third row of seats'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"155'	"Alarm Buzzer parking assistance emitted by the module under the steering wheel switches'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"156'	"Displaying the fuel consumption without excessive wear due to regeneration of the filter FAP'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"157'	"Response time calculator engine control unit to BSI when you turn the speed control'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"158'	"Alarm display rear belt buckles when the door is opened or when the ignition'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"159'	"The presence of the control module for the transformer body'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"160'	"Keeping brake (by ESP) for 2 seconds when starting on an incline'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"161'	"The presence of neutralizing switch the passenger airbag'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"162'	"The estimate of the remaining battery power'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Adaptations'	"163'	"The presence of electrical access to the rear seats (3-door vehicle)'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"1'	"Tyre pressure monitoring'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"2'	"Door with mirror folding'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"3'	"Window closing on lock command'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"4'	"Rear wiper on reverse gear'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"5'	"Daytime running light'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"6'	"Seat belt detection driver side'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"7'	"Fuel type'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"8'	"Tank capacity'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"9'	"Resistance pointer fuel - tank empty'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"10'	"Resistance pointer fuel - tank full'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"11'	"Operating Characteristics pointer fuel level - the level of warnings'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"12'	"Operating characteristics pointer fuel'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"13'	"The choice of the measurement table oil in the engine lubrication'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"14'	"Source of information on the oil level'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"15'	"The option of opening the trunk with the remote control'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"16'	"Central locking remote control locks'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"17'	"Type of block'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"18'	"Two lifted windscreens multiplexed'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"19'	"Number / type of roof window'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"20'	"Optional rear window opening'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"21'	"Optional security the door to children'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"22'	"Option closing windows remote key'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"23'	"Type of child protection'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"24'	"Passenger door lock'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"25'	"Type of alarm'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"26'	"Option permanent locking trunk'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"27'	"Manufacturer of the remote control'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"28'	"Inviolability mode'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"29'	"Protection function before trimming (the power windows and sunroof)'

"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"30'	"The presence of a multiplexed sunroof'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"31'	"The option of opening the rear window remote control'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"32'	"Receiving task security of children'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"33'	"Type of closure boot'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"34'	"When you unlock the remote control'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"35'	"Lock when driving the load compartment'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"36'	"The rear doors / flaps are in the vehicle'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"37'	"Detection alarm volume'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"38'	"Type of mounting alarm'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"39'	"Type of electrical architecture for doors and flaps'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"40'	"Locking / unlocking the vehicle locks remote control'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"41'	"The presence of locks for a super lock used only for simple closure'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"42'	"The presence of a specific high-frequency receiver (Japan)'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"43'	"Ambient brightness sensor'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"44'	"The rain sensor'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"45'	"Optional wiping windows'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"46'	"Headlight washer option'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"47'	"Location of the vehicle with direction indicators'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"48'	"The automatic inclusion of emergency lighting in the event of a collision'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"49'	"This option temporarily incorporated of lights - lighting extension'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"50'	"The option of emergency lights with strong braking'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"51'	"The presence of the fog lights'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"52'	"Folding rear view mirrors with the remote control'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"53'	"Rear-view mirrors, electric multiplexed'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"54'	"Indexed mirrors in reverse gear'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"55'	"The presence of wiping the rear window in reverse gear'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"56'	"Enabling warning lights when you press a button to call for help'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"57'	"The presence of rear fog lamps'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"58'	"Type headlights'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"59'	"Type daytime running lights'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"60'	"The presence of the rain sensor / light intensity with the a variable-speed wiper'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"61'	"The presence of the four-way light switch'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"62'	"The presence of the switch complex with the inclusion of pulse Wiper in automatic mode'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"63'	"Enabling automatic ignition of lights by the personalize menu'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"64'	"The presence of the third button on the remote control to turn on of lights'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"65'	"The presence of left reversing light'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"66'	"The presence of right reversing lamp'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"67'	"Daytime running lights enabled by default'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"68'	"Simultaneous switching daytime running lamp and position lamps'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"69'	"The presence of parking lamps'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"70'	"The presence of the left rear fog lamp'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"71'	"The presence of the right rear fog lamp'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"72'	"The presence of the module set of lights'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"73'	"Switch type ceiling lamp'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"74'	"Type of the bend Lighting'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"75'	"The presence of an external temperature sensor'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"76'	"Neutralization load shedding air conditioning blower'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"77'	"The presence of impurities sensor'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"78'	"The presence of powering on blowers to replace the main blower'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"79'	"The type of sun sensor'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"80'	"The type of air mixing'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"81'	"The type of air distribution'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"82'	"The type of of auxiliary heating'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"83'	"Drive ratio Compressor'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"84'	"The presence of controlled blower'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"85'	"The presence and type of airflow sensor'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"86'	"Air intake the type of'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"87'	"Exhaust heat recovery for heating the cabin'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"88'	"Engine heat recovery for heating the cabin'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"89'	"The rear of blower type'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"90'	"Type of climate'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"91'	"Type compressor'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"92'	"The presence of air conditioning'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"93'	"Type pressure sensor in the air conditioning system'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"94'	"Location of the evaporator temperature sensor'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"95'	"Overspeed alarm for the Arab countries'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"96'	"Memory module position passenger seat'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"97'	"Automatic gearbox'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"98'	"The vehicle with the steering wheel on the right side'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"99'	"Electronic Stability Program'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"100'	"Driving school car'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"101'	"Passenger airbag'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"102'	"Option telematics (RT3/RT4)'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"103'	"The presence of water-in-oil sensor drive'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"104'	"The presence of the air pump'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"105'	"Multifunction screen'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"106'	"Automated Manual Transmission'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"107'	"A source of information about the presence of water in diesel fuel'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"108'	"Storing the parameters of the driving position'

"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"109'	"Trailer control module (BSR)'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"110'	"The presence and type of control vehicle speed'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"111'	"Source of information on the oil temperature'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"112'	"The presence of the parking assistance'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"113'	"Type of parking assistance'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"114'	"Official functions'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"115'	"Alarm log'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"116'	"Parking assistance of visual information'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"117'	"Park Assist auditory information'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"118'	"Detection type insufficient tire pressure'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"119'	"The presence of key configuration'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"120'	"Type of detecting the presence of the fuel cap'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"121'	"Control of diesel additive pump'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"122'	"Type alternator'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"123'	"The measurement of the available space'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"124'	"The indicator measuring the available space'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"125'	"Time to next review in months'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"126'	"The term first inspection'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"127'	"The period between inspections'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"128'	"Mileage threshold to force client mode in kilometers.'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"129'	"Remembering faults'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"130'	"Type personalization menu'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"131'	"The presence of the auxiliary electric brake'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"132'	"Oil pressure information'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"133'	"The presence of shifter pointer ANBC'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"134'	"Number of contacts not fastened safety belt'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"135'	"The system detects the presence of the front passenger'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"136'	"Detection is not the driver's seat belt'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"137'	"Detection of fasten-seatbelt passenger'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"138'	"The presence of the player RD4'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"139'	"Value tolerance limit / vehicle speed control'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"140'	"Alarm option unintentionally cross the line'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"141'	"The presence of the fuel pump'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"142'	"The type of information handled by the module seat belt'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"143'	"The presence of the block controls fasten-seatbelt network LIN'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"144'	"Type of car'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"145'	"The presence of the correction module rear ground clearance'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"146'	"The presence of electrical control automatic gearbox'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"147'	"Detection of no seat belt passenger in the rear center seat'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"148'	"Detection of no seat belt passenger in the left rear seat'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"149'	"Detection of no seat belt passenger in the rear right seat'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"150'	"The presence of the tachometer module or module pointers odometer'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"151'	"The presence of the amplifier audio equalizer'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"152'	"Detection of no seat belt in third row of seats'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"153'	"Alarm Buzzer parking assistance emitted by the module under the steering wheel switches'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"154'	"Displaying the fuel consumption without excessive wear due to regeneration of the filter FAP'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"155'	"Response time calculator engine control unit to BSI when you turn the speed control'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"156'	"Alarm display rear belt buckles when the door is opened or when the ignition'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"157'	"The presence of the control module for the transformer body'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"158'	"Keeping brake (by ESP) for 2 seconds when starting on an incline'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"159'	"The presence of neutralizing switch the passenger airbag'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"160'	"The estimate of the remaining battery power'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"161'	"The presence of electrical access to the rear seats (3-door vehicle)'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"162'	"Rain sensor / brightness'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"163'	"Alarm'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"164'	"Stopping power unit'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"165'	"Module learning to drive'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"166'	"Radio'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"167'	"Alarm unintentionally cross the line'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"168'	"Telematics module (RT3 / RT4)'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"169'	"Display'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"170'	"Module tachometer'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"171'	"The sunroof'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"172'	"Trailer control module'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"173'	"Air conditioning'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"174'	"The module parameter save the driver's seat'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"175'	"CD Changer'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"176'	"Handsfree'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"177'	"Diesel fuel doped module'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"178'	"Steering angle sensor'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"179'	"Automatic transmission / manual transmission controlled'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"180'	"Detects a low pressure'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"181'	"Power steering'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"182'	"Directional headlamps'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Configurations'	"183'	"Multiplexed pump doped of diesel oil'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"ECU Information'	"1'	"Supplier'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"ECU Information'	"3'	"Software number'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"ECU Information'	"4'	"VIN code'

"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Live Parameters'	"156'	"Rear wiper requested'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Live Parameters'	"157'	"Rear screen wiper'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Live Parameters'	"158'	"Rear screen wiper parked position'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Live Parameters'	"159'	"Washer, rear, requested'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Live Parameters'	"160'	"Rear screen washing'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Live Parameters'	"161'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Tests'	"1'	"AC-compressor'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Tests'	"2'	"Water pump heat recovery system'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Tests'	"3'	"Horn activation'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Tests'	"4'	"Dipped beam'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Tests'	"5'	"Main beam'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Tests'	"6'	"Left position light'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Tests'	"7'	"Right position light'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Tests'	"8'	"Left flasher'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Tests'	"9'	"Right flasher'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Tests'	"10'	"Rear fog lights'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Tests'	"11'	"Interior lighting'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Tests'	"12'	"Interior lights at rear'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Tests'	"13'	"Central locking, locking'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Tests'	"14'	"Relay central locking, deadlock'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Tests'	"15'	"Central locking, unlocking'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Tests'	"16'	"Boot lid opening control'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Tests'	"17'	"Childproof lock activation control'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Tests'	"18'	"Window rear left, up'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Tests'	"19'	"Window rear right, up'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Tests'	"20'	"Window rear left, down'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Tests'	"21'	"Window rear right, down'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Tests'	"22'	"Windscreen wiper control'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Tests'	"23'	"Rear screen wiper'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Tests'	"24'	"Windscreen washer'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Tests'	"25'	"Rear washer'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Tests'	"26'	"Headlight washer'
"Citroën'	"C4 Picasso'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C4 PICASSO BSI Software number 0316'	"Tests'	"27'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Adaptations'	"1'	"Steering angle decalibration'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Adaptations'	"2'	"Calibration of steering angle sensor'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Adaptations'	"3'	"Clutch adaption'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Adaptations'	"4'	"Longitudinal acceleration sensor'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Adaptations'	"5'	"Bleed rear left hand wheel circuit.'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Adaptations'	"6'	"Bleed front left hand wheel circuit'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Adaptations'	"7'	"Bleed front right hand wheel circuit'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Adaptations'	"8'	"Bleed rear right hand wheel circuit.'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Adaptations'	"9'	"Type of engine'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Adaptations'	"10'	"Body'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Adaptations'	"11'	"Type of tire'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Adaptations'	"12'	"Transmission Type'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Adaptations'	"13'	"Construction of electronic'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Configurations'	"1'	"Engine type'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Configurations'	"2'	"Body'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Configurations'	"3'	"Type of tire'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Configurations'	"4'	"Transmission Type'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Configurations'	"5'	"Air suspension'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Configurations'	"6'	"In the left-hand drive'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Configurations'	"7'	"Stop and start'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"ECU Information'	"5'	"Application'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"ECU Information'	"6'	"Programmed'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"ECU Information'	"7'	"Manufacturing date'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"1'	"Rear left wheel speed sensor'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"2'	"Rear right wheel speed sensor'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"3'	"Front left wheel speed sensor'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"4'	"Front right wheel speed sensor'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"5'	"Vehicle speed'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"6'	"Brake light switch'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"7'	"Brake lining condition'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"8'	"Relay for solenoid valve'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"9'	"Hydraulic pump relay'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"10'	"Brake fluid level'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"11'	"Supply voltage'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"12'	"Yaw rate sensor'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"13'	"Lateral acceleration'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"14'	"Longitudinal acceleration'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"15'	"Brake pressure'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"16'	"ESP off switch'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"17'	"Engine speed'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"18'	"Parking brake'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"19'	"Electric parking brake'

"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"20'	"Steering wheel angle sensor'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"21'	"Engine torque requested by driver'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"22'	"Communication ABS/ASR engine'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"23'	"Accelerator pedal position sensor'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"24'	"Position, clutch pedal'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"25'	"Diagnostic for data-bus'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"26'	"Steering wheel angle sensor'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"27'	"Steering wheel angle sensor'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"28'	"Steering wheel angle sensor programming'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"29'	"Rotation rate signal'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"30'	"Steering wheel angle'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"31'	"Engine torque'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"32'	"Reference value setting status ASR/MSR'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"33'	"Torque converter'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"34'	"Gear selector'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"35'	"Gear selected (calculated)'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Live Parameters'	"36'	"Change of gear in progress'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Tests'	"1'	"Recirculating Pump'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Tests'	"2'	"Front left drain valve'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Tests'	"3'	"Front right drain valve'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Tests'	"4'	"Left rear drain valve'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Tests'	"5'	"Right rear drain valve'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Tests'	"6'	"Front left load valve'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Tests'	"7'	"Front right load valve'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Tests'	"8'	"Left rear load valve'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Tests'	"9'	"Right rear load valve'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Tests'	"10'	"Switching solenoid valve 1'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Tests'	"11'	"Switching solenoid valve 2'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Tests'	"12'	"Limiting solenoid valve 1'
"Citroën'	"C4 Picasso'	"Brake System'	"ABS Bosch 8.1 ESP'	"	"Tests'	"13'	"Limiting solenoid valve 2'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Adaptations'	"1'	"Unit of the temperature'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"ECU Information'	"5'	"Software index'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"ECU Information'	"6'	"Diagnostics indicator'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"ECU Information'	"7'	"Software version'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"ECU Information'	"8'	"Unit of the temperature'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Live Parameters'	"1'	"Left outlet air temperature'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Live Parameters'	"2'	"Right outlet air temperature'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Live Parameters'	"3'	"Evaporator temperature sensor'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Live Parameters'	"4'	"Sun sensor'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Live Parameters'	"5'	"Compartment blower'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Live Parameters'	"6'	"Rear compartment blower, left'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Live Parameters'	"7'	"Rear compartment blower, right'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Live Parameters'	"8'	"Recycling motor control'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Live Parameters'	"9'	"Air distribution'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Live Parameters'	"10'	"Left blending flap'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Live Parameters'	"11'	"Right blending flap'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Live Parameters'	"12'	"AC button'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Live Parameters'	"13'	"Auto button'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Live Parameters'	"14'	"Windscreen button'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Live Parameters'	"15'	"Recirculation button'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Live Parameters'	"16'	"Defrost button'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Live Parameters'	"17'	"Air distribution'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Live Parameters'	"18'	"Mono zone'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Live Parameters'	"19'	"Button for night panel'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Live Parameters'	"20'	"Fan +'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Live Parameters'	"21'	"Fan -'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Live Parameters'	"22'	"Left (+) button temperature setting'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Live Parameters'	"23'	"Left (-) button temperature setting'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Live Parameters'	"24'	"Right (+) button temperature setting'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Live Parameters'	"25'	"Right (-) button temperature setting'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Tests'	"1'	"Recycling motor control'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Tests'	"2'	"Air distribution flap motor'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Tests'	"3'	"LH mixing actuator'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Tests'	"4'	"RH mixing actuator'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Tests'	"5'	"Segment display switched on'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Tests'	"6'	"Illumination'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Tests'	"7'	"Fan motor'
"Citroën'	"C4 Picasso'	"Climate Control'	"Denso'	"	"Tests'	"8'	"Button light'
"Citroën'	"C4 Picasso'	"Door'	"Driver door'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"C4 Picasso'	"Door'	"Driver door'	"	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C4 Picasso'	"Door'	"Driver door'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C4 Picasso'	"Door'	"Driver door'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C4 Picasso'	"Door'	"Driver door'	"	"ECU Information'	"5'	"Diagnostic version'
"Citroën'	"C4 Picasso'	"Door'	"Driver door'	"	"Live Parameters'	"1'	"Switch for Mirror-Adjust'
"Citroën'	"C4 Picasso'	"Door'	"Driver door'	"	"Live Parameters'	"2'	"Selection Switch for Mirror-Adjust'

"Citroën'	"C4 Picasso'	"Door'	"Driver door'	"	"Live Parameters'	"3'	"Battery voltage'
"Citroën'	"C4 Picasso'	"Door'	"Driver door'	"	"Live Parameters'	"4'	"Switch windowlift front left'
"Citroën'	"C4 Picasso'	"Door'	"Driver door'	"	"Live Parameters'	"5'	"Switch windowlift front right'
"Citroën'	"C4 Picasso'	"Door'	"Driver door'	"	"Live Parameters'	"6'	"Switch for power window rear'
"Citroën'	"C4 Picasso'	"Door'	"Driver door'	"	"Live Parameters'	"7'	"Switch windowlift rear left'
"Citroën'	"C4 Picasso'	"Door'	"Driver door'	"	"Live Parameters'	"8'	"Switch windowlift rear right'
"Citroën'	"C4 Picasso'	"Door'	"Driver door'	"	"Live Parameters'	"9'	"Steering'
"Citroën'	"C4 Picasso'	"Door'	"Driver door'	"	"Tests'	"3'	"Drivers mirror downward'
"Citroën'	"C4 Picasso'	"Door'	"Driver door'	"	"Tests'	"4'	"Drivers mirror upward'
"Citroën'	"C4 Picasso'	"Door'	"Driver door'	"	"Tests'	"5'	"Drivers mirror to the left'
"Citroën'	"C4 Picasso'	"Door'	"Driver door'	"	"Tests'	"6'	"Drivers mirror to the right'
"Citroën'	"C4 Picasso'	"Door'	"Driver door'	"	"Tests'	"7'	"Drivers mirror folding in'
"Citroën'	"C4 Picasso'	"Door'	"Driver door'	"	"Tests'	"8'	"Drivers mirror folding out'
"Citroën'	"C4 Picasso'	"Door'	"Driver door'	"	"Tests'	"9'	"Illumination driver door control switches'
"Citroën'	"C4 Picasso'	"Door'	"Passenger door'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"C4 Picasso'	"Door'	"Passenger door'	"	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C4 Picasso'	"Door'	"Passenger door'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C4 Picasso'	"Door'	"Passenger door'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C4 Picasso'	"Door'	"Passenger door'	"	"ECU Information'	"5'	"Diagnostic version'
"Citroën'	"C4 Picasso'	"Door'	"Passenger door'	"	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"C4 Picasso'	"Door'	"Passenger door'	"	"Live Parameters'	"2'	"Outside temperature'
"Citroën'	"C4 Picasso'	"Door'	"Passenger door'	"	"Live Parameters'	"3'	"Steering'
"Citroën'	"C4 Picasso'	"Door'	"Passenger door'	"	"Tests'	"1'	"Passenger window down'
"Citroën'	"C4 Picasso'	"Door'	"Passenger door'	"	"Tests'	"2'	"Passenger window up'
"Citroën'	"C4 Picasso'	"Door'	"Passenger door'	"	"Tests'	"3'	"Passenger mirror downward'
"Citroën'	"C4 Picasso'	"Door'	"Passenger door'	"	"Tests'	"4'	"Passenger mirror upward'
"Citroën'	"C4 Picasso'	"Door'	"Passenger door'	"	"Tests'	"5'	"Passenger mirror to the left'
"Citroën'	"C4 Picasso'	"Door'	"Passenger door'	"	"Tests'	"6'	"Passenger mirror to the right'
"Citroën'	"C4 Picasso'	"Door'	"Passenger door'	"	"Tests'	"7'	"Passenger mirror folding in'
"Citroën'	"C4 Picasso'	"Door'	"Passenger door'	"	"Tests'	"8'	"Passenger mirror folding out'
"Citroën'	"C4 Picasso'	"Door'	"Passenger door'	"	"Tests'	"9'	"Switch illumination'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Adaptations'	"1'	"EGR valve'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Adaptations'	"2'	"Regeneration'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Adaptations'	"3'	"Intake air bypass valve'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Adaptations'	"4'	"Catalytic particle filter (CPF) change'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Adaptations'	"5'	"Pump, additive'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"ECU Information'	"5'	"ECU status'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"ECU Information'	"8'	"Software index'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"ECU Information'	"9'	"Software version'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"1'	"Vehicle speed'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"2'	"Clutch pedal'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"3'	"Brake pedal'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"4'	"Gear'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"5'	"Atmospheric pressure'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"6'	"Turbo charging pressure'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"7'	"Intake manifold'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"8'	"Air inlet sensor'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"9'	"Fuel temperature'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"10'	"A/C compressor status'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"11'	"A/C status'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"12'	"A/C pressure'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"13'	"Additional heating'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"14'	"EGR valve'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"15'	"Intake air shut-off solenoid valve'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"16'	"Intake air bypass valve'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"17'	"Coolant temperature'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"18'	"Diesel additive'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"19'	"Relay fan supply'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"20'	"Fan speed'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"21'	"Fan speed reference value'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"22'	"Programming'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"23'	"Engine speed'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"24'	"Battery voltage'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"25'	"Glow plug state'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"26'	"A/C cut off relay'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"27'	"Synchronising between camshaft and crankshaft'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"28'	"Brake pedal'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"29'	"Air mass'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"30'	"Fuel flow regulator'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"31'	"Fuel pump'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"32'	"Feedback, EGR-valve'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"33'	"EGR-valve demand'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"34'	"Engine speed'

"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"35'	"Accelerator pedal'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"36'	"Fuel pressure'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"37'	"Target fuel pressure'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"38'	"Air flow rate'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"39'	"Intake air bypass valve'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"40'	"Intake air shut-off solenoid valve'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"41'	"Desired boost pressure'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"42'	"Turbo wastegate valve position'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"43'	"Injection quantity'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"44'	"Fuel quantity correction cylinder 1'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"45'	"Fuel quantity correction cylinder 2'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"46'	"Fuel quantity correction cylinder 3'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"47'	"Fuel quantity correction cylinder 4'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"48'	"Preinjection'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"49'	"Main injection'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"50'	"Fuel injector control module'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"51'	"Content of soot in the particle emission filter'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"52'	"Distance travelled since last regeneration'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"53'	"Exhaust gas temperature, downstreams catalytic converter'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"54'	"Pressure difference between inlet and outlet in particle emission filter'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"55'	"Intake manifold'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"56'	"Intake air bypass valve'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Live Parameters'	"57'	"Intake air shut-off solenoid valve feedback'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Tests'	"1'	"Cooling fan high speed'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Tests'	"2'	"Cooling fan low speed'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Tests'	"3'	"Injection pump regulator'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Tests'	"4'	"Glow plug relay'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Tests'	"5'	"EGR valve'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Tests'	"6'	"Heater relay 1'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Tests'	"7'	"Intake air shut-off solenoid valve'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Tests'	"8'	"Regulation waste gate valve'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Tests'	"9'	"Power relay'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C34'	"	"Tests'	"10'	"Exhaust sensor for auxiliary heater'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Adaptations'	"1'	"Catalytic particle filter (CPF) change'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Adaptations'	"2'	"Regeneration'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Adaptations'	"3'	"Fuel leak test'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Adaptations'	"4'	"EGR valve'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"ECU Information'	"3'	"Additional part number'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"ECU Information'	"5'	"Immobilisation status'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"ECU Information'	"6'	"Software index'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"ECU Information'	"7'	"Supplier'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"ECU Information'	"8'	"System'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"ECU Information'	"9'	"Application'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"ECU Information'	"10'	"Version number'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"ECU Information'	"11'	"Software version'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"1'	"Crankshaft / camshaft synchronization'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"2'	"Engine status'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"3'	"Control unit'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"4'	"Problems detected during transmission of unlocking code'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"5'	"EGR valve programming'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"6'	"EGR valve high limit initial programming voltage'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"7'	"EGR valve high limit last programming voltage'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"8'	"EGR valve low limit initial programming voltage'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"9'	"EGR valve low limit last programming voltage'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"10'	"Turbo programming status'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"11'	"Initial voltage for initialising the upper limit of the turbo'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"12'	"Turbo upper limit, last programming voltage'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"13'	"Initial voltage for initialising the lower limit of the turbo'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"14'	"Turbo low limit last programming voltage'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"15'	"Mixer valve programming'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"16'	"Initial voltage for initialising the upper limit of the mixer valve'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"17'	"Last voltage for initialising of the upper limit for the mixer valve'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"18'	"Initial voltage for initialising the lower limit of the mixer valve'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"19'	"Last voltage for initialising of the lower limit for the mixer valve'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"20'	"Initialisation status of turbo air cooler bypass'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"21'	"Initial voltage for initialising the upper limit of the turbo air cooler bypass'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"22'	"Last voltage for initialisation of the bypass upper limit for the turbo air cooler'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"23'	"Initial voltage for initialising the lower limit of the turbo air cooler bypass'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"24'	"Last voltage for initialisation of the bypass lower limit for the turbo air cooler'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"25'	"Engine speed'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"26'	"Injection quantity'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"27'	"Fuel pressure setpoint (rail pressure)'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"28'	"Fuel pressure measured'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"29'	"Fuel flow regulator'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"30'	"Flow regulator'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"31'	"Injector correction activation'

"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"32'	"Injection duration cylinder 1'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"33'	"Injection duration cylinder 2'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"34'	"Injection duration cylinder 3'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"35'	"Injection duration cylinder 4'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"36'	"Fuel temperature'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"37'	"Vehicle speed'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"38'	"Accelerator pedal position sensor'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"39'	"Air mass'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"40'	"Air mass reference value'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"41'	"Atmospheric pressure'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"42'	"Target overboost pressure'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"43'	"Overboost pressure measured'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"44'	"Target overboost pressure'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"45'	"Wastegate position'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"46'	"Turbo pressure solenoid valve'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"47'	"Mixer valve position reference value'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"48'	"Mixer valve position'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"49'	"Air mixer electrovalve'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"50'	"Turbo air cooler bypass position, reference value'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"51'	"Turbo Air Cooler bypass position'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"52'	"EGR valve open reference'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"53'	"EGR position'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"54'	"EGR valve opening'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"55'	"EGR cooler by-pass position reference value'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"56'	"Exhaust gas recirculation (EGR) cooler, bypass valve position - measured'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"57'	"Mass Airflow (MAF) Temperature'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"58'	"Inlet air temperature'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"59'	"Regeneration status'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"60'	"Content of soot in the particle emission filter'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"61'	"Particle emission filter temperature'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"62'	"Pressure difference between inlet and outlet in particle emission filter'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"63'	"Activation of power consuming equipment'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"64'	"Tank level, additive'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"65'	"Level in additive tank is low'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"66'	"Total weight of additive accumulated in the PEF'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"67'	"Additive reservoir volume'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"68'	"Distance since the last diesel particulate filter replacement, (kilometer)'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"69'	"Distance travelled since last regeneration'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"70'	"Average distance between the last 10 regenerations'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"71'	"Content of soot in the particle emission filter'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"72'	"Distance remaining until particle filter replacement'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"73'	"Regeneration enabled'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"74'	"Capacity for effecting a regeneration (in short term)'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"75'	"Capacity for effecting a regeneration (in long term)'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"76'	"Battery voltage'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"77'	"Alternator charge reference value'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"78'	"Supply voltage 5V no 1'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"79'	"Power relay'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"80'	"Additional heating control'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"81'	"Accelerator pedal signal 1'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"82'	"Accelerator pedal signal 2'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"83'	"Kick down switch'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"84'	"Gearbox type'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"85'	"Actual gear'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"86'	"Brake pedal'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"87'	"Redundant brake pedal'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"88'	"Target speed, cruise control'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"89'	"Cruise control'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"90'	"Speed limiter reference speed'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"91'	"Speed limitation'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"92'	"Clutch pedal'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"93'	"Coolant temperature'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"94'	"Oil pressure switch'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"95'	"Oil temperature'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"96'	"A/C pressure'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"97'	"Fan speed 1'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"98'	"Cooling fan speed'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"99'	"Fan speed 2'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"100'	"Injector 1 classification'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"101'	"Injector 2 classification'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"102'	"Injector 3 classification'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Live Parameters'	"103'	"Injector 4 classification'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Tests'	"1'	"Cooling fan high speed'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Tests'	"2'	"Cooling fan low speed'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Tests'	"3'	"Injection valve 1'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Tests'	"4'	"Injection valve 2'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Tests'	"5'	"Injection valve 3'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Tests'	"6'	"Injection valve 4'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Tests'	"7'	"Valve regulation fuel flow in high pressure pump'

"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Tests'	"8'	"EGR valve test'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Tests'	"9'	"Heating oxygen sensor'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Tests'	"10'	"Power supply relay'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Tests'	"11'	"Pre-heating control unit'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Tests'	"12'	"Additional heating'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Tests'	"13'	"Additive pump'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHH 2,0 DCM 3.5'	"	"Tests'	"14'	"Exhaust heat recovery, solenoid valve'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Adaptations'	"1'	"EGR valve'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Adaptations'	"2'	"Regeneration'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"ECU Information'	"3'	"Diagnostic version'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"ECU Information'	"4'	"ECU status'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"ECU Information'	"5'	"Immobilisation status'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"ECU Information'	"6'	"Problems detected during transmission of unlocking code'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"ECU Information'	"7'	"Software version'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"1'	"Engine speed'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"2'	"Air inlet temperature'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"3'	"Coolant temperature'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"4'	"Target overboost pressure'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"5'	"Overboost pressure'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"6'	"Injector programming'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"7'	"Sensor supply voltage 1'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"8'	"Sensor supply voltage 2'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"9'	"Coolant temperature'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"10'	"EGR valve opening'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"11'	"EGR valve position recopy'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"12'	"A/C compressor status'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"13'	"Air conditioning request'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"14'	"Gear'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"15'	"Air conditioning'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"16'	"Wastegate duty cycle'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"17'	"Intake air bypass valve'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"18'	"Wastegate target position'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"19'	"Wastegate position'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"20'	"Cooling circuit shut off valve'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"21'	"Cooling circuit bypass valve'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"22'	"Clutch pedal'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"23'	"Control relay'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"24'	"Vehicle speed'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"25'	"Cooling fan relay'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"26'	"Fan speed'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"27'	"Engine speed'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"28'	"Air inlet sensor'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"29'	"Fuel temperature'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"30'	"Atmospheric pressure'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"31'	"Accelerator pedal position'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"32'	"Kick-down'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"33'	"Battery voltage'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"34'	"Ignition +15'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"35'	"Brake pedal'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"36'	"Redundant brake pedal'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"37'	"Relay, pre-/post-heating control'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"38'	"Air conditioning'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"39'	"Fuel pressure measured'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"40'	"Injection quantity'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"41'	"Air mass'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"42'	"Preinjection'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"43'	"Main injection'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"44'	"Injector voltage'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"45'	"Fuel quantity correction cylinder 1'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"46'	"Fuel quantity correction cylinder 2'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"47'	"Fuel quantity correction cylinder 3'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"48'	"Fuel quantity correction cylinder 4'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"49'	"Fuel pressure regulator'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"50'	"Fuel flow regulator'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"51'	"EGR valve opening'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"52'	"Intake air shut-off solenoid valve'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"53'	"Content of soot in the particle emission filter'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"54'	"Regeneration status'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"55'	"Exhaust gas temperature, downstreams catalytic converter'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"56'	"Particle filter differential pressure'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"57'	"Air inlet sensor'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"58'	"Total quantity of additive'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"59'	"Consumer activation'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"60'	"Airflow'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"61'	"Driving state'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"62'	"Distance travelled since last regeneration'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"63'	"Distance travelled since particle filter replaced'

"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"64'	"Content of soot in the particle emission filter'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"65'	"Distance remaining until particle filter replacement'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"66'	"Theoretical distance remaining before total filling of particle filter'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"67'	"Average distance between the last 5 regenerations'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"68'	"Load state particle filter'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"69'	"Particle filter regeneration'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"70'	"Fuel pressure'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"71'	"Air mass reference value'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"72'	"Coolant temperature'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"73'	"Injection time'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"74'	"Crankshaft / camshaft synchronization'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"75'	"Engine status'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"76'	"Engine status'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"77'	"Injection shut-off'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Live Parameters'	"78'	"Air conditioning'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Tests'	"1'	"Fuel pressure regulation'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Tests'	"2'	"Injection pump regulator'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Tests'	"3'	"Cooling fan high speed'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Tests'	"4'	"Cooling fan low speed'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Tests'	"5'	"Power relay'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Tests'	"6'	"Preheating'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Tests'	"7'	"EGR valve'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Tests'	"8'	"Intake air shut-off solenoid valve'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Tests'	"9'	"Intake air bypass valve'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Tests'	"10'	"Wastegate Solenoid Circuit'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Tests'	"11'	"Cooling circuit bypass valve'
"Citroën'	"C4 Picasso'	"Engine Diesel'	"RHJ 2,0 SID 803A'	"	"Tests'	"12'	"Cooling circuit shut off valve'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"ECU Information'	"5'	"Diagnostic version'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"ECU Information'	"6'	"Control unit'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"ECU Information'	"7'	"Immobilisation status'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"ECU Information'	"8'	"Problems detected during transmission of unlocking code'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"ECU Information'	"9'	"Software version'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"1'	"Engine speed'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"3'	"Injection time'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"4'	"Injection cut off request'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"5'	"Throttle status'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"6'	"Throttle position'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"7'	"Coolant temperature'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"8'	"Inlet air temperature'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"9'	"Inlet manifold pressure'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"10'	"Engine speed'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"11'	"Battery voltage'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"12'	"Ignition angle'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"13'	"Coil charge time cylinder 1'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"14'	"Coil charge time cylinder 2'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"15'	"Coil charge time cylinder 3'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"16'	"Coil charge time cylinder 4'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"17'	"Front lambda sensor'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"18'	"Rear lambda sensor'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"19'	"Lambda regulation'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"20'	"Carbon filter solenoid valve'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"21'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"22'	"Air conditioning authorisation'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"23'	"Refrigerant pressure'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"24'	"Oil temperature'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"25'	"Engine load'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"26'	"Vehicle speed'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"27'	"Gearbox ratio'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"28'	"Injection time'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"29'	"Main relay'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"30'	"Relay fan supply'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"31'	"Blower speed'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"32'	"Wake up line, status'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"33'	"ECU status'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"34'	"Motor controlled throttle'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"35'	"Camshaft adjustment'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"36'	"Camshaft adjustment'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"1'	"Electronic throttle control'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"2'	"Ignition coil 1'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"3'	"Ignition coil 2'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"4'	"Ignition coil 3'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"5'	"Ignition coil 4'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"6'	"Injection valve 1'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"7'	"Injection valve 2'

"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"8'	"Injection valve 3'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"9'	"Injection valve 4'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"10'	"Camshaft adjustment'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"11'	"Fuel pump relay'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"12'	"Carbon filter solenoid valve'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"13'	"Front lambda sensor'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"14'	"Rear lambda sensor'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"15'	"Cooling fan high speed'
"Citroën'	"C4 Picasso'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"16'	"Cooling fan low speed'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Adaptations'	"1'	"Clear adaption memory'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"5'	"Supplier'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"6'	"System'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"7'	"Application'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"8'	"Version index'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"9'	"Version index'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"1'	"Write date of last after sales operation'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"2'	"Selector lever position'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"3'	"Multifunction switch P/N'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"4'	"Multifunction switch S4 (active in R,D,M,3)'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"5'	"Multifunction switch S3 (active in R,N,3,2)'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"6'	"Multifunction switch S2 (active in P,R,2)'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"7'	"Multifunction switch S1 (active in 3,2,M,M+)'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"8'	"Switch 1 (active in M-)'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"9'	"Accelerator pedal position'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"10'	"Engine torque (from CAN)'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"11'	"Battery voltage'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"12'	"Brake light switch 1, normally open contact'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"13'	"Brake light switch 2, normally closed contact'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"14'	"Kick down switch'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"15'	"Oil pressure'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"16'	"Oil pressure sensor'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"17'	"Oil temperature'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"18'	"Oil temperature sensor'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"19'	"Gear shift program'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"20'	"Oil temperature'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"21'	"Oil change'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"22'	"Solenoid valve supply'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"23'	"Torque control'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"24'	"Solenoid, shift lock'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"25'	"Torque converter lock-up clutch'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"26'	"Solenoid valve 1'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"27'	"Solenoid valve 2'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"28'	"Solenoid valve 3'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"29'	"Solenoid valve 4'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"30'	"Solenoid valve 5'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"31'	"Solenoid valve 6'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"32'	"Heat exchanger solenoid'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"33'	"Operating state'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"34'	"Program selector switch'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"35'	"Selector switch'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"36'	"Engine speed'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"37'	"Gearbox input rpm'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"38'	"Gearbox output rpm'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"39'	"Requested oil pressure'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"40'	"Oil pressure'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"41'	"Oil temperature'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"42'	"Oil pressure regulation solenoid valve, activation time'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"43'	"Torque converter lock up solenoid valve, activation time'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"44'	"Date of last oil change'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"45'	"Oil deterioration'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"1'	"Oil pressure regulation solenoid valve'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"2'	"Lock-up solenoid'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"3'	"Solenoid, shift lock'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"4'	"Solenoid valve 1'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"5'	"Solenoid valve 2'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"6'	"Solenoid valve 3'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"7'	"Solenoid valve 4'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"8'	"Solenoid valve 5'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"9'	"Solenoid valve 6'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"10'	"Heat exchanger solenoid'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Adaptations'	"1'	"Depressurise the hydraulic circuit'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Adaptations'	"2'	"Pressurise the hydraulic circuit'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Adaptations'	"3'	"Bleeding hydraulic circuit'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Adaptations'	"4'	"Programming clutch drag point'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Adaptations'	"5'	"Programming gearbox grid'

"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Adaptations'	"6'	"Reset adaption'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Adaptations'	"7'	"Clutch cycle counter'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Adaptations'	"8'	"Gearbox counter'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Adaptations'	"9'	"Gear selector counter'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"ECU Information'	"5'	"Supplier'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"ECU Information'	"6'	"System'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"ECU Information'	"7'	"Application'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"ECU Information'	"8'	"Version index'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"ECU Information'	"9'	"Version index'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"ECU Information'	"10'	"Software index'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"2'	"Gearbox selector position (automatic gearbox)'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"3'	"Gear engaged'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"4'	"Hydraulic circuit pressure'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"5'	"Clutch status'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"6'	"Steering wheel gear shifter +'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"7'	"Steering wheel gear shifter -'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"8'	"Gearbox input rpm'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"9'	"Vehicle speed'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"10'	"Kick-down'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"11'	"Start lock'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"12'	"Brake light switch 1'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"13'	"Brake light switch 2'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"14'	"Automatic mode'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"15'	"Engine speed'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"16'	"Accelerator pedal position'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"17'	"Engine torque'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"18'	"Engine torque requested by driver'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"19'	"Coolant temperature'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"20'	"Gearbox actuator position gear selection axis, reference value'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"21'	"Gearbox actuator position gear selection axis'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"22'	"Gearbox actuator position gear changing axis, reference value'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"23'	"Gearbox actuator position gear changing axis'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"24'	"Clutch position, reference value'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"25'	"Clutch position'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"26'	"Clutch drag point programmed'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"27'	"Wake up line, status'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"28'	"Wake up line, status'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"29'	"Reverse gear position programmed'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"30'	"Neutral position programmed'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"31'	"Gear 1 position programmed'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"32'	"Gear 2 position programmed'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"33'	"Gear 3 position programmed'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"34'	"Gear 4 position programmed'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"35'	"Gear 5 position programmed'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"36'	"Gear 6 position programmed'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"37'	"Neutral position programmed of reverse gear'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"38'	"Neutral position programmed of gears 1 and 2'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"39'	"Neutral position programmed of gears 3 and 4'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"40'	"Neutral position programmed of gears 5 and 6'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"41'	"Counters'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"42'	"Clutch cycle counter'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"43'	"Counters'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"44'	"1st engagements counter'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"45'	"2nd engagements counter'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"46'	"3rd engagements counter'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"47'	"4th engagements counter'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"48'	"5th engagements counter'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"49'	"6th engagements counter'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"50'	"Reverse engagements counter'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"51'	"Neutral engagements counter'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"52'	"Counters'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"53'	"Gear selector counter'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"54'	"Steering wheel gear shift counter'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"55'	"Electric pump motor counter'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"56'	"Counters'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"57'	"Gear 1 to 2 changing counter'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Live Parameters'	"58'	"Gear 2 to 3 changing counter'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Tests'	"1'	"Gear 1 [1]'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Tests'	"2'	"Gear 2 [2]'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Tests'	"3'	"Gear 3 [3]'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Tests'	"4'	"Gear 4 [4]'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Tests'	"5'	"Gear 5 [5]'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Tests'	"6'	"Gear 6 [6]'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Tests'	"7'	"Neutral [N]'

"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Tests'	"8'	"Reverse [R]'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Tests'	"9'	"Clutch is opening'
"Citroën'	"C4 Picasso'	"Gearbox / Automatic Transmission'	"CFC300P'	"	"Tests'	"10'	"Clutch is closing'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Adaptations'	"1'	"Function of inspection'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Adaptations'	"2'	"Function of oil level'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Adaptations'	"3'	"Function of black panel'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Adaptations'	"4'	"Function of of vehicle speed controller'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Adaptations'	"5'	"Function of vehicle speed limiter'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Adaptations'	"6'	"Function of range'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Adaptations'	"7'	"Unit Odometer'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Adaptations'	"8'	"Language'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Adaptations'	"9'	"Distance units'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Adaptations'	"10'	"The display mode'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Adaptations'	"11'	"Menu customization'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Adaptations'	"12'	"Display options ""uncovering of the driving position""
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Adaptations'	"13'	"Display options ""detect obstacles near the vehicle""
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Adaptations'	"14'	"Display options ""SECUROSCOPE""
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Adaptations'	"15'	"Display options ""Help audible when overtaking""
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Adaptations'	"16'	"Display options ""total aid overtaking""
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Adaptations'	"17'	"Display options ""Turn on the rear window wiper when reversing""
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Adaptations'	"18'	"Display options ""Automatic activation of lights""
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Adaptations'	"19'	"Display options ""lighting accompanying""
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Adaptations'	"20'	"Display options ""directional reflector""
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Adaptations'	"21'	"Display options ""Enable automatic auxiliary electric brake""
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Adaptations'	"22'	"Display options ""Interior Lighting""
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Adaptations'	"23'	"Display options ""Permanent locking tailgate""
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Adaptations'	"24'	"Display options ""lock only the driver's door""
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Adaptations'	"25'	"Display options ""Locking the doors at a distance""
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Adaptations'	"26'	"Display options ""Mode locking / deadlocking""
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Adaptations'	"27'	"Display options ""Daytime""
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Configurations'	"1'	"Function of inspection'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Configurations'	"2'	"Function of oil level'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Configurations'	"3'	"Function of black panel'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Configurations'	"4'	"Function of of vehicle speed controller'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Configurations'	"5'	"Function of vehicle speed limiter'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Configurations'	"6'	"Function of range'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Configurations'	"7'	"Unit Odometer'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Configurations'	"8'	"Menu customization'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Configurations'	"9'	"Display options ""uncovering of the driving position""
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Configurations'	"10'	"Display options ""detect obstacles near the vehicle""
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Configurations'	"11'	"Display options ""SECUROSCOPE""
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Configurations'	"12'	"Display options ""Help audible when overtaking""
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Configurations'	"13'	"Display options ""total aid overtaking""
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Configurations'	"14'	"Display options ""Turn on the rear window wiper when reversing""
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Configurations'	"15'	"Display options ""Automatic activation of lights""
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Configurations'	"16'	"Display options ""lighting accompanying""
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Configurations'	"17'	"Display options ""directional reflector""
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Configurations'	"18'	"Display options ""Enable automatic auxiliary electric brake""
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Configurations'	"19'	"Display options ""Interior Lighting""
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Configurations'	"20'	"Display options ""Permanent locking tailgate""
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Configurations'	"21'	"Display options ""lock only the driver's door""
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Configurations'	"22'	"Display options ""Locking the doors at a distance""
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Configurations'	"23'	"Display options ""Mode locking / deadlocking""
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Configurations'	"24'	"Display options ""Daytime""
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"ECU Information'	"5'	"Calibration version'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"ECU Information'	"6'	"Diagnostics indicator'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"ECU Information'	"7'	"Software index'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"ECU Information'	"8'	"Day of production'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"ECU Information'	"9'	"Serial number'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"1'	"Parking assistance'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"2'	"Lane assist'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"3'	"ESP button'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"4'	"Colour adjustment button'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"5'	""Customize"" button'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"6'	"Instrument brightness adjustment button'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Live Parameters'	"7'	"Odometer reset button'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"1'	"LCD display'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"2'	"Instrument panel lightning'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"3'	"LCD display'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"4'	"Control panel warning lights'
"Citroën'	"C4 Picasso'	"Instrument / Dashboard'	"Instrument JCAE'	"	"Tests'	"5'	"Button light'
"Citroën'	"C4 Picasso'	"Other'	"Diesel additive - MGI'	"	"Adaptations'	"1'	"Additive tank capacity'
"Citroën'	"C4 Picasso'	"Other'	"Diesel additive - MGI'	"	"Adaptations'	"2'	"Tank level, additive'
"Citroën'	"C4 Picasso'	"Other'	"Diesel additive - MGI'	"	"Adaptations'	"3'	"Replacement of the additive tank'
"Citroën'	"C4 Picasso'	"Other'	"Diesel additive - MGI'	"	"ECU Information'	"1'	"Reference PSA'

"Citroën'	"C4 Picasso'	"Other'	"Diesel additive - MGI'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C4 Picasso'	"Other'	"Diesel additive - MGI'	"	"ECU Information'	"3'	"Software version'
"Citroën'	"C4 Picasso'	"Other'	"Diesel additive - MGI'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C4 Picasso'	"Other'	"Diesel additive - MGI'	"	"ECU Information'	"5'	"Supplier'
"Citroën'	"C4 Picasso'	"Other'	"Diesel additive - MGI'	"	"Live Parameters'	"1'	"Tank level, additive'
"Citroën'	"C4 Picasso'	"Other'	"Diesel additive - MGI'	"	"Live Parameters'	"2'	"Additive tank capacity'
"Citroën'	"C4 Picasso'	"Other'	"Diesel additive - MGI'	"	"Tests'	"1'	"Diesel additive pump'
"Citroën'	"C4 Picasso'	"Other'	"Rain sensor'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"C4 Picasso'	"Other'	"Rain sensor'	"	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C4 Picasso'	"Other'	"Rain sensor'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C4 Picasso'	"Other'	"Rain sensor'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C4 Picasso'	"Other'	"Rain sensor'	"	"ECU Information'	"5'	"Software index'
"Citroën'	"C4 Picasso'	"Other'	"Rain sensor'	"	"ECU Information'	"6'	"Diagnostics indicator'
"Citroën'	"C4 Picasso'	"Parking System'	"Parking Brake - Bosch'	"	"Adaptations'	"1'	"Service position'
"Citroën'	"C4 Picasso'	"Parking System'	"Parking Brake - Bosch'	"	"Adaptations'	"2'	"Brake cable tension'
"Citroën'	"C4 Picasso'	"Parking System'	"Parking Brake - Bosch'	"	"Adaptations'	"3'	"Calibration'
"Citroën'	"C4 Picasso'	"Parking System'	"Parking Brake - Bosch'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"C4 Picasso'	"Parking System'	"Parking Brake - Bosch'	"	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C4 Picasso'	"Parking System'	"Parking Brake - Bosch'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C4 Picasso'	"Parking System'	"Parking Brake - Bosch'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C4 Picasso'	"Parking System'	"Parking Brake - Bosch'	"	"ECU Information'	"5'	"Software index'
"Citroën'	"C4 Picasso'	"Parking System'	"Parking Brake - Bosch'	"	"ECU Information'	"6'	"Application'
"Citroën'	"C4 Picasso'	"Parking System'	"Parking Brake - Bosch'	"	"ECU Information'	"7'	"Day of production'
"Citroën'	"C4 Picasso'	"Parking System'	"Parking Brake - Bosch'	"	"ECU Information'	"8'	"Programming date'
"Citroën'	"C4 Picasso'	"Parking System'	"Parking Brake - Bosch'	"	"ECU Information'	"9'	"Number of programmings'
"Citroën'	"C4 Picasso'	"Parking System'	"Parking Brake - Bosch'	"	"Live Parameters'	"1'	"Vehicle speed'
"Citroën'	"C4 Picasso'	"Parking System'	"Parking Brake - Bosch'	"	"Live Parameters'	"2'	"Supply voltage'
"Citroën'	"C4 Picasso'	"Parking System'	"Parking Brake - Bosch'	"	"Live Parameters'	"3'	"Electromechanical parking brake button status'
"Citroën'	"C4 Picasso'	"Parking System'	"Parking Brake - Bosch'	"	"Live Parameters'	"4'	"Electric parking brake'
"Citroën'	"C4 Picasso'	"Parking System'	"Parking Brake - Bosch'	"	"Live Parameters'	"5'	"Brake pedal'
"Citroën'	"C4 Picasso'	"Parking System'	"Parking Brake - Bosch'	"	"Live Parameters'	"6'	"Diagnostic for data-bus'
"Citroën'	"C4 Picasso'	"Parking System'	"Parking Brake - Bosch'	"	"Live Parameters'	"7'	"ECU temperature'
"Citroën'	"C4 Picasso'	"Parking System'	"Parking Brake - Bosch'	"	"Live Parameters'	"8'	"Motor temperature sensor'
"Citroën'	"C4 Picasso'	"Parking System'	"Parking Brake - Bosch'	"	"Live Parameters'	"9'	"Force (actual value)'
"Citroën'	"C4 Picasso'	"Parking System'	"Parking Brake - Bosch'	"	"Live Parameters'	"10'	"Force (reference value)'
"Citroën'	"C4 Picasso'	"Parking System'	"Parking Brake - Bosch'	"	"Live Parameters'	"11'	"Rotation speed'
"Citroën'	"C4 Picasso'	"Parking System'	"Parking Brake - Bosch'	"	"Live Parameters'	"12'	"Actual motor speed'
"Citroën'	"C4 Picasso'	"Parking System'	"Parking Brake - Bosch'	"	"Live Parameters'	"13'	"Electric parking brake'
"Citroën'	"C4 Picasso'	"Parking System'	"Parking Brake - Bosch'	"	"Live Parameters'	"14'	"Travel signal'
"Citroën'	"C4 Picasso'	"Parking System'	"Parking Brake - Bosch'	"	"Live Parameters'	"15'	"Wake up line, status'
"Citroën'	"C4 Picasso'	"Parking System'	"Parking Brake - Bosch'	"	"Live Parameters'	"16'	"Wake-up signal'
"Citroën'	"C4 Picasso'	"Parking System'	"Parking Brake - Bosch'	"	"Live Parameters'	"17'	"Parking brake, normal force'
"Citroën'	"C4 Picasso'	"Parking System'	"Parking Brake - Bosch'	"	"Live Parameters'	"18'	"Parking brake, maximum force'
"Citroën'	"C4 Picasso'	"Parking System'	"Parking Brake - Bosch'	"	"Tests'	"1'	"Application switch position(Electric parking brake)'
"Citroën'	"C4 Picasso'	"Parking System'	"Parking Brake - Bosch'	"	"Tests'	"2'	"Release switch position (Electric parking brake)'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"1'	"Drivers airbag Level 1'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"2'	"Drivers airbag Level 2'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"3'	"Driver's knee airbag'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"4'	"Protecting airbag is pushed \ndriving under the dashboard'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"5'	"Driver's seat position sensor'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"6'	"Passenger airbag level 1'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"7'	"Passenger airbag level 2'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"8'	"Passenger knee airbag'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"9'	"Protecting airbag is pushed \npassenger under the dashboard'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"10'	"Passenger seat position sensor'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"11'	"Switch to neutralize the passenger airbag'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"12'	"The presence of a calculator detection of a collision with a pedestrian'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"13'	"Driver belt pretensioner'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"14'	"The lap belt tensioner seat belt driver'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"15'	"Passenger seat belt pretensioner'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"16'	"The lap belt tensioner seat belt Passenger'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"17'	"Tensioner middle row 1'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"18'	"Tensioner left rear row 2'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"19'	"Tensioner right rear row 2'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"20'	"Central tensioner in the back in row 2'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"21'	"Left front side airbag and side airbag left \nair curtain in series'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"22'	"Right front side airbag and side airbag law \nair curtain in series'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"23'	"Left rear side airbag'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"24'	"Right rear airbag'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"25'	"Satellite front right'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"26'	"Satellite front left'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"27'	"Right rear satellite'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"28'	"Left rear satellite'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Configurations'	"1'	"Drivers airbag Level 1'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Configurations'	"2'	"Drivers airbag Level 2'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Configurations'	"3'	"Driver's knee airbag'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Configurations'	"4'	"Protecting airbag is pushed driving under the dashboard'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Configurations'	"5'	"Driver's seat position sensor'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Configurations'	"6'	"Passenger airbag level 1'

"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Configurations'	"7'	"Passenger airbag level 2'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Configurations'	"8'	"Passenger knee airbag'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Configurations'	"9'	"Protecting airbag is pushed passenger under the dashboard'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Configurations'	"10'	"Passenger seat position sensor'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Configurations'	"11'	"Switch to neutralize the passenger airbag'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Configurations'	"12'	"The presence of a calculator detection of a collision with a pedestrian'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Configurations'	"13'	"Driver belt pretensioner'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Configurations'	"14'	"The lap belt tensioner seat belt driver'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Configurations'	"15'	"Passenger seat belt pretensioner'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Configurations'	"16'	"The lap belt tensioner seat belt Passenger'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Configurations'	"17'	"Tensioner middle row 1'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Configurations'	"18'	"Tensioner left rear row 2'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Configurations'	"19'	"Tensioner right rear row 2'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Configurations'	"20'	"Central tensioner in the back in row 2'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Configurations'	"21'	"Left front side airbag and side airbag left air curtain in series'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Configurations'	"22'	"Right front side airbag and side airbag law air curtain in series'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Configurations'	"23'	"Left rear side airbag'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Configurations'	"24'	"Right rear airbag'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Configurations'	"25'	"Satellite front right'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Configurations'	"26'	"Satellite front left'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Configurations'	"27'	"Right rear satellite'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Configurations'	"28'	"Left rear satellite'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"5'	"Calibration version'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"6'	"Diagnos index'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"7'	"Diagnostics indicator'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"8'	"Checking of action in aftermarket'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"9'	"Checking at factory'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"10'	"Checking at supplier'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"11'	"After sales check'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"12'	"Front satellite sensors PSA reference'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"13'	"Satellite sensors supplier'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"14'	"Front satellites calibration version'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"15'	"Front satellites material version'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"16'	"Front satellites software version'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"17'	"Rear satellite sensors PSA reference'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"18'	"Rear satellite sensors supplier'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"19'	"Rear satellites calibration version'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"20'	"Rear satellites material version'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"21'	"Rear satellites software version'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"1'	"Driver airbag ignition squib 1'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"2'	"Driver airbag ignition squib 2'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"3'	"Driver knee airbag'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"4'	"Anti submarining, driver side'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"5'	"Driver seat position sensor'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"6'	"Front passenger airbag ignition squib 1'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"7'	"Front passenger airbag ignition squib 2'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"8'	"Passenger knee airbag'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"9'	"Anti submarining, passenger side'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"10'	"Passenger seat position sensor'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"11'	"Switch, passenger airbag'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"12'	"Number of impacts'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"13'	"Rear impact detected'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"14'	"Drivers pretensioner'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"15'	"Driver lap strap pretensioner'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"16'	"Passenger pretensioner'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"17'	"Passenger lap strap pretensioner'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"18'	"Center pretensioner squib circuit row 1'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"19'	"Right pretensioner squib circuit row 2'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"20'	"Left pretensioner squib circuit row 2'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"21'	"Center pretensioner squib circuit row 2'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"22'	"Right pretensioner squib circuit row 3'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"23'	"Left pretensioner squib circuit row 3'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"24'	"Center pretensioner squib circuit row 3'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"25'	"Right side airbag and window airbag sensor'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"26'	"Left side airbag and window airbag sensor'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"27'	"Right rear side airbag ignition squib'
"Citroën'	"C4 Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"28'	"Left rear side airbag ignition squib'
"Citroën'	"C4 Picasso'	"Steering'	"Power steering - TRW'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"C4 Picasso'	"Steering'	"Power steering - TRW'	"	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C4 Picasso'	"Steering'	"Power steering - TRW'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C4 Picasso'	"Steering'	"Power steering - TRW'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C4 Picasso'	"Steering'	"Power steering - TRW'	"	"ECU Information'	"5'	"Software index'
"Citroën'	"C4 Picasso'	"Steering'	"Power steering - TRW'	"	"ECU Information'	"6'	"Software version'
"Citroën'	"C4 Picasso'	"Steering'	"Power steering - TRW'	"	"Live Parameters'	"1'	"Vehicle speed'
"Citroën'	"C4 Picasso'	"Steering'	"Power steering - TRW'	"	"Live Parameters'	"2'	"Ignition on'

"Citroën'	"C4 Picasso'	"Steering'	"Power steering - TRW'	"	"Live Parameters'	"3'	"Engine status'
"Citroën'	"C4 Picasso'	"Steering'	"Power steering - TRW'	"	"Live Parameters'	"4'	"Steering wheel angle sensor signal'
"Citroën'	"C4 Picasso'	"Steering'	"Power steering - TRW'	"	"Live Parameters'	"5'	"Steering wheel angle sensor'
"Citroën'	"C4 Picasso'	"Steering'	"Power steering - TRW'	"	"Live Parameters'	"6'	"Steering wheel rotational speed'
"Citroën'	"C4 Picasso'	"Steering'	"Power steering - TRW'	"	"Live Parameters'	"7'	"Assistance'
"Citroën'	"C4 Picasso'	"Steering'	"Power steering - TRW'	"	"Live Parameters'	"8'	"Pump engine speed'
"Citroën'	"C4 Picasso'	"Steering'	"Power steering - TRW'	"	"Live Parameters'	"9'	"Temperature'
"Citroën'	"C4 Picasso'	"Steering'	"Power steering - TRW'	"	"Live Parameters'	"10'	"Current steering motor'
"Citroën'	"C4 Picasso'	"Steering'	"Power steering - TRW'	"	"Live Parameters'	"11'	"Electrical power steering motor'
"Citroën'	"C4 Picasso'	"Steering'	"Power steering - TRW'	"	"Tests'	"1'	"Pump engine'
"Citroën'	"C4 Picasso'	"Suspension'	"Air suspension'	"	"Adaptations'	"1'	"The bringing of the pressure'
"Citroën'	"C4 Picasso'	"Suspension'	"Air suspension'	"	"Adaptations'	"2'	"The removal of the pressure'
"Citroën'	"C4 Picasso'	"Suspension'	"Air suspension'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"C4 Picasso'	"Suspension'	"Air suspension'	"	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C4 Picasso'	"Suspension'	"Air suspension'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C4 Picasso'	"Suspension'	"Air suspension'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C4 Picasso'	"Suspension'	"Air suspension'	"	"ECU Information'	"5'	"Software index'
"Citroën'	"C4 Picasso'	"Suspension'	"Air suspension'	"	"ECU Information'	"6'	"Diagnostics indicator'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Adaptations'	"1'	"Recall service message'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"ECU Information'	"3'	"VIN code'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"ECU Information'	"4'	"ECU reference (Electronic Control Unit)'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"ECU Information'	"5'	"Software version'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"ECU Information'	"6'	"Software index'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"1'	"Front left-hand wheel valve code'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"2'	"Front right-hand wheel valve code'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"3'	"Rear right-hand wheel valve code'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"4'	"Rear left-hand wheel valve code'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"5'	"Engine running'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"6'	"Economy position'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"7'	"Factory position'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"8'	"Actual + for accessories (+ACC)'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"9'	"Ignition +15'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"10'	"Rain sensor supply'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"11'	"Rear window switch supply'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"12'	"Switching off rear switches'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"13'	"Battery voltage'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"14'	"Alternator voltage'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"15'	"Supply, VAN comfort'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"16'	"Supply, VAN body'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"17'	"Fuel pump shut off'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"18'	"Fuel pump relay'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"19'	"Air pump'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"20'	"Output status of air pump/water in diesel relay'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"21'	"Control of AC compressor'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"22'	"A/C relay, output'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"23'	"Radiator fan relay'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"24'	"Medium speed fan control'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"25'	"Evaporator, air conditioning'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"26'	"Hand brake'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"27'	"Brake pedal switch'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"28'	"Information reverse'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"29'	"Switch, belt, driver side'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"30'	"Winter program'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"31'	"Sport program'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"32'	"Park/Neutral switch'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"33'	"Tyre pressure monitoring'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"34'	"Wheel status front left'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"35'	"Wheel status front right'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"36'	"Wheel status rear right'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"37'	"Wheel status rear left'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"38'	"Front left wheel pressure'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"39'	"Front right wheel pressure'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"40'	"Rear right wheel pressure'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"41'	"Rear left wheel pressure'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"42'	"Front left wheel pressure'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"43'	"Front right wheel pressure'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"44'	"Rear right wheel pressure'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"45'	"Rear left wheel pressure'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"46'	"Rear fog light control'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"47'	"Control of right flashers'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"48'	"Control of left flashers'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"49'	"Indicator relay'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"50'	"Interior lighting'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"51'	"Headlamp range adjustment- left'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"52'	"Lights and courtesy light request'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"53'	"Front sill lighting outlet'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	"	"Live Parameters'	"54'	"Twilight dipped beam lighting mode'

"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	""	"Tests'	"14'	"Windscreen washer'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	""	"Tests'	"15'	"Rear window washer'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	""	"Tests'	"16'	"Headlight washer'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	""	"Tests'	"17'	"AC compressor'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	""	"Tests'	"18'	"Fan control'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	""	"Tests'	"19'	"Locking'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	""	"Tests'	"20'	"Unlock'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	""	"Tests'	"21'	"Locks deadlocking control'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	""	"Tests'	"22'	"Trunk opening switch'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	""	"Tests'	"23'	"Dipped lights'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	""	"Tests'	"24'	"Headlight'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	""	"Tests'	"25'	"Horn'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 24.15, 24.16'	""	"Tests'	"26'	"Main relay'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"ECU Information'	"2'	"Supplier'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"ECU Information'	"3'	"VIN code'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"ECU Information'	"4'	"ECU reference (Electronic Control Unit)'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"ECU Information'	"5'	"Software version'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"ECU Information'	"6'	"Software index'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"1'	"Front left-hand wheel valve code'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"2'	"Front right-hand wheel valve code'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"3'	"Rear right-hand wheel valve code'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"4'	"Rear left-hand wheel valve code'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"5'	"Supply, VAN comfort'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"6'	"Economy position'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"7'	"Factory position'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"8'	"Actual + for accessories (+ACC)'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"9'	"Actual + for ignition switch (+APC)'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"10'	"Power supply rear window up/down switch'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"11'	"Relay for sliding tilting sunroof and windowlift drivers door front and rear'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"12'	"Switching off rear switches'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"13'	"Battery voltage'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"14'	"Alternator voltage'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"15'	"Supply, VAN body'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"16'	"Fuel pump shut off'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"17'	"Fuel pump relay'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"18'	"Air pump'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"19'	"Control of AC compressor'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"20'	"A/C relay, output'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"21'	"Radiator fan relay'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"22'	"Evaporator, air conditioning'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"23'	"Hand brake'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"24'	"Brake pedal switch'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"25'	"Information reverse'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"26'	"Switch, belt, driver side'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"27'	"Switch, belt, passenger side'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"28'	"Winter program'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"29'	"Sport program'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"30'	"Tyre pressure monitoring'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"31'	"Wheel status front left'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"32'	"Wheel status front right'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"33'	"Wheel status rear right'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"34'	"Wheel status rear left'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"35'	"Front left wheel pressure'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"36'	"Front right wheel pressure'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"37'	"Rear right wheel pressure'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"38'	"Rear left wheel pressure'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"39'	"Front left wheel pressure'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"40'	"Front right wheel pressure'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"41'	"Rear right wheel pressure'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"42'	"Rear left wheel pressure'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"43'	"Control of right flashers'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"44'	"Control of left flashers'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"45'	"Interior lighting'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"46'	"Lights and courtesy light request'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"47'	"Front sill lighting outlet'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"48'	"Horn'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"49'	"Twilight dipped beam lighting mode'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"50'	"Dipped beam'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"51'	"Main beam'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"52'	"Position light control'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"53'	"Bootlid light control'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"54'	"Front fog lights'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"55'	"Rear fog light control'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"56'	"Headlamp range adjustment control module'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"57'	"Alarm from passenger compartment monitoring'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"58'	"Alarm: passenger compartment sensor disabling'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"59'	"Ecu locked'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"60'	"Programmed keys'

"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"61'	"Programmed remote control'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"62'	"BSI paired with engine control unit'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"63'	"BSI with anti-scanning'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"64'	"BSI not programmed'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"65'	"Battery in remote controller exhausted'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"66'	"Transponder signal reception'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"67'	"Transponder antiscanning active'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"68'	"BSI ready for programming'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"69'	"Bonnet open'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"70'	"Boot open'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"71'	"Rear screen opening control'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"72'	"Opening of bootlid requested'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"73'	"Locking/unlocking button from inside'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"74'	"Right rear door'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"75'	"Left rear door'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"76'	"Right front door'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"77'	"Left front door'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"78'	"Control, locking'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"79'	"Control, unlocking'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"80'	"Locks deadlocking control'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"81'	"Trunk'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"82'	"Trunk unlocking switch'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"83'	"Vehicle locked status'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"84'	"Locking/unlocking button from inside'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"85'	"Unlocking front right door'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"86'	"Unlocking front left door'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"87'	"Central door locking/unlocking'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"88'	"Engine coolant level lamp'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"89'	"Oil pressure lamp'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"90'	"Water in fuel'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"91'	"Washer fluid level sensor, low level'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"92'	"Gross fuel level'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"93'	"Filtered fuel level'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"94'	"Fuel level pointer, instrumentation'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"95'	"Fuel gauge impedance'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"96'	"Outside temperature'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"97'	"Coolant temperature'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"98'	"Engine oil temperature'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"99'	"Oil level gauge'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"100'	"Maintenance counter'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"101'	"Distance to maintenance (km)'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"102'	"Average fuel consumption/distance'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"103'	"Average fuel consumption/travel'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"104'	"Total distance (km)'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"105'	"Levelled consumption'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"106'	"Right rear windowlift button position 2'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"107'	"Left rear windowlift button position 2'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"108'	"Right rear windowlift button position 1'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"109'	"Left rear windowlift button position 1'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"110'	"Heated rear window'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"111'	"Rear screen wiper'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"112'	"Wipers, front, low speed control'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"113'	"Washers, front, requested'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"114'	"Washer, rear, requested'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"115'	"Headlight washer requested'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"116'	"Wiper, rear, control of stopping'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"117'	"Wipers, front, control of stopping'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Live Parameters'	"118'	"ESP operation'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Tests'	"1'	"Front fog lights'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Tests'	"2'	"Rear foglight'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Tests'	"3'	"Lighting of right flashers'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Tests'	"4'	"Lighting of left flashers'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Tests'	"5'	"Bootlid light control'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Tests'	"6'	"Interior lighting'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Tests'	"7'	"Door light'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Tests'	"8'	"Window rear right, up'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Tests'	"9'	"Window rear right, down'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Tests'	"10'	"Window rear left, up'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Tests'	"11'	"Window rear left, down'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Tests'	"12'	"Heated rear window'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Tests'	"13'	"Rear screen wiper'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Tests'	"14'	"Windscreen wipers'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Tests'	"15'	"Windscreen washer'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Tests'	"16'	"Rear window washer'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Tests'	"17'	"Headlight washer'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Tests'	"18'	"AC compressor'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Tests'	"19'	"Locking'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Tests'	"20'	"Locks deadlocking control'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Tests'	"21'	"Unlock'

"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Tests'	"22'	"Trunk opening switch'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Tests'	"23'	"Dipped lights'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Tests'	"24'	"Headlight'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Tests'	"25'	"Sidelights'
"Citroën'	"C5 I'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 7.2'	""	"Tests'	"26'	"Horn'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60'	""	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60'	""	"ECU Information'	"2'	"Supplier'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60'	""	"ECU Information'	"3'	"Software version number'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60'	""	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60'	""	"Live Parameters'	"1'	"Vehicle speed'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60'	""	"Live Parameters'	"2'	"Rear left speed sensor'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60'	""	"Live Parameters'	"3'	"Rear right speed sensor'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60'	""	"Live Parameters'	"4'	"Front left speed sensor'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60'	""	"Live Parameters'	"5'	"Front right speed sensor'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60'	""	"Live Parameters'	"6'	"Control unit power supply'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60'	""	"Live Parameters'	"7'	"Brake light switch'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60'	""	"Live Parameters'	"8'	"Brake pad wear switch'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60'	""	"Live Parameters'	"9'	"Brake fluid level'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60'	""	"Live Parameters'	"10'	"Relay for solenoid valve'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60'	""	"Tests'	"1'	"Hydraulic pump ABS'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Adaptations'	"1'	"Steering angle decalibration'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Adaptations'	"2'	"Steering angle calibration'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Adaptations'	"3'	"Lateral acceleration sensor initialization'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Adaptations'	"4'	"Brake pressure sensor initialisation'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"ECU Information'	"2'	"Supplier'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"ECU Information'	"3'	"Software version number'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"ECU Information'	"5'	"Type'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"1'	"Control unit power supply'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"2'	"Vehicle speed'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"3'	"Front left speed sensor'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"4'	"Front right speed sensor'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"5'	"Rear left speed sensor'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"6'	"Rear right speed sensor'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"7'	"Brake pedal switch'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"8'	"Brake fluid level'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"9'	"Brake lining condition'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"10'	"Yaw rate sensor'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"11'	"Brake pressure'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"12'	"Engine speed'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"13'	"Lateral acceleration sensor'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"14'	"Brake pedal switch 2'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"15'	"ESP disarming request'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"16'	"Hand brake'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"17'	"Engine torque request'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"18'	"Steering wheel angle'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"19'	"Communication ABS/ASR engine'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"20'	"Actual gear'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"21'	"CAN: Communication'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"22'	"Actual engine load'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"23'	"Accelerator pedal position'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"24'	"Reference value setting status ASR/MSR'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"25'	"Steering wheel angle sensor'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"26'	"Steering wheel angle sensor'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"27'	"Steering wheel angle sensor'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"28'	"Change of gear in progress'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Live Parameters'	"29'	"Torque converter'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Tests'	"1'	"Hydraulic pump ABS'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Tests'	"2'	"Switching solenoid valve 1'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Tests'	"3'	"Switching solenoid valve 2'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Tests'	"4'	"Limiting solenoid valve 1'
"Citroën'	"C5 I'	"Brake System'	"ABS MK 60 ESP'	""	"Tests'	"5'	"Limiting solenoid valve 2'
"Citroën'	"C5 I'	"Climate Control'	"Valeo'	""	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C5 I'	"Climate Control'	"Valeo'	""	"ECU Information'	"2'	"Supplier'
"Citroën'	"C5 I'	"Climate Control'	"Valeo'	""	"ECU Information'	"3'	"Software version'
"Citroën'	"C5 I'	"Climate Control'	"Valeo'	""	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C5 I'	"Climate Control'	"Valeo'	""	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"C5 I'	"Climate Control'	"Valeo'	""	"Live Parameters'	"2'	"Blower ctrl voltage'
"Citroën'	"C5 I'	"Climate Control'	"Valeo'	""	"Live Parameters'	"3'	"Compartement fan control power'
"Citroën'	"C5 I'	"Climate Control'	"Valeo'	""	"Live Parameters'	"4'	"Compartement temperature'
"Citroën'	"C5 I'	"Climate Control'	"Valeo'	""	"Live Parameters'	"5'	"Treated air temperature'
"Citroën'	"C5 I'	"Climate Control'	"Valeo'	""	"Live Parameters'	"6'	"Temperature sensor inlet air (floor)'
"Citroën'	"C5 I'	"Climate Control'	"Valeo'	""	"Live Parameters'	"7'	"Air distribution valve'
"Citroën'	"C5 I'	"Climate Control'	"Valeo'	""	"Live Parameters'	"8'	"Recirculation actuator'
"Citroën'	"C5 I'	"Climate Control'	"Valeo'	""	"Live Parameters'	"9'	"Distribution position left'
"Citroën'	"C5 I'	"Climate Control'	"Valeo'	""	"Live Parameters'	"10'	"Distribution position right'
"Citroën'	"C5 I'	"Climate Control'	"Valeo'	""	"Live Parameters'	"11'	"Fan +'
"Citroën'	"C5 I'	"Climate Control'	"Valeo'	""	"Live Parameters'	"12'	"Fan -'

"Citroën'	"C5 I'	"Climate Control'	"Valeo'	"	"Live Parameters'	"13'	"Air distribution'
"Citroën'	"C5 I'	"Climate Control'	"Valeo'	"	"Live Parameters'	"14'	"Recirculation'
"Citroën'	"C5 I'	"Climate Control'	"Valeo'	"	"Live Parameters'	"15'	"Auto button'
"Citroën'	"C5 I'	"Climate Control'	"Valeo'	"	"Live Parameters'	"16'	"Defrost button'
"Citroën'	"C5 I'	"Climate Control'	"Valeo'	"	"Live Parameters'	"17'	"AC button'
"Citroën'	"C5 I'	"Climate Control'	"Valeo'	"	"Live Parameters'	"18'	"Windscreen button'
"Citroën'	"C5 I'	"Climate Control'	"Valeo'	"	"Tests'	"1'	"Damper motor, recirculation'
"Citroën'	"C5 I'	"Climate Control'	"Valeo'	"	"Tests'	"2'	"Distribution motor potentiometer'
"Citroën'	"C5 I'	"Climate Control'	"Valeo'	"	"Tests'	"3'	"Left blending flap'
"Citroën'	"C5 I'	"Climate Control'	"Valeo'	"	"Tests'	"4'	"Right blending flap'
"Citroën'	"C5 I'	"Climate Control'	"Valeo'	"	"Tests'	"5'	"Segment'
"Citroën'	"C5 I'	"Climate Control'	"Valeo'	"	"Tests'	"6'	"Cabin fan motor'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Adaptations'	"1'	"Steering angle decalibration'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"1'	"Reference PSA'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"2'	"Software number'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"3'	"Supplier'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"4'	"Diagnostic version'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"5'	"Atmospheric pressure'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"6'	"Fuel temperature'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"7'	"Camshafts sensors power supply'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"8'	"Sensor power supply'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"9'	"Crankshaft / camshaft synchronization'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"10'	"Cruise control switch'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"11'	"Brake pedal switch 1'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"12'	"Brake pedal switch 2'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"13'	"Clutch pedal switch'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"14'	"Overboost pressure measured'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"15'	"Target overboost pressure'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"16'	"Fuel pressure regulator'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"17'	"Measured/requested fuel pressure deviation'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"18'	"Control unit'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"19'	"Immobilisation status'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"20'	"Problems detected during transmission of unlocking code'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"21'	"Inlet air temperature'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"22'	"Coolant temperature'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"23'	"Vehicle speed'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"24'	"Gear detected'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"25'	"With automatic transmission'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"26'	"Accelerator pedal position'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"27'	"Battery voltage'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"28'	"Relay, pre-/post-heating control'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"29'	"A/C cut signal'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"30'	"Engine speed'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"31'	"EGR valve opening'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"32'	"EGR throttle opening'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"33'	"Boost pressure valve duty cycle'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"34'	"Deactivation of piston element in high pressure pump'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"35'	"Pre injection timing'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"36'	"Main injection timing'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"37'	"Fuel pressure regulator'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"38'	"Fuel pressure measured'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"39'	"Calculated fuel quantity'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"40'	"Cylinder 1 fuel trim'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"41'	"Cylinder 2 fuel trim'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"42'	"Cylinder 3 fuel trim'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"43'	"Cylinder 4 fuel trim'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"44'	"Injector voltage Injector 1 and 4'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"45'	"Injector voltage Injector 2 and 3'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"46'	"Choking of particle emission filter'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"47'	"Exhaust gas temperature, upstreams catalytic converter'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"48'	"Exhaust gas temperature, downstreams catalytic converter'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"49'	"Inlet air heater valve'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"50'	"Post injection quantity'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"51'	"Post injection timing'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"52'	"Pressure difference between inlet and outlet in particle emission filter'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"53'	"Total quantity of additive'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"54'	"A/C help request'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"55'	"Activation of power consuming equipment'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"56'	"Airflow'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"57'	"Average distance between the last 5 regenerations'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"58'	"Distance travelled since last regeneration'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"59'	"Software version'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Live Parameters'	"60'	"Software index'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Tests'	"1'	"Electric fan speed 1'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Tests'	"2'	"Electric fan speed 2'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Tests'	"3'	"Fuel pressure regulator'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Tests'	"4'	"Deactivation of piston element in high pressure pump'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Tests'	"5'	"Relay, pre-/post-heating control'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Tests'	"6'	"Solenoid valve, damper (EGR)'

"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Tests'	"7'	"EGR valve'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Tests'	"8'	"Main relay, supply circuit'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Tests'	"9'	"Charging pressure valve'
"Citroën'	"C5 I'	"Engine Diesel'	"4HX 2,2 EDC 15C2'	"	"Tests'	"10'	"Inlet air heater valve'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"ECU Information'	"5'	"Software version'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"1'	"Atmospheric pressure'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"2'	"Fuel temperature'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"3'	"Camshafts sensors power supply'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"4'	"Sensor power supply'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"5'	"Cruise control switch'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"6'	"Fuel pressure regulator'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"7'	"Fuel delivery pressure, desired/current pressure difference'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"8'	"Control unit'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"9'	"Immobilisation status'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"10'	"Problems detected during transmission of unlocking code'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"11'	"Coolant temperature'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"12'	"Inlet air temperature'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"13'	"Vehicle speed'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"14'	"Gear detected'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"15'	"Automatic gearbox'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"16'	"High speed radiator fan relay'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"17'	"Low speed radiator fan relay'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"18'	"Accelerator pedal position sensor'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"19'	"Battery voltage'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"20'	"Relay, pre-/post-heating control'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"21'	"Brake pedal switch'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"22'	"A/C shutdown'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"23'	"Engine speed'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"24'	"Air mass measured'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"25'	"EGR valve'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"26'	"Solenoid valve, damper (EGR)'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"27'	"Pre injection timing'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"28'	"Main injection time'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"29'	"Injectors voltage'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"30'	"Fuel pressure measured'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"31'	"Fuel pressure regulator'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"32'	"Injection amount'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"33'	"Cylinder 1 fuel trim'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"34'	"Cylinder 2 fuel trim'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"35'	"Cylinder 3 fuel trim'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"36'	"Cylinder 4 fuel trim'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"37'	"Deactivation of piston element in high pressure pump'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Tests'	"1'	"EGR valve'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Tests'	"2'	"Solenoid valve, damper (EGR)'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Tests'	"3'	"Deactivation of piston element in high pressure pump'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Tests'	"4'	"Fuel pressure control valve'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Tests'	"5'	"Glowplug relay'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Tests'	"6'	"Main relay'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Tests'	"7'	"Cooling fan high speed'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Tests'	"8'	"Cooling fan low speed'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"ECU Information'	"5'	"Software version'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"1'	"Control unit'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"2'	"Immobilisation status'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"3'	"Problems detected during transmission of unlocking code'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"4'	"Vehicle speed'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"5'	"Gear detected'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"6'	"Electric fan speed 1'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"7'	"Cooling fan, duty factor'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"8'	"Cooling fan speed request'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"9'	"Fuel temperature'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"10'	"Inlet air temperature'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"11'	"Atmospheric pressure'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"12'	"Accelerator pedal position'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"13'	"Battery voltage'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"14'	"Sensor power supply'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"15'	"Ignition +15'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"16'	"Relay, pre-/post-heating control'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"17'	"AC compressor'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"18'	"Brake pedal'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"19'	"Revolution signal'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"20'	"Camshaft position sensor'

"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"21'	"Fuel pressure'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"22'	"Fuel pressure regulator'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"23'	"Fuel flow regulator'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"24'	"Injection amount'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"25'	"Injection valves'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"26'	"Fuel quantity correction cylinder 1'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"27'	"Fuel quantity correction cylinder 2'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"28'	"Fuel quantity correction cylinder 3'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"29'	"Fuel quantity correction cylinder 4'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"30'	"EGR valve'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"31'	"Inlet port shut-off switchover valve'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"32'	"Pre injection timing'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"33'	"Main injection timing'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"34'	"Coolant temperature'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"35'	"Target air mass'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"36'	"Air mass measured'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"37'	"Injection time'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"38'	"Target fuel pressure'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Tests'	"1'	"Electric fan speed 1'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Tests'	"2'	"Electric fan speed 2'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Tests'	"3'	"Fuel pressure regulator'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Tests'	"4'	"Fuel flow regulator'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Tests'	"5'	"EGR valve'
"Citroën'	"C5 I'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Tests'	"6'	"Main relay, supply circuit'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"ECU Information'	"5'	"Software version'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"ECU Information'	"6'	"Software index'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"1'	"Atmospheric pressure'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"2'	"Fuel temperature'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"3'	"Camshafts sensors power supply'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"4'	"Sensor power supply'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"5'	"Crankshaft / camshaft synchronization'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"6'	"Cruise control switch'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"7'	"Overboost pressure measured'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"8'	"Target overboost pressure'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"9'	"Fuel pressure regulator'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"10'	"Measured/requested fuel pressure deviation'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"11'	"Control unit'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"12'	"Immobilisation status'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"13'	"Problems detected during transmission of unlocking code'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"14'	"Inlet air temperature'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"15'	"Coolant temperature'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"16'	"Vehicle speed'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"17'	"Gear detected'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"18'	"With automatic transmission'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"19'	"High speed radiator fan relay'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"20'	"Low speed radiator fan relay'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"21'	"Accelerator pedal position'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"22'	"Battery voltage'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"23'	"Relay, pre-/post-heating control'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"24'	"Brake pedal switch'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"25'	"A/C cut signal'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"26'	"Engine speed'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"27'	"Air mass measured'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"28'	"EGR valve opening'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"29'	"EGR throttle opening'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"30'	"Boost pressure valve duty cycle'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"31'	"Deactivation of piston element in high pressure pump'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"32'	"Pre injection timing'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"33'	"Main injection timing'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"34'	"Fuel pressure regulator'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"35'	"Fuel pressure measured'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"36'	"Calculated fuel quantity'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"37'	"Cylinder 1 fuel trim'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"38'	"Cylinder 2 fuel trim'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"39'	"Cylinder 3 fuel trim'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"40'	"Cylinder 4 fuel trim'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"41'	"Injectors voltage'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"1'	"Electric fan speed 1'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"2'	"Electric fan speed 2'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"3'	"Fuel pressure regulator'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"4'	"Deactivation of piston element in high pressure pump'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"5'	"Relay, pre-/post-heating control'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"6'	"Solenoid valve, damper (EGR)'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"7'	"EGR valve'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"8'	"Main relay, supply circuit'

"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"9'	"Charging pressure valve'
"Citroën'	"C5 I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"10'	"Inlet air heater valve'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"ECU Information'	"8'	"Part version suffix'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"3'	"Torque control'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"4'	"Injection time'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"5'	"Injection shut-off'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"6'	"Accelerator pedal position'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"7'	"Throttle opening'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"8'	"Throttle potentiometer'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"9'	"Coolant temperature'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"10'	"Inlet air temperature'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"11'	"Inlet manifold pressure'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"12'	"Carbon filter solenoid valve'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"13'	"Ignition timing'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"14'	"Ignition coil'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"15'	"Ignition coil'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"16'	"Mixing regulation'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"17'	"Front lambda sensor'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"18'	"Rear lambda sensor'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"19'	"Front lambda sensor'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"20'	"Rear lambda sensor'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"21'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"22'	"AC approved'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"23'	"Input, AC thermostat'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"24'	"Road speed signal'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"25'	"Main relay'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"26'	"Cooling fan relay'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"27'	"Cooling fan, duty factor'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"28'	"Cooling fan speed request'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Tests'	"3'	"Injection valve 1'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Tests'	"4'	"Injection valve 2'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Tests'	"5'	"Injection valve 3'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Tests'	"6'	"Injection valve 4'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Tests'	"7'	"Fuel pump relay'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Tests'	"8'	"AC compressor'
"Citroën'	"C5 I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Tests'	"11'	"Carbon filter solenoid valve'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"ECU Information'	"8'	"Part version suffix'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"1'	"Injection time'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"2'	"Throttle potentiometer'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"3'	"Throttle status'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"4'	"Coolant temperature'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"5'	"Inlet air temperature'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"6'	"Inlet manifold pressure'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"7'	"Stepper motor'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"8'	"Injection shut-off'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"9'	"Carbon filter solenoid valve'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"10'	"Ignition timing'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"11'	"Ignition coil 1'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"12'	"Ignition coil 2'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"13'	"Front lambda sensor'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"14'	"Rear lambda sensor'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"15'	"Fuelmixture'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"16'	"Revolution signal'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"17'	"Battery voltage'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"18'	"AC approved'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"19'	"Input, AC thermostat'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"20'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"21'	"Power relay'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"22'	"Road speed signal'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"23'	"Engine torque'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"24'	"Gear detected'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"25'	"Radiator fan relay'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"26'	"Blower speed'

"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"27'	"Cooling fan'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"1'	"Idle step engine'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"4'	"Fuel pump relay'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"5'	"Injection valve 1'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"6'	"Injection valve 2'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"7'	"Injection valve 3'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"8'	"Injection valve 4'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"9'	"Secondary air pump relay'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"10'	"Carbon filter solenoid valve'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"11'	"EGR valve'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"14'	"Cooling fan'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"8'	"Part version suffix'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"9'	"Emission control'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"1'	"Throttle status'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"2'	"Ignition timing'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"3'	"Ignition coil 1 & 4'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"4'	"Ignition coil 2 & 3'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"5'	"Front lambda sensor'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"6'	"Rear lambda sensor'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"7'	"Mixing adaption'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"8'	"Coolant temperature'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"9'	"Inlet air temperature'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"10'	"Inlet manifold pressure'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"11'	"Carbon filter solenoid valve'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"12'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"13'	"Throttle potentiometer'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"14'	"Air conditioning authorisation'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"15'	"A/C requested'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"16'	"Engine speed'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"17'	"Battery voltage'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"18'	"Injection time'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"19'	"Injection shut-off'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"20'	"Engine load'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"21'	"Vehicle speed'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"22'	"Main relay'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"23'	"Cooling fan relay'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"24'	"Blower speed'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"1'	"Electronic throttle control'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"2'	"Fuel pump relay'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"3'	"Injection valve 1'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"4'	"Injection valve 2'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"5'	"Injection valve 3'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"6'	"Injection valve 4'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"7'	"Carbon filter solenoid valve'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"8'	"Front lambda sensor'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"9'	"Rear lambda sensor'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"10'	"Cooling fan high speed'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"11'	"Cooling fan low speed'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"12'	"Ignition coil 1 & 4'
"Citroën'	"C5 I'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"13'	"Ignition coil 2 & 3'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"ECU Information'	"8'	"Part version suffix'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"1'	"Coolant temperature'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"2'	"Inlet air temperature'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"3'	"Reference value engine temperature'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"4'	"Reference value Inlet air temperature'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"5'	"Engine status'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"6'	"Injection time'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"7'	"Injection shut-off'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"8'	"Throttle potentiometer'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"9'	"Throttle opening'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"10'	"Sensor supply voltage'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"11'	"Battery voltage'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"12'	"Ignition timing'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"13'	"Front lambda sensor'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"14'	"Rear lambda sensor'

"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"15'	"Lambda regulation, probe before catalytic converter'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"16'	"Lambda regulation, probe after catalytic converter'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"17'	"Carbon filter solenoid valve'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"18'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"19'	"Vehicle speed'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"20'	"Gear detected'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"21'	"Air conditioning authorisation'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"22'	"A/C requested'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"23'	"Cooling fan speed request'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"24'	"Cooling fan speed'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"25'	"Cylinder identification sensor'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"26'	"camshaft adjustment'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"27'	"Engine speed'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"28'	"Engine mode'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"29'	"Injection timing adjustment'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"30'	"Engine load'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"31'	"Inlet manifold pressure'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"32'	"Rail pressure sensor'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"33'	"Fuel pressure regulator'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"34'	"Fuel pressure when the engine was cut-off'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"35'	"Pressure sensor, brake servo'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"36'	"EGR valve'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"37'	"EGR valve opening'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"38'	"Signal, pedal travel sensor 1'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"39'	"Signal, pedal travel sensor 2'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"40'	"Automatic enrichment control'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"41'	"Pre-catalytic converter upstream temperature'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Live Parameters'	"42'	"Pre-catalytic converter downstream temperature'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Tests'	"1'	"Ignition coil 1'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Tests'	"2'	"Ignition coil 2'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Tests'	"3'	"Ignition coil 3'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Tests'	"4'	"Ignition coil 4'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Tests'	"5'	"Injection valve 1'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Tests'	"6'	"Injection valve 2'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Tests'	"7'	"Injection valve 3'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Tests'	"8'	"Injection valve 4'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Tests'	"9'	"Fuel pump relay'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Tests'	"10'	"Idle step engine'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Tests'	"11'	"Cooling fan high speed'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Tests'	"12'	"Cooling fan low speed'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Tests'	"13'	"Carbon filter solenoid valve'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Tests'	"14'	"camshaft adjustment solenoid'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Tests'	"15'	"EGR solenoid valve'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Tests'	"16'	"CHECK-ENGINE-lamp'
"Citroën'	"C5 I'	"Engine Petrol'	"RLZ 2,0 Sirius 81'	"	"Tests'	"17'	"Engine temperature high'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Adaptations'	"1'	"Clear adaption memory'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"ECU Information'	"3'	"Diagnostic version'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"ECU Information'	"4'	"Control unit'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"ECU Information'	"5'	"Immobilisation status'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"ECU Information'	"6'	"Problems detected during transmission of unlocking code'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"ECU Information'	"7'	"Part version suffix'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"1'	"Engine speed'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"3'	"Injection time'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"4'	"Injection shut-off'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"5'	"Carbon filter solenoid valve'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"6'	"Coolant temperature'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"7'	"Inlet air temperature'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"8'	"Inlet manifold pressure'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"9'	"Throttle status'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"10'	"Throttle angle'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"11'	"Throttle control valve'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"12'	"Ignition timing'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"13'	"Coil charge time cylinder 1'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"14'	"Coil charge time cylinder 2'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"15'	"Coil charge time cylinder 3'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"16'	"Coil charge time cylinder 4'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"17'	"Coil charge time cylinder 5'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"18'	"Coil charge time cylinder 6'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"19'	"Status of front cylinders upstream oxygen sensor'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"20'	"Status of front cylinders downstream oxygen sensor'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"21'	"Status of rear cylinders upstream oxygen sensor'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"22'	"Status of rear cylinders downstream oxygen sensor'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"23'	"Front cylinders mixture regulation'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"24'	"Voltage of front cylinders upstream oxygen sensor'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"25'	"Voltage of rear cylinders downstream oxygen sensor'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"26'	"Voltage of rear cylinders upstream oxygen sensor'

"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"27'	"Voltage of rear cylinders downstream oxygen sensor'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"28'	"Catalytic converter diagnosis'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"29'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"30'	"Air conditioning authorisation'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"31'	"A/C requested'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"32'	"Engine torque'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"33'	"Vehicle speed'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"34'	"Double relay control circuit'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"35'	"Low speed radiator fan relay'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"36'	"High speed radiator fan relay'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"37'	"Fan control'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"38'	"Variable timing electrovalve, front cylinders'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"39'	"Camshaft position sensor, front cylinders'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"40'	"Variable timing electrovalve, rear cylinders'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"41'	"Camshaft position sensor, rear cylinders'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"1'	"Variable timing electrovalve, front cylinders'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"2'	"Variable timing electrovalve, rear cylinders'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"3'	"Double relay control circuit'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"4'	"Injection valve 1'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"5'	"Injection valve 2'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"6'	"Injection valve 3'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"7'	"Injection valve 4'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"8'	"Injection valve 5'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"9'	"Injection valve 6'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"10'	"Carbon filter solenoid valve'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"11'	"Front lambda sensor'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"12'	"Rear lambda sensor'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"13'	"Cooling fan high speed'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"14'	"Cooling fan low speed'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"15'	"Ignition coil 1'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"16'	"Ignition coil 2'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"17'	"Ignition coil 3'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"18'	"Ignition coil 4'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"19'	"Ignition coil 5'
"Citroën'	"C5 I'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"20'	"Ignition coil 6'
"Citroën'	"C5 I'	"Gearbox / Automatic Transmission'	"4HP 20'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C5 I'	"Gearbox / Automatic Transmission'	"4HP 20'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C5 I'	"Gearbox / Automatic Transmission'	"4HP 20'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C5 I'	"Gearbox / Automatic Transmission'	"4HP 20'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C5 I'	"Gearbox / Automatic Transmission'	"4HP 20'	"	"ECU Information'	"5'	"Software index'
"Citroën'	"C5 I'	"Gearbox / Automatic Transmission'	"4HP 20'	"	"ECU Information'	"6'	"Software version'
"Citroën'	"C5 I'	"Gearbox / Automatic Transmission'	"4HP 20'	"	"Live Parameters'	"1'	"Engine speed'
"Citroën'	"C5 I'	"Gearbox / Automatic Transmission'	"4HP 20'	"	"Live Parameters'	"2'	"Gearbox input rpm'
"Citroën'	"C5 I'	"Gearbox / Automatic Transmission'	"4HP 20'	"	"Live Parameters'	"3'	"Gearbox output rpm'
"Citroën'	"C5 I'	"Gearbox / Automatic Transmission'	"4HP 20'	"	"Live Parameters'	"4'	"Oil temperature'
"Citroën'	"C5 I'	"Gearbox / Automatic Transmission'	"4HP 20'	"	"Live Parameters'	"5'	"Engine torque'
"Citroën'	"C5 I'	"Gearbox / Automatic Transmission'	"4HP 20'	"	"Live Parameters'	"6'	"Accelerator pedal position'
"Citroën'	"C5 I'	"Gearbox / Automatic Transmission'	"4HP 20'	"	"Live Parameters'	"7'	"Pressure control valve 3'
"Citroën'	"C5 I'	"Gearbox / Automatic Transmission'	"4HP 20'	"	"Live Parameters'	"8'	"Pressure control valve 4'
"Citroën'	"C5 I'	"Gearbox / Automatic Transmission'	"4HP 20'	"	"Live Parameters'	"9'	"Pressure control valve 5'
"Citroën'	"C5 I'	"Gearbox / Automatic Transmission'	"4HP 20'	"	"Live Parameters'	"10'	"Pressure control valve 6'
"Citroën'	"C5 I'	"Gearbox / Automatic Transmission'	"4HP 20'	"	"Live Parameters'	"11'	"Selector switch'
"Citroën'	"C5 I'	"Gearbox / Automatic Transmission'	"4HP 20'	"	"Live Parameters'	"12'	"Gear shift program'
"Citroën'	"C5 I'	"Gearbox / Automatic Transmission'	"4HP 20'	"	"Live Parameters'	"13'	"Kick down switch'
"Citroën'	"C5 I'	"Gearbox / Automatic Transmission'	"4HP 20'	"	"Live Parameters'	"14'	"Upper sequential [M+]'
"Citroën'	"C5 I'	"Gearbox / Automatic Transmission'	"4HP 20'	"	"Live Parameters'	"15'	"Lower sequential [M-]'
"Citroën'	"C5 I'	"Gearbox / Automatic Transmission'	"4HP 20'	"	"Live Parameters'	"16'	"Solenoid, shift lock'
"Citroën'	"C5 I'	"Gearbox / Automatic Transmission'	"4HP 20'	"	"Live Parameters'	"17'	"Solenoid valve 1'
"Citroën'	"C5 I'	"Gearbox / Automatic Transmission'	"4HP 20'	"	"Live Parameters'	"18'	"Solenoid valve 2'
"Citroën'	"C5 I'	"Gearbox / Automatic Transmission'	"4HP 20'	"	"Tests'	"1'	"Solenoid valve 1'
"Citroën'	"C5 I'	"Gearbox / Automatic Transmission'	"4HP 20'	"	"Tests'	"2'	"Solenoid valve 2'
"Citroën'	"C5 I'	"Gearbox / Automatic Transmission'	"4HP 20'	"	"Tests'	"3'	"Solenoid, shift lock'
"Citroën'	"C5 I'	"Gearbox / Automatic Transmission'	"4HP 20'	"	"Tests'	"4'	"Pressure control valve 3'
"Citroën'	"C5 I'	"Gearbox / Automatic Transmission'	"4HP 20'	"	"Tests'	"5'	"Pressure control valve 4'
"Citroën'	"C5 I'	"Gearbox / Automatic Transmission'	"4HP 20'	"	"Tests'	"6'	"Pressure control valve 5'
"Citroën'	"C5 I'	"Gearbox / Automatic Transmission'	"4HP 20'	"	"Tests'	"7'	"Pressure control valve 6'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"ECU Information'	"5'	"Diagnostic version'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"Live Parameters'	"1'	"Service indicator'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"Live Parameters'	"2'	"Oil level gauge'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"Live Parameters'	"3'	"With automatic transmission'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"Live Parameters'	"4'	"Unit for odometer'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"Live Parameters'	"5'	"Indication screenwasher fluid level'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"Live Parameters'	"6'	"Rear demist switch'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"Live Parameters'	"7'	"Switch, hazardwarning'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"Live Parameters'	"8'	"Suspension control button'

"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"Live Parameters'	"9'	"Setting, night panel'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"Live Parameters'	"10'	"AC button'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"Live Parameters'	"11'	"Central locking switch'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"Live Parameters'	"12'	"Sport suspension request'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"Live Parameters'	"13'	"Instrument cluster'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"Live Parameters'	"14'	"Reset button, trip meter'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"Live Parameters'	"15'	"Instrument brightness adjustment button'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"Live Parameters'	"16'	"Instrument cluster status'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"Tests'	"1'	"Speed meter gauge 100 km/h'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"Tests'	"2'	"Rpm gauge (4000 Rpm)'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"Tests'	"3'	"Fuel gauge, full tank'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"Tests'	"4'	"Coolant temperature, high'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"Tests'	"5'	"Low oil level'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"Tests'	"6'	"Engine oil temperature'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"Tests'	"7'	"Brightness, instrument panel'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"Tests'	"8'	"Trip meter'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"Tests'	"9'	"Indicator lamps'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"Tests'	"10'	"Automatic gearbox warning light'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"Tests'	"11'	"Battery status indicator'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"Tests'	"12'	"Setting, night panel'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"Tests'	"13'	"Sport suspension push button indicator light'
"Citroën'	"C5 I'	"Instrument / Dashboard'	"Instrument - Valeo'	"	"Tests'	"14'	"Needle motion sensor'
"Citroën'	"C5 I'	"Other'	"Diesel additive - Magneti Marelli'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C5 I'	"Other'	"Diesel additive - Magneti Marelli'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C5 I'	"Other'	"Diesel additive - Magneti Marelli'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C5 I'	"Other'	"Diesel additive - Magneti Marelli'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C5 I'	"Other'	"Diesel additive - Magneti Marelli'	"	"ECU Information'	"5'	"Diagnostic version'
"Citroën'	"C5 I'	"Other'	"Diesel additive - Magneti Marelli'	"	"Live Parameters'	"1'	"Tank level, additive'
"Citroën'	"C5 I'	"Other'	"Diesel additive - Magneti Marelli'	"	"Live Parameters'	"2'	"Fuel cap'
"Citroën'	"C5 I'	"Other'	"Diesel additive - Magneti Marelli'	"	"Live Parameters'	"3'	"Total quantity of diesel additive injected in particular emission filter (counter 1)'
"Citroën'	"C5 I'	"Other'	"Diesel additive - Magneti Marelli'	"	"Tests'	"1'	"Diesel additive pump'
"Citroën'	"C5 I'	"Other'	"Diesel additive - Magneti Marelli'	"	"Tests'	"2'	"Injection valve'
"Citroën'	"C5 I'	"Other'	"Diesel additive - Marwel'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C5 I'	"Other'	"Diesel additive - Marwel'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C5 I'	"Other'	"Diesel additive - Marwel'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C5 I'	"Other'	"Diesel additive - Marwel'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C5 I'	"Other'	"Diesel additive - Marwel'	"	"ECU Information'	"5'	"Diagnostic version'
"Citroën'	"C5 I'	"Other'	"Diesel additive - Marwel'	"	"Live Parameters'	"1'	"Tank level, additive'
"Citroën'	"C5 I'	"Other'	"Diesel additive - Marwel'	"	"Live Parameters'	"2'	"Fuel cap'
"Citroën'	"C5 I'	"Other'	"Diesel additive - Marwel'	"	"Live Parameters'	"3'	"Temperature after particular emission filter (if equipped)'
"Citroën'	"C5 I'	"Other'	"Diesel additive - Marwel'	"	"Live Parameters'	"4'	"Total quantity of diesel additive injected in particular emission filter (counter 1)'
"Citroën'	"C5 I'	"Other'	"Diesel additive - Marwel'	"	"Live Parameters'	"5'	"Total quantity of diesel additive injected from additive reservoir (counter 2)'
"Citroën'	"C5 I'	"Other'	"Diesel additive - Marwel'	"	"Tests'	"1'	"Diesel additive pump'
"Citroën'	"C5 I'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C5 I'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C5 I'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"3'	"Version of program'
"Citroën'	"C5 I'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"4'	"Calibration number'
"Citroën'	"C5 I'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"5'	"Diagnostic version'
"Citroën'	"C5 I'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"6'	"Checking at after line production'
"Citroën'	"C5 I'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"7'	"Checking at factory'
"Citroën'	"C5 I'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"8'	"Checking at supplier'
"Citroën'	"C5 I'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"9'	"Maintenance counter'
"Citroën'	"C5 I'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"10'	"Front satellite sensors PSA reference'
"Citroën'	"C5 I'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"11'	"Front satellites calibration version'
"Citroën'	"C5 I'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"12'	"Front satellites software version'
"Citroën'	"C5 I'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"13'	"Front satellites material version'
"Citroën'	"C5 I'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"1'	"Airbag driver and passenger level 1'
"Citroën'	"C5 I'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"2'	"Airbag driver and passenger level 2'
"Citroën'	"C5 I'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"3'	"Driver knee airbag'
"Citroën'	"C5 I'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"4'	"Switch to disable passenger airbag'
"Citroën'	"C5 I'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"5'	"Frontal side airbag'
"Citroën'	"C5 I'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"6'	"Side head airbags'
"Citroën'	"C5 I'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"7'	"Front pretensioning seatbelts'
"Citroën'	"C5 I'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"8'	"Rear pretensioning seatbelts'
"Citroën'	"C5 I'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"9'	"Frontal left and right satellites'
"Citroën'	"C5 I'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"10'	"Rear left and right satellites'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Adaptations'	"1'	"Configuration, door with mirror folding'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Adaptations'	"2'	"Configuration, window closing on lock command'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Adaptations'	"3'	"Configuration, rear wiper on reverse gear'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Adaptations'	"4'	"Configuration, tyre pressure monitoring'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Adaptations'	"5'	"Configuration, daytime running lights'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Adaptations'	"6'	"Configuration, seat belt detection driver side'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Configurations'	"1'	"Tyre pressure monitoring'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Configurations'	"2'	"Door with mirror folding'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Configurations'	"3'	"Window closing on lock command'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Configurations'	"4'	"Rear wiper on reverse gear'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Configurations'	"5'	"Daytime running light'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Configurations'	"6'	"Seat belt detection driver side'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"ECU Information'	"1'	"Supplier'

"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"ECU Information'	"3'	"Software number'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"ECU Information'	"4'	"VIN code'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"ECU Information'	"5'	"Software version'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"ECU Information'	"6'	"Software index'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"2'	"Economy mode'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"3'	"BSI information'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"4'	"Ignition on'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"5'	"Cranking'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"6'	"Electrical control'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"7'	"Engine status'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"8'	"Alternator voltage'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"9'	"Reasons for CAN bus keep alive'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"10'	"Ignition on'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"11'	"Key reminder buzzer sound'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"12'	"Horn'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"13'	"Main beam headlight control'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"14'	"Position light control'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"15'	"Hazard warning flashers'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"16'	"Reasons for CAN bus keep alive'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"17'	"Alarm horn'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"18'	"Windowlift activation'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"19'	"Luggage space lighting'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"20'	"Interior lighting'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"21'	"Door mirror control'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"22'	"Control module telematic'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"23'	"Reasons for CAN bus keep alive'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"24'	"Self-leveling suspension'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"25'	"Sunroof'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"26'	"Power seat'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"27'	"Memory, drivers seat position'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"28'	"Memory, drivers seat position'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"29'	"Diagnostic tool detected'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"30'	"Comfort function, request'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"31'	"Reasons for CAN bus keep alive'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"32'	"Ignition switch (via CAN)'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"33'	"Switch, hazardwarning'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"34'	"Message'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"35'	"door open'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"36'	"Lock button'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"37'	"Lock status'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"38'	"Reasons for CAN bus keep alive'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"39'	"Opening of bootlid requested'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"40'	"Rear screen opening control'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"41'	"Suspension control button'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"42'	"CD button'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"43'	"no load shedding'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"44'	"preheater plug load shedding'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"45'	"fan unit forced low speed load shedding'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"46'	"Load shedding during particle filter regeneration'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"47'	"deicing load shedding'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"48'	"partial heating load shedding'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"49'	"complete heating load shedding'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"50'	"A/C blower load shedding'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"51'	"A/C compressor load shedding'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"52'	"Evaporator temperature sensor'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"53'	"Evaporator icing safety circuit'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"54'	"A/C compressor status'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"55'	"A/C clutch'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"56'	"High pressure safety'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"57'	"Low pressure safety'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"58'	"Parking brake'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"59'	"Brake pedal'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"60'	"Set cruise acceleration (+)'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"61'	"Set cruise deceleration (-)'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"62'	"Winter program'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"63'	"Sport program'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"64'	"Park/Neutral Switch Circuit Failure'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"65'	"Gearbox selector position (automatic gearbox)'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"66'	"Reverse gear'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"67'	"ESP off switch'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"68'	"Belt lock, driver'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"69'	"Belt lock, passenger'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"70'	"Seat belt lock rear left'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"71'	"Seat belt lock rear right'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"72'	"Rear center seat belt lock'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"73'	"Rear right hand door child safety'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"74'	"Rear left hand door child safety'

"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"75'	"Horn'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"76'	"Horn control'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"77'	"Position light control'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"78'	"Left position light'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"79'	"Right position light'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"80'	"Automatic light switch'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"81'	"Dipped beam'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"82'	"Dipped beam control'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"83'	"Headlamp flasher'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"84'	"Switch for main/dipped light'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"85'	"Main beam'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"86'	"Left side direction indicator lamp'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"87'	"Right side direction indicator lamp'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"88'	"Hazard warning lights'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"89'	"Trailer turn indicator, left side'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"90'	"Trailer turn indicator, right side'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"91'	"Rear fog light control'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"92'	"Interior light requested'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"93'	"Interior lighting'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"94'	"Bootlid light control'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"95'	"Passenger compartment monitoring'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"96'	"Alarm from passenger compartment monitoring'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"97'	"Ecu locked'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"98'	"Transponder code'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"99'	"BSI paired with engine control unit'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"100'	"Programmed keys'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"101'	"Access code learnt'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"102'	"BSI with anti-scanning'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"103'	"Number of learnt remote controls'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"104'	"BSI ready for programming'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"105'	"Key 1'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"106'	"Key 2'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"107'	"Key 3'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"108'	"Key 4'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"109'	"Key 5'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"110'	"Remote battery low'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"111'	"Transponder antiscanning active'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"112'	"Reception of valid remote control message'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"113'	"Reception of invalid remote control message'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"114'	"Remote control, button 1'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"115'	"Remote control, button 2'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"116'	"Remote control, button 3'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"117'	"Remote control, button 4'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"118'	"Vehicle locked status'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"119'	"Vehicle locking/unlocking'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"120'	"Temperature disconnection centrallocking'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"121'	"Driver's door locking'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"122'	"Passengers door locking'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"123'	"Central locking, locking'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"124'	"Central locking, unlocking'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"125'	"Locks deadlocking control'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"126'	"Opening of bootlid requested'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"127'	"Boot lid opening control'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"128'	"Rear screen opening button'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"129'	"Rear screen opening control'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"130'	"Left front door'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"131'	"Right front door'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"132'	"Rear right door'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"133'	"Rear left door'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"134'	"Boot'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"135'	"Driving range to next servicing [km]'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"136'	"Maintenance counter'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"137'	"Outside temperature'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"138'	"Engine coolant level warning lamp'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"139'	"Coolant temperature'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"140'	"Water in diesel detector'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"141'	"Engine oil temperature'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"142'	"Engine oil level'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"143'	"Oil pressure warning'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"144'	"Fuel level sensor'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"145'	"Gross fuel level'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"146'	"Filtered fuel level'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"147'	"Outside temperature'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"148'	"Brake fluid level lamp'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"149'	"Current odometer reading'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"150'	"Average fuel consumption'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"151'	"Levelled consumption'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"152'	"ESP control light'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"153'	"Alarm LED'

"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"154'	"Window rear left, up'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"155'	"Window rear right, up'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"156'	"Window rear left, down'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"157'	"Window rear right, down'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"158'	"Automatic wipe mode'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"159'	"Windscreen wipers switch, step 1'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"160'	"Windscreen wipers switch, step 2'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"161'	"Windscreen wiper parked position'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"162'	"Washers, front, requested'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"163'	"Control circuit windshield washer pump'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"164'	"Head light cleaning'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"165'	"Rear wiper requested'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"166'	"Rear screen wiper'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"167'	"Rear screen wiper parked position'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"168'	"Washer, rear, requested'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"169'	"Control circuit rear window washer pump'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Live Parameters'	"170'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Tests'	"1'	"Horn activation'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Tests'	"2'	"Dipped beam'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Tests'	"3'	"Main beam'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Tests'	"4'	"Left position light'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Tests'	"5'	"Right position light'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Tests'	"6'	"Left flasher'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Tests'	"7'	"Right flasher'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Tests'	"8'	"Rear fog lights'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Tests'	"9'	"Interior lighting'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Tests'	"10'	"Central locking, locking'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Tests'	"11'	"Central locking, unlocking'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Tests'	"12'	"Boot lid opening control'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Tests'	"13'	"Rear screen opening control'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Tests'	"14'	"Window rear left, up'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Tests'	"15'	"Window rear right, up'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Tests'	"16'	"Window rear left, down'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Tests'	"17'	"Window rear right, down'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Tests'	"18'	"Rear screen wiper'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Tests'	"19'	"Windscreen washer'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Tests'	"20'	"Rear washer'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Tests'	"21'	"Headlight washer'
"Citroën'	"C5 II'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"C5 II BSI'	"Tests'	"22'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"ECU Information'	"5'	"Diagnostic version'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"1'	"Supply voltage'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"2'	"Front left wheel speed sensor'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"3'	"Front right wheel speed sensor'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"4'	"Rear left wheel speed sensor'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"5'	"Rear right wheel speed sensor'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"6'	"Vehicle speed'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"7'	"Brake light switch'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"8'	"Brake pad wear'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"9'	"Brake fluid level'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"10'	"Valve relay, ABS'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"11'	"Yaw rate value'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"12'	"Lateral acceleration'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"13'	"Steering wheel angle'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"14'	"Brake pressure'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"15'	"Engine speed'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"16'	"Secondary brake contact'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"17'	"Parking brake'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"18'	"Engine torque requested by driver'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"19'	"Communication ABS/ASR engine'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"20'	"Engaged gear AT'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"21'	"Diagnosis status'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"22'	"Steering wheel angle sensor'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"23'	"Steering wheel angle sensor'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"24'	"Steering wheel angle sensor'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"25'	"Steering wheel turn'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"26'	"Engine torque, actual value'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"27'	"Accelerator pedal position'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"28'	"Change of gear in progress'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"29'	"Selector lever position'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Live Parameters'	"30'	"Torque converter'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Tests'	"1'	"Solenoid valve, left front'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Tests'	"2'	"Solenoid valve, right front'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Tests'	"3'	"Solenoid valve, left rear'
"Citroën'	"C5 II'	"Brake System'	"ABS MK 60 ESP'	"	"Tests'	"4'	"Solenoid valve, right rear'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"ECU Information'	"1'	"Reference PSA'

"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"ECU Information'	"5'	"Calibration version'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"ECU Information'	"6'	"Diagnostics indicator'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"Live Parameters'	"1'	"Compartment temperature'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"Live Parameters'	"2'	"Air humidity sensor'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"Live Parameters'	"3'	"Evaporator temperature sensor'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"Live Parameters'	"4'	"Sun sensor left cell'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"Live Parameters'	"5'	"Sun sensor right cell'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"Live Parameters'	"6'	"Compartment fan control power'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"Live Parameters'	"7'	"Recirculation flap position'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"Live Parameters'	"8'	"Distribution position left'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"Live Parameters'	"9'	"Distribution position right'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"Live Parameters'	"10'	"Left blending flap'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"Live Parameters'	"11'	"Right blending flap'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"Live Parameters'	"12'	"Windscreen button'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"Live Parameters'	"13'	"Auto button'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"Live Parameters'	"14'	"Recirculation button'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"Live Parameters'	"15'	"Defrost button'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"Live Parameters'	"16'	"Left (+) button temperature setting'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"Live Parameters'	"17'	"Left (-) button temperature setting'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"Live Parameters'	"18'	"Right (+) button temperature setting'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"Live Parameters'	"19'	"Right (-) button temperature setting'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"Live Parameters'	"20'	"Blower + button'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"Live Parameters'	"21'	"Blower - button'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"Tests'	"1'	"Recycling motor control'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"Tests'	"2'	"Distribution position left'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"Tests'	"3'	"Distribution position right'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"Tests'	"4'	"LH mixing actuator'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"Tests'	"5'	"RH mixing actuator'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"Tests'	"6'	"Illumination'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"Tests'	"7'	"Fan motor'
"Citroën'	"C5 II'	"Climate Control'	"Visteon'	"	"Tests'	"8'	"Button light'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Adaptations'	"1'	"EGR valve'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Adaptations'	"2'	"Regeneration'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Adaptations'	"3'	"Filling of diesel additive'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Adaptations'	"4'	"Refilling hose with additive'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Adaptations'	"5'	"Particle filter replaced'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Adaptations'	"6'	"Turbo 2 solenoid valve exhaust'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Adaptations'	"7'	"Intake air shut-off solenoid valve'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Adaptations'	"8'	"Air flow meter/Air mass meter'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Adaptations'	"9'	"Clear adaption memory'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Adaptations'	"10'	"O2 sensor'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"ECU Information'	"5'	"ECU status'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"ECU Information'	"8'	"Software version'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"ECU Information'	"9'	"Software index'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"1'	"Regulation waste gate valve'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"2'	"Turbo 2 solenoid valve exhaust, target value'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"3'	"Turbo 2 solenoid valve exhaust'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"4'	"Turbo 2 solenoid valve inlet'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"5'	"Bypass valve (turbo)'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"6'	"Atmospheric pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"7'	"Desired boost pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"8'	"Overboost pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"9'	"Turbo charging pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"10'	"Turbo 2 pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"11'	"Turbo pressure when cranking'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"12'	"Air flow when cranking'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"13'	"Main injection duration'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"14'	"Pre-injection 1 duration'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"15'	"Pre-injection 2 duration'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"16'	"O2 sensor'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"17'	"Richness'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"18'	"O2 sensor'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"19'	"Richness correction by O2 sensor'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"20'	"O2 sensor heating'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"21'	"EGR valve programming'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"22'	"Intake air shut-off solenoid valve programming'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"23'	"Boost pressure control valve programming'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"24'	"Engine speed'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"25'	"Accelerator pedal position 1'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"26'	"Accelerator pedal position 1'

"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"27'	"Accelerator pedal position 2'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"28'	"Accelerator pedal position 2'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"29'	"Kick-down'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"30'	"Vehicle speed'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"31'	"Brake pedal'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"32'	"Clutch pedal'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"33'	"Cruise control'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"34'	"Cruise control'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"35'	"Speed limitation'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"36'	"Gearbox type'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"37'	"Gear'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"38'	"Coolant temperature'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"39'	"Battery voltage'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"40'	"A/C pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"41'	"Fan speed'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"42'	"Fan speed reference value'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"43'	"Air mass'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"44'	"Air mass reference value'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"45'	"EGR-valve demand'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"46'	"Feedback, EGR-valve'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"47'	"Intake air shut-off solenoid valve'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"48'	"Intake air shut-off solenoid valve feedback'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"49'	"Air inlet sensor'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"50'	"Intake manifold'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"51'	"Fuel pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"52'	"Target fuel pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"53'	"Fuel pressure regulation'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"54'	"Fuel pressure regulation'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"55'	"Fuel flow regulator'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"56'	"Fuel flow regulator'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"57'	"Fuel temperature'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"58'	"Injection quantity'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"59'	"Fuel quantity correction cylinder 1'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"60'	"Fuel quantity correction cylinder 2'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"61'	"Fuel quantity correction cylinder 3'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"62'	"Fuel quantity correction cylinder 4'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"63'	"Calibration of injector minimum flow'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"64'	"Injector cylinder 1'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"65'	"Injector cylinder 2'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"66'	"Injector cylinder 3'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"67'	"Injector cylinder 4'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"68'	"Content of soot in the particle emission filter'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"69'	"Distance travelled since last regeneration'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"70'	"Exhaust gas temperature, downstreams catalytic converter'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"71'	"Pressure difference between inlet and outlet in particle emission filter'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"72'	"Airflow'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"73'	"Distance travelled since particle filter replaced'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"74'	"Average distance between 2 regenerations'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"75'	"Total quantity of additive'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"76'	"Tank level, additive'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"77'	"Level in additive tank is low'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"78'	"Synchronising between camshaft and crankshaft'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"79'	"Pilot 1 injection'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"80'	"Pilot 2 injection'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"81'	"Main injection'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"82'	"Pilot 1 injection'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"83'	"Pilot 2 injection'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"84'	"Main injection'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"85'	"Glow plug state'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"86'	"Additional heating'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Live Parameters'	"87'	"Oil temperature'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Tests'	"1'	"Cooling fan high speed'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Tests'	"2'	"Injection pump regulator'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Tests'	"3'	"Fuel pressure regulation'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Tests'	"4'	"Diesel additive pump'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Tests'	"5'	"Preheating'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Tests'	"6'	"EGR valve'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Tests'	"7'	"Heater relay 1'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Tests'	"8'	"Intake air shut-off solenoid valve'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Tests'	"9'	"Heater relay 2'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Tests'	"10'	"Regulation waste gate valve'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Tests'	"11'	"Power relay'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Tests'	"12'	"Turbo 2 solenoid valve exhaust'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Tests'	"13'	"Turbo 2 solenoid valve inlet'
"Citroën'	"C5 II'	"Engine Diesel'	"4HS 2,2 EDC 16CP39'	"	"Tests'	"14'	"Bypass valve (turbo)'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Adaptations'	"1'	"EGR valve'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Adaptations'	"2'	"Regeneration'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"ECU Information'	"2'	"Supplier'

"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"ECU Information'	"5'	"ECU status'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"ECU Information'	"8'	"Software version'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"1'	"Regulation waste gate valve'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"2'	"Turbo 2 solenoid valve exhaust, target value'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"3'	"Turbo 2 solenoid valve exhaust'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"4'	"Turbo 2 solenoid valve inlet'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"5'	"Bypass valve (turbo)'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"6'	"Atmospheric pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"7'	"Overboost pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"8'	"Overboost pressure measured'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"9'	"Turbo charging pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"10'	"Turbo 2 pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"11'	"Turbo pressure when cranking'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"12'	"Air flow when cranking'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"13'	"Turbo transition'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"14'	"Main injection duration'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"15'	"Pre-injection 1 duration'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"16'	"Pre-injection 2 duration'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"17'	"O2 sensor'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"18'	"Richness'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"19'	"O2 sensor'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"20'	"Richness correction by O2 sensor'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"21'	"O2 sensor heating'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"22'	"EGR valve programming'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"23'	"Intake air shut-off solenoid valve programming'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"24'	"Boost pressure control valve programming'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"25'	"Engine speed'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"26'	"Engine torque'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"27'	"Vehicle speed'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"28'	"Accelerator pedal position 1'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"29'	"Accelerator pedal signal 1'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"30'	"Accelerator pedal position 2'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"31'	"Accelerator pedal signal 2'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"32'	"Kick-down'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"33'	"Gear'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"34'	"Brake pedal'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"35'	"Cruise control'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"36'	"Cruise control'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"37'	"Speed limitation'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"38'	"Clutch pedal'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"39'	"Gearbox type'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"40'	"Coolant temperature'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"41'	"Battery voltage'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"42'	"Air conditioning'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"43'	"Fan speed'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"44'	"Fan speed reference value'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"45'	"Air mass'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"46'	"Air mass reference value'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"47'	"EGR valve opening'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"48'	"EGR valve position recopy'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"49'	"Intake air shut-off solenoid valve'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"50'	"Intake air shut-off solenoid valve feedback'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"51'	"Air inlet sensor'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"52'	"Intake manifold'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"53'	"Fuel pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"54'	"Target fuel pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"55'	"Fuel pressure regulation'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"56'	"Fuel pressure regulator'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"57'	"Fuel flow regulator'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"58'	"Fuel flow regulator'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"59'	"Fuel temperature'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"60'	"Injection quantity'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"61'	"Fuel quantity correction cylinder 1'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"62'	"Fuel quantity correction cylinder 2'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"63'	"Fuel quantity correction cylinder 3'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"64'	"Fuel quantity correction cylinder 4'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"65'	"Calibration of injector minimum flow'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"66'	"Injector cylinder 1'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"67'	"Injector cylinder 2'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"68'	"Injector cylinder 3'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"69'	"Injector cylinder 4'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"70'	"Content of soot in the particle emission filter'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"71'	"Distance travelled since last regeneration'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"72'	"Exhaust gas temperature, downstreams catalytic converter'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"73'	"Pressure difference between inlet and outlet in particle emission filter'

"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"74'	"Airflow'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"75'	"Distance travelled since particle filter replaced'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"76'	"Average distance between 2 regenerations'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"77'	"Total quantity of additive'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"78'	"Tank level, additive'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"79'	"Level in additive tank is low'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"80'	"Crankshaft / camshaft synchronization'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"81'	"Pilot 1 injection'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"82'	"Pilot 2 injection'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"83'	"Main injection'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"84'	"Relay, pre-/post-heating control'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"85'	"Additional heating control'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"86'	"Oil temperature'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"87'	"Oil level'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"88'	"Main injection'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"89'	"Pilot 1 injection'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Live Parameters'	"90'	"Pilot 2 injection'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Tests'	"1'	"Cooling fan high speed'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Tests'	"2'	"Injection pump regulator'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Tests'	"3'	"Fuel pressure regulation'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Tests'	"4'	"Diesel additive pump'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Tests'	"5'	"Preheating'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Tests'	"6'	"EGR valve'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Tests'	"7'	"Heater relay 1'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Tests'	"8'	"Intake air shut-off solenoid valve'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Tests'	"9'	"Heater relay 2'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Tests'	"10'	"Regulation waste gate valve'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Tests'	"11'	"Power relay'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Tests'	"12'	"Turbo 2 solenoid valve exhaust'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Tests'	"13'	"Turbo 2 solenoid valve inlet'
"Citroën'	"C5 II'	"Engine Diesel'	"4HT 2,2 EDC 16CP39'	"	"Tests'	"14'	"Bypass valve (turbo)'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Adaptations'	"1'	"EGR valve'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Adaptations'	"2'	"Regeneration'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Adaptations'	"3'	"Intake air bypass valve'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Adaptations'	"4'	"Catalytic particle filter (CPF) change'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Adaptations'	"5'	"Pump, additive'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"ECU Information'	"5'	"ECU status'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"ECU Information'	"8'	"Software version'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"1'	"Vehicle speed'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"2'	"Clutch pedal'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"3'	"Brake pedal'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"4'	"Gear'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"5'	"Atmospheric pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"6'	"Turbo charging pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"7'	"Intake manifold'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"8'	"Air inlet sensor'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"9'	"Fuel temperature'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"10'	"A/C compressor status'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"11'	"A/C status'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"12'	"A/C pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"13'	"Additional heating'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"14'	"Diesel additive'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"15'	"Coolant temperature'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"16'	"Relay fan supply'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"17'	"Fan speed'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"18'	"Fan speed reference value'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"19'	"Programming'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"20'	"Engine speed'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"21'	"Battery voltage'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"22'	"Glow plug state'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"23'	"A/C cut off relay'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"24'	"Synchronising between camshaft and crankshaft'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"25'	"Brake pedal'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"26'	"Air mass'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"27'	"Air mass reference value'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"28'	"Fuel flow regulator'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"29'	"Fuel pump'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"30'	"Feedback, EGR-valve'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"31'	"EGR-valve demand'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"32'	"Engine speed'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"33'	"Accelerator pedal'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"34'	"Fuel pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"35'	"Target fuel pressure'

"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"36'	"Air flow rate'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"37'	"Intake air bypass valve'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"38'	"Intake air shut-off solenoid valve'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"39'	"Desired boost pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"40'	"Turbo wastegate valve position'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"41'	"Injection quantity'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"42'	"Fuel quantity correction cylinder 1'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"43'	"Fuel quantity correction cylinder 2'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"44'	"Fuel quantity correction cylinder 3'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"45'	"Fuel quantity correction cylinder 4'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"46'	"Preinjection'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"47'	"Main injection'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"48'	"Fuel injector control module'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"49'	"Content of soot in the particle emission filter'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"50'	"Distance travelled since last regeneration'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"51'	"Exhaust gas temperature, downstream catalytic converter'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"52'	"Pressure difference between inlet and outlet in particle emission filter'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"53'	"Intake manifold'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"54'	"Intake air bypass valve'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"55'	"Intake air shut-off solenoid valve feedback'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Tests'	"1'	"Cooling fan high speed'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Tests'	"2'	"Cooling fan low speed'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Tests'	"3'	"Injection pump regulator'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Tests'	"4'	"Glow plug relay'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Tests'	"5'	"EGR valve'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Tests'	"6'	"Heater relay 1'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Tests'	"7'	"Intake air shut-off solenoid valve'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Tests'	"8'	"Regulation waste gate valve'
"Citroën'	"C5 II'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Tests'	"9'	"Power relay'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Adaptations'	"1'	"EGR valve'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Adaptations'	"2'	"Regeneration'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"ECU Information'	"1'	"PSA number'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"ECU Information'	"2'	"Supplier code'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"ECU Information'	"3'	"Complementary number'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"ECU Information'	"4'	"Diagnostic issue number'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"ECU Information'	"5'	"Associated parameters number'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"1'	"Engine speed'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"2'	"Vehicle speed'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"3'	"Brake switch'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"4'	"Brake safety switch'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"5'	"Clutch switch'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"6'	"Pedal track 1 raw'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"7'	"Pedal track 2 raw'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"8'	"Pedal position'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"9'	"Kick down switch'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"10'	"Actual gear'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"11'	"Gearbox'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"12'	"Engine state'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"13'	"Engine at idle condition'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"14'	"Cruise control'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"15'	"Programmed speed cruise control'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"16'	"Speed limitation'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"17'	"Speed limiter reference speed'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"18'	"Intake air temperature signal'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"19'	"Coolant temperature'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"20'	"GMV demand'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"21'	"GMV speed'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"22'	"Fan 2 drive'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"23'	"A/C pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"24'	"Battery voltage'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"25'	"Pedal track 1 supply'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"26'	"Pedal track 2 supply'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"27'	"IMV current'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"28'	"Rail pressure control'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"29'	"Rail pressure demand'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"30'	"Rail pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"31'	"IMV drive (PWM)'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"32'	"Fuel quantity'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"33'	"Cylinder balancing offset cylinder 1'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"34'	"Cylinder balancing offset cylinder 3'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"35'	"Cylinder balancing offset cylinder 4'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"36'	"Cylinder balancing offset cylinder 2'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"37'	"Fuel temperature'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"38'	"HSD voltage'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"39'	"Cylinder balance control'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"40'	"Injector control error'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"41'	"Air mass flow demand'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"42'	"Mass air flow sensor'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"43'	"Intake air temperature signal'

"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"44'	"Boost air temperature'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"45'	"EGR throttle solenoid valve PWM'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"46'	"EGR control'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"47'	"EGR valve PWM drive'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"48'	"EGR position'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"49'	"Boost pressure regulation'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"50'	"Atmospheric pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"51'	"Boost Pressure demand'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"52'	"Engine boost pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"53'	"TGV valve position'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"54'	"Turbo valve position'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"55'	"FAP load'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"56'	"Regeneration help state'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"57'	"Temperature after catalyst'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"58'	"Differential Pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"59'	"Electric consumers activation'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"60'	"DPF air flow'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"61'	"Distance covered since DPF change'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"62'	"Distance covered since DPF change'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"63'	"Distance travelled since last regeneration'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"64'	"Distance'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"65'	"FAP additive quantity'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"66'	"Fuel Additive Level Low'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"67'	"Additive reservoir volume'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"68'	"Synchronisation state'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"69'	"PPH control state'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"70'	"Additional heater drive 1'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"71'	"Additional heater drive 2'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"72'	"Main fuel demand'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"73'	"Main pulse'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"74'	"DCU relay state'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"75'	"First DPF additivation not done'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Tests'	"1'	"Injector cylinder 1'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Tests'	"2'	"Injector cylinder 2'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Tests'	"3'	"Injector cylinder 3'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Tests'	"4'	"Injector cylinder 4'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Tests'	"5'	"DCU feed relay'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Tests'	"6'	"PPH controller'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Tests'	"7'	"Additional heater'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Tests'	"8'	"Cooling fan low speed'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Tests'	"9'	"Cooling fan high speed'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Tests'	"10'	"IMV'
"Citroën'	"C5 II'	"Engine Diesel'	"RHL 2.0 DCM3.4 (DW10BTED4)'	""	"Tests'	"11'	"EGR throttle'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"Adaptations'	"1'	"EGR valve'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"Adaptations'	"2'	"Regeneration'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"ECU Information'	"1'	"PSA number'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"ECU Information'	"2'	"Supplier code'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"ECU Information'	"3'	"Complementary number'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"ECU Information'	"4'	"Diagnostic issue number'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"ECU Information'	"5'	"Associated parameters number'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"1'	"Engine speed'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"2'	"Vehicle speed'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"3'	"Brake switch'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"4'	"Brake safety switch'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"5'	"Clutch switch'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"6'	"Pedal track 1 raw'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"7'	"Pedal track 2 raw'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"8'	"Pedal position'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"9'	"Kick down switch'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"10'	"Actual gear'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"11'	"Gearbox'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"12'	"Engine state'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"13'	"Engine at idle condition'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"14'	"Cruise control'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"15'	"Programmed speed cruise control'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"16'	"Speed limitation'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"17'	"Speed limiter reference speed'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"18'	"Intake air temperature signal'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"19'	"Coolant temperature'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"20'	"GMV demand'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"21'	"GMV speed'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"22'	"Fan 2 drive'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"23'	"A/C pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"24'	"Battery voltage'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"25'	"Pedal track 1 supply'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"26'	"Pedal track 2 supply'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"27'	"IMV current'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"28'	"Rail pressure control'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	""	"Live Parameters'	"29'	"Rail pressure demand'

"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"30'	"Rail pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"31'	"IMV drive (PWM)'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"32'	"Fuel quantity'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"33'	"Cylinder balancing offset cylinder 1'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"34'	"Cylinder balancing offset cylinder 3'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"35'	"Cylinder balancing offset cylinder 4'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"36'	"Cylinder balancing offset cylinder 2'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"37'	"Fuel temperature'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"38'	"HSD voltage'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"39'	"Cylinder balance control'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"40'	"Injector control error'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"41'	"Air mass flow demand'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"42'	"Mass air flow sensor'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"43'	"Intake air temperature signal'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"44'	"Boost air temperature'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"45'	"EGR throttle solenoid valve PWM'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"46'	"EGR control'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"47'	"EGR valve PWM drive'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"48'	"EGR position'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"49'	"Boost pressure regulation'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"50'	"Atmospheric pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"51'	"Boost Pressure demand'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"52'	"Engine boost pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"53'	"TGV valve position'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"54'	"Turbo valve position'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"55'	"FAP load'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"56'	"Regeneration help state'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"57'	"Temperature after catalyst'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"58'	"Differential Pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"59'	"Electric consumers activation'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"60'	"DPF air flow'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"61'	"Distance covered since DPF change'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"62'	"Distance covered since DPF change'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"63'	"Distance travelled since last regeneration'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"64'	"Distance'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"65'	"FAP additive quantity'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"66'	"Fuel Additive Level Low'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"67'	"Additive reservoir volume'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"68'	"Synchronisation state'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"69'	"PPH control state'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"70'	"Additional heater drive 1'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"71'	"Additional heater drive 2'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"72'	"Main fuel demand'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"73'	"Main pulse'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"74'	"DCU relay state'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"75'	"First DPF additivation not done'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Tests'	"1'	"Injector cylinder 1'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Tests'	"2'	"Injector cylinder 2'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Tests'	"3'	"Injector cylinder 3'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Tests'	"4'	"Injector cylinder 4'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Tests'	"5'	"DCU feed relay'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Tests'	"6'	"PPH controller'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Tests'	"7'	"Additional heater'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Tests'	"8'	"Cooling fan low speed'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Tests'	"9'	"Cooling fan high speed'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Tests'	"10'	"IMV'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Tests'	"11'	"EGR throttle'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Adaptations'	"1'	"EGR valve'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Adaptations'	"2'	"Regeneration'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Adaptations'	"3'	"Filling of diesel additive'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Adaptations'	"4'	"Refilling hose with additive'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Adaptations'	"5'	"Particle filter replaced'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Adaptations'	"6'	"Injector programming cylinder 1'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Adaptations'	"7'	"Injector programming cylinder 2'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Adaptations'	"8'	"Injector programming cylinder 3'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Adaptations'	"9'	"Injector programming cylinder 4'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"ECU Information'	"3'	"Diagnostic version'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"ECU Information'	"4'	"ECU status'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"ECU Information'	"5'	"Immobilisation status'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"ECU Information'	"6'	"Problems detected during transmission of unlocking code'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"ECU Information'	"7'	"Software version'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"1'	"Engine speed'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"2'	"Target overboost pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"3'	"Overboost pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"4'	"Air inlet temperature'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"5'	"Coolant temperature'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"6'	"Sensor supply voltage 1'

"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"7'	"Sensor supply voltage 2'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"8'	"Coolant temperature'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"9'	"EGR valve opening'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"10'	"EGR valve position recopy'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"11'	"Intake air bypass valve'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"12'	"Wastegate duty cycle'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"13'	"Wastegate target position'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"14'	"Wastegate position'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"15'	"Air conditioning authorisation'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"16'	"Input, AC thermostat'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"17'	"AC pressure sensor'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"18'	"Degas valve'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"19'	"Control relay'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"20'	"Vehicle speed'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"21'	"Cooling fan relay'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"22'	"Fan speed'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"23'	"Engine speed'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"24'	"Air inlet sensor'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"25'	"Fuel temperature'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"26'	"Atmospheric pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"27'	"Accelerator pedal position'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"28'	"Battery voltage'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"29'	"Ignition +15'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"30'	"Relay, pre-/post-heating control'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"31'	"Brake pedal'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"32'	"Redundant brake pedal'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"33'	"Air conditioning'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"34'	"Fuel pressure measured'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"35'	"Injection quantity'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"36'	"Air mass'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"37'	"Preinjection'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"38'	"Main injection'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"39'	"Injector voltage'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"40'	"Fuel quantity correction cylinder 1'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"41'	"Fuel quantity correction cylinder 2'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"42'	"Fuel quantity correction cylinder 3'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"43'	"Fuel quantity correction cylinder 4'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"44'	"Fuel pressure regulator'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"45'	"Fuel flow regulator'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"46'	"EGR valve opening'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"47'	"Intake air shut-off solenoid valve'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"48'	"Content of soot in the particle emission filter'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"49'	"Regeneration status'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"50'	"Exhaust gas temperature, downstreams catalytic converter'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"51'	"Particle filter differential pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"52'	"Air inlet sensor'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"53'	"Total quantity of additive'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"54'	"Consumer activation'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"55'	"Airflow'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"56'	"Driving state'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"57'	"Distance travelled since last regeneration'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"58'	"Distance travelled since particle filter replaced'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"59'	"Content of soot in the particle emission filter'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"60'	"Distance remaining until particle filter replacement'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"61'	"Theoretical distance remaining before total filling of particle filter'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"62'	"Average distance between the last 5 regenerations'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"63'	"Load state particle filter'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"64'	"Particle filter regeneration'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"65'	"Coolant temperature'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"66'	"Fuel pressure'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"67'	"Air mass reference value'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"68'	"Injection time'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"69'	"Crankshaft / camshaft synchronization'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"70'	"Engine status'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"71'	"Engine status'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"72'	"Injection shut-off'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Tests'	"1'	"Cooling fan'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Tests'	"2'	"Glow plug relay'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Tests'	"3'	"EGR valve'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Tests'	"4'	"Intake air shut-off solenoid valve'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Tests'	"5'	"Intake air bypass valve'
"Citroën'	"C5 II'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Tests'	"6'	"Wastegate Solenoid Circuit'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'

"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"ECU Information'	"8'	"Part version suffix'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"1'	"Engine speed'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"3'	"Injection time'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"4'	"Injection shut-off'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"5'	"Coolant temperature'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"6'	"Inlet air temperature'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"7'	"Inlet manifold pressure'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"8'	"Throttle status'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"9'	"Throttle potentiometer'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"10'	"Ignition timing'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"11'	"Coil charge time cylinder 1'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"12'	"Coil charge time cylinder 2'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"13'	"Coil charge time cylinder 3'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"14'	"Coil charge time cylinder 4'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"15'	"Front lambda sensor'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"16'	"Rear lambda sensor'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"17'	"Mixing adaption'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"18'	"Carbon filter solenoid valve'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"19'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"20'	"Air conditioning authorisation'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"21'	"Main relay'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"22'	"Engine load'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"23'	"Vehicle speed'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"24'	"Cooling fan relay'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"25'	"Blower speed'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Tests'	"1'	"Electronic throttle control'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Tests'	"2'	"Ignition coil 1'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Tests'	"3'	"Ignition coil 2'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Tests'	"4'	"Ignition coil 3'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Tests'	"5'	"Ignition coil 4'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Tests'	"6'	"Fuel pump relay'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Tests'	"7'	"Injection valve 1'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Tests'	"8'	"Injection valve 2'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Tests'	"9'	"Injection valve 3'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Tests'	"10'	"Injection valve 4'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Tests'	"11'	"Carbon filter solenoid valve'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Tests'	"12'	"Front lambda sensor'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Tests'	"13'	"Rear lambda sensor'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Tests'	"14'	"Cooling fan high speed'
"Citroën'	"C5 II'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Tests'	"15'	"Cooling fan low speed'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Adaptations'	"1'	"Clear adaption memory'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"5'	"Supplier'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"6'	"System'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"7'	"Application'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"8'	"Version index'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"9'	"Version index'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"1'	"Write date of last after sales operation'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"2'	"Selector lever position'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"3'	"Multifunction switch P/N'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"4'	"Multifunction switch S4 (active in R,D,M,3)'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"5'	"Multifunction switch S3 (active in R,N,3,2)'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"6'	"Multifunction switch S2 (active in P,R,2)'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"7'	"Multifunction switch S1 (active in 3,2,M,M+)'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"8'	"Switch 1 (active in M-)'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"9'	"Accelerator pedal position'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"10'	"Engine torque (from CAN)'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"11'	"Battery voltage'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"12'	"Brake light switch 1, normally open contact'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"13'	"Brake light switch 2, normally closed contact'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"14'	"Kick down switch'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"15'	"Oil pressure'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"16'	"Oil pressure sensor'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"17'	"Oil temperature'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"18'	"Oil temperature sensor'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"19'	"Gear shift program'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"20'	"Oil temperature'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"21'	"Oil change'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"22'	"Solenoid valve supply'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"23'	"Torque control'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"24'	"Solenoid, shift lock'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"25'	"Torque converter lock-up clutch'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"26'	"Solenoid valve 1'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"27'	"Solenoid valve 2'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"28'	"Solenoid valve 3'

"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"29'	"Solenoid valve 4'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"30'	"Solenoid valve 5'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"31'	"Solenoid valve 6'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"32'	"Heat exchanger solenoid'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"33'	"Operating state'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"34'	"Program selector switch'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"35'	"Selector switch'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"36'	"Engine speed'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"37'	"Gearbox input rpm'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"38'	"Gearbox output rpm'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"39'	"Requested oil pressure'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"40'	"Oil pressure'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"41'	"Oil temperature'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"42'	"Oil pressure regulation solenoid valve, activation time'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"43'	"Torque converter lock up solenoid valve, activation time'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"44'	"Date of last oil change'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"45'	"Oil deterioration'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"1'	"Oil pressure regulation solenoid valve'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"2'	"Lock-up solenoid'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"3'	"Solenoid, shift lock'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"4'	"Solenoid valve 1'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"5'	"Solenoid valve 2'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"6'	"Solenoid valve 3'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"7'	"Solenoid valve 4'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"8'	"Solenoid valve 5'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"9'	"Solenoid valve 6'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"10'	"Heat exchanger solenoid'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Adaptations'	"1'	"Neutral position'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Adaptations'	"2'	"Clear adaption memory'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Adaptations'	"3'	"Oil change'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"ECU Information'	"4'	"Software index'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"ECU Information'	"5'	"Supplier'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"ECU Information'	"6'	"System'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"ECU Information'	"7'	"Application'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"ECU Information'	"8'	"Version index'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"ECU Information'	"9'	"Version index'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"1'	"Oil change'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"2'	"Transmission control module'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"3'	"Check engine lamp'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"4'	"Selector lever position'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"5'	"Gear'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"6'	"Torque converter'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"7'	"Accelerator pedal position'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"8'	"Wake up line, status'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"9'	"Winter switch'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"10'	"Sport switch'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"11'	"Brake pedal'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"12'	"Redundant brake pedal'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"13'	"Gearbox torque, reference value'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"14'	"Engine torque limitation'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"15'	"Engine torque requested by driver'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"16'	"ESP regulation'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"17'	"Front wheels average speed'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"18'	"Speed of rear R/H wheel'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"19'	"Speed of rear L/H wheel'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"20'	"Front wheels average speed'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"21'	"Engine speed'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"22'	"Battery voltage'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"23'	"Gearbox oil temperature'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"24'	"Outside temperature'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"25'	"Coolant temperature'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"26'	"Engine torque'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"27'	"Solenoid S1'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"28'	"Solenoid S1 (return)'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"29'	"Solenoid S2'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"30'	"Solenoid S2 (return)'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"31'	"Lock-up solenoid (reference value)'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"32'	"Lock-up solenoid'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"33'	"Line pressure solenoid (reference value)'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"34'	"Line pressure solenoid'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"35'	"SLB1 (Linear solenoid valve - brake 1) pressure (reference value)'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"36'	"SLB1 (Linear solenoid valve - brake 1) pressure'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"37'	"SLC1 (Linear solenoid valve - clutch 1) pressure (reference value)'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"38'	"SLC1 (Linear solenoid valve - clutch 1) pressure'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"39'	"SLC2 (Linear solenoid valve - clutch 2) pressure (reference value)'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"40'	"SLC2 (Linear solenoid valve - clutch 2) pressure'

"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"41'	"SLC3 (Linear solenoid valve - clutch 3) pressure (reference value)'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"42'	"SLC3 (Linear solenoid valve - clutch 3) pressure'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"43'	"Gearbox input rpm'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"44'	"Gearbox input rpm, target value'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"45'	"Gearbox output rpm'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"46'	"Gearbox output rpm, target value'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"47'	"Torque converter slip actual'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"48'	"Torque converter slip desired'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"49'	"Limp home mode'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"50'	"Limp home mode (temporarily)'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"51'	"Status gearbox'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"52'	"Wake up line, status'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"53'	"Cruise control or variable speed limiter'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"54'	"Upshift'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"55'	"Downshift'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"56'	"Starter lockout'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"57'	"Shift lock function'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"58'	"Oil deterioration'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Tests'	"1'	"Solenoid S1'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Tests'	"2'	"Solenoid S2'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Tests'	"3'	"Converter lock up solenoid AT'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Tests'	"4'	"Line pressure solenoid'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Tests'	"5'	"SLB1 (Linear solenoid valve - brake 1) pressure'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Tests'	"6'	"SLC1 (Linear solenoid valve - clutch 1) pressure'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Tests'	"7'	"SLC2 (Linear solenoid valve - clutch 2) pressure'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Tests'	"8'	"SLC3 (Linear solenoid valve - clutch 3) pressure'
"Citroën'	"C5 II'	"Gearbox / Automatic Transmission'	"AM6'	"	"Tests'	"9'	"Shift lock function'
"Citroën'	"C5 II'	"Headlight'	"Valeo (Xenon)'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C5 II'	"Headlight'	"Valeo (Xenon)'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C5 II'	"Headlight'	"Valeo (Xenon)'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C5 II'	"Headlight'	"Valeo (Xenon)'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C5 II'	"Headlight'	"Valeo (Xenon)'	"	"ECU Information'	"5'	"Diagnostics indicator'
"Citroën'	"C5 II'	"Headlight'	"Valeo (Xenon)'	"	"ECU Information'	"6'	"Calibration version'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"5'	"Diagnostics indicator'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"1'	"Service indicator'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"2'	"Oil level gauge'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"3'	"Setting, night panel'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"4'	"Cruise Control'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"5'	"Maximum speed limitation'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"6'	"Unit'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"7'	"ESP button'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"8'	"Parking assistance'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"9'	"Instrument brightness adjustment button'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"10'	"Odometer reset button'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"1'	"Speedometer'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"2'	"RPM-gauge'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"3'	"Fuel level'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"4'	"Coolant temperature'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"5'	"Oil temperature display'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"6'	"Oil level gauge'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"7'	"Instrument panel lightning'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"8'	"Control panel warning lights'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"9'	"Button light'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"10'	"Segment display switched on'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"11'	"Automatic gearbox, indicator LED's'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"ECU Information'	"5'	"Diagnostics indicator'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"ECU Information'	"6'	"Language'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"1'	"Date format'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"2'	"Temperature unit'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"3'	"Unit for odometer'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"4'	"Multifunction display'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"5'	"Air conditioning'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"6'	"CD changer'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"7'	"Information'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"8'	"Outside temperature display'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"9'	"Radio'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"10'	"Trip computer'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"11'	"Parking aid'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"12'	"Air conditioning'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"13'	"Control panel'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"14'	"Handsfree function'

"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"15'	"Display of warning log'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"16'	"Display of warning log'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"17'	"Customized menu'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"18'	"Parking assistance system'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"19'	"Rear wiper on reverse gear'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"20'	"Automatic low beam'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"21'	"Automatic Headlamp Level'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"22'	"Headlight control'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"23'	"Coming home, status'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"24'	"Boot lid close control'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"25'	"Driver's door locking'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"26'	"Automatic locking'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"27'	"Locks deadlocking control'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"28'	"Back button'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"29'	"Mode button'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"30'	"Button menu'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"31'	"OK button'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"32'	"SEEK <<" button'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"33'	"SEEK >>" button'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"34'	"Down button'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"35'	"Up button'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Live Parameters'	"36'	"Button for trip computer meny choice'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Tests'	"1'	"Display test, black segments'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Tests'	"2'	"Display test, white segments'
"Citroën'	"C5 II'	"Instrument / Dashboard'	"Multifunction display - Borg'	"	"Tests'	"3'	"Segment display switched on'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"5'	"Calibration version'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"6'	"Diagnostics indicator'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"7'	"Checking of action in aftermarket'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"8'	"Checking at factory'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"9'	"Checking at supplier'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"10'	"After sales check'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"11'	"Front satellite sensors PSA reference'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"12'	"Satellite sensors supplier'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"13'	"Front satellites calibration version'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"14'	"Front satellites material version'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"15'	"Front satellites software version'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"16'	"Rear satellite sensors PSA reference'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"17'	"Rear satellite sensors supplier'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"18'	"Rear satellites calibration version'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"19'	"Rear satellites material version'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"20'	"Rear satellites software version'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"1'	"Driver airbag ignition squib 1'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"2'	"Driver airbag ignition squib 2'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"3'	"Driver knee airbag'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"4'	"Anti submarining, driver side'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"5'	"Driver seat position sensor'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"6'	"Front passenger airbag ignition squib 1'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"7'	"Front passenger airbag ignition squib 2'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"8'	"Passenger knee airbag'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"9'	"Anti submarining, passenger side'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"10'	"Passenger seat position sensor'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"11'	"Switch, passenger airbag'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"12'	"Number of impacts'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"13'	"Rear impact detected'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"14'	"Drivers pretensioner'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"15'	"Driver lap strap pretensioner'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"16'	"Passenger pretensioner'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"17'	"Passenger lap strap pretensioner'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"18'	"Center pretensioner squib circuit row 1'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"19'	"Right pretensioner squib circuit row 2'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"20'	"Left pretensioner squib circuit row 2'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"21'	"Center pretensioner squib circuit row 2'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"22'	"Right pretensioner squib circuit row 3'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"23'	"Left pretensioner squib circuit row 3'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"24'	"Center pretensioner squib circuit row 3'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"25'	"Right front side airbag ignition squib'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"26'	"Left front side airbag ignition squib'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"27'	"Right rear side airbag ignition squib'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"28'	"Left rear side airbag ignition squib'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"29'	"Right side curtain airbag'
"Citroën'	"C5 II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"30'	"Left side curtain airbag'
"Citroën'	"C5 II'	"Steering'	"Power steering - HPI'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C5 II'	"Steering'	"Power steering - HPI'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C5 II'	"Steering'	"Power steering - HPI'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C5 II'	"Steering'	"Power steering - HPI'	"	"ECU Information'	"4'	"Diagnostic version'

"Citroën'	"C5 II'	"Steering'	"Power steering - HPI'	"	"ECU Information'	"5'	"Software version'
"Citroën'	"C5 II'	"Steering'	"Power steering - HPI'	"	"Live Parameters'	"1'	"Rotation speed'
"Citroën'	"C5 II'	"Steering'	"Power steering - HPI'	"	"Live Parameters'	"2'	"Power steering pump'
"Citroën'	"C5 II'	"Steering'	"Power steering - HPI'	"	"Live Parameters'	"3'	"Current steering motor'
"Citroën'	"C5 II'	"Steering'	"Power steering - HPI'	"	"Live Parameters'	"4'	"Electrical power steering motor'
"Citroën'	"C5 II'	"Steering'	"Power steering - HPI'	"	"Live Parameters'	"5'	"Pump engine speed'
"Citroën'	"C5 II'	"Steering'	"Power steering - HPI'	"	"Live Parameters'	"6'	"Engine speed'
"Citroën'	"C5 II'	"Steering'	"Power steering - HPI'	"	"Live Parameters'	"7'	"Vehicle speed'
"Citroën'	"C5 II'	"Steering'	"Power steering - HPI'	"	"Live Parameters'	"8'	"Engine status'
"Citroën'	"C5 II'	"Steering'	"Power steering - HPI'	"	"Tests'	"1'	"Electric pump unit motor'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"ECU Information'	"5'	"Software version'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"1'	"Tyre pressure monitoring'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"2'	"Wheel status front left'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"3'	"Wheel status front right'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"4'	"Wheel status rear left'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"5'	"Wheel status rear right'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"6'	"Front left wheel pressure'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"7'	"Front right wheel pressure'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"8'	"Rear right wheel pressure'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"9'	"Rear left wheel pressure'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"10'	"Tire temperature of left front wheel'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"11'	"Tire temperature of right front wheel'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"12'	"Tire temperature of right rear wheel'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"13'	"Tire temperature of left rear wheel'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"14'	"Front left wheel acceleration sensor'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"15'	"Front right wheel acceleration sensor'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"16'	"Rear right wheel acceleration sensor'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"17'	"Rear left wheel acceleration sensor'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"18'	"Steering wheel angle sensor'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"19'	"Engine speed'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"20'	"Vehicle speed'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"21'	"Tyre pressure monitoring'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"22'	"Wake up line, status'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"23'	"Wake up line, status'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"24'	"Front nominal pressure'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"25'	"Rear nominal pressure'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"26'	"Status of tire pressure sensor battery in left front wheel'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"27'	"Status of tire pressure sensor battery in right front wheel'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"28'	"Status of tire pressure sensor battery in right rear wheel'
"Citroën'	"C5 II'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"29'	"Status of tire pressure sensor battery in left rear wheel'
"Citroën'	"C6'	"Body Control Module'	"BSI - Diagnose'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"C6'	"Body Control Module'	"BSI - Diagnose'	"	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C6'	"Body Control Module'	"BSI - Diagnose'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C6'	"Body Control Module'	"BSI - Diagnose'	"	"ECU Information'	"4'	"VIN code'
"Citroën'	"C6'	"Body Control Module'	"BSI - Diagnose'	"	"ECU Information'	"5'	"Software version'
"Citroën'	"C6'	"Body Control Module'	"BSI - Diagnose'	"	"ECU Information'	"6'	"Software index'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Adaptations'	"1'	"Steering angle decalibration'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Adaptations'	"2'	"Calibration of steering angle sensor'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Adaptations'	"3'	"Bleed rear left hand wheel circuit.'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Adaptations'	"4'	"Bleed front left hand wheel circuit'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Adaptations'	"5'	"Bleed front right hand wheel circuit'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Adaptations'	"6'	"Bleed rear right hand wheel circuit.'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"ECU Information'	"5'	"Calibration version'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"ECU Information'	"6'	"Diagnostic version'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Live Parameters'	"2'	"Vehicle speed'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Live Parameters'	"3'	"Front left wheel speed sensor'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Live Parameters'	"4'	"Front right wheel speed sensor'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Live Parameters'	"5'	"Rear left wheel speed sensor'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Live Parameters'	"6'	"Rear right wheel speed sensor'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Live Parameters'	"7'	"Relay for solenoid valve'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Live Parameters'	"8'	"Hydraulic pump relay'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Live Parameters'	"9'	"Brake lining condition'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Live Parameters'	"10'	"Brake light switch'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Live Parameters'	"11'	"Brake fluid level'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Live Parameters'	"12'	"Engine speed'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Live Parameters'	"13'	"Brake pressure'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Live Parameters'	"14'	"Yaw rate sensor'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Live Parameters'	"15'	"Lateral acceleration'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Live Parameters'	"16'	"Steering wheel angle sensor'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Live Parameters'	"17'	"Engine torque requested by driver'

"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Live Parameters'	"18'	"Communication ABS/ASR engine'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Live Parameters'	"19'	"Diagnostic for data-bus'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Live Parameters'	"20'	"Steering wheel angle sensor'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Live Parameters'	"21'	"Steering wheel angle sensor'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Live Parameters'	"22'	"Steering wheel angle sensor programming'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Live Parameters'	"23'	"Rotation rate signal'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Live Parameters'	"24'	"Engine torque'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Live Parameters'	"25'	"Accelerator pedal position sensor'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Tests'	"1'	"Recirculating Pump'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Tests'	"2'	"Front left load valve'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Tests'	"3'	"Front right load valve'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Tests'	"4'	"Left rear load valve'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Tests'	"5'	"Right rear load valve'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Tests'	"6'	"Switching solenoid valve 1'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Tests'	"7'	"Switching solenoid valve 2'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Tests'	"8'	"Limiting solenoid valve 1'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Tests'	"9'	"Limiting solenoid valve 2'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Tests'	"10'	"Front left drain valve'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Tests'	"11'	"Front right drain valve'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Tests'	"12'	"Left rear drain valve'
"Citroën'	"C6'	"Brake System'	"ABS TRW'	"	"Tests'	"13'	"Right rear drain valve'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Adaptations'	"1'	"Clear adaption memory'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"ECU Information'	"3'	"Diagnostic version'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"ECU Information'	"4'	"ECU status'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"ECU Information'	"5'	"Immobilisation status'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"ECU Information'	"6'	"Problems detected during transmission of unlocking code'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"ECU Information'	"7'	"Software version'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"ECU Information'	"8'	"Software index'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"1'	"Engine speed'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"3'	"Injection time'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"4'	"Air temperature'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"5'	"Coolant temperature'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"6'	"Inlet manifold pressure'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"7'	"Injection cut off request'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"8'	"Throttle valve angle'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"9'	"Throttle valve angle'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"10'	"Carbon filter solenoid valve'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"11'	"Engine speed'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"12'	"Battery voltage'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"13'	"Ignition advance/retard controller'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"14'	"Coil charge time cylinder 1'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"15'	"Coil charge time cylinder 2'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"16'	"Coil charge time cylinder 3'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"17'	"Coil charge time cylinder 4'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"18'	"Coil charge time cylinder 5'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"19'	"Coil charge time cylinder 6'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"20'	"Engine speed'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"21'	"Battery voltage'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"22'	"Lambda regulation, probe before catalytic converter'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"23'	"Lambda regulation, probe after catalytic converter'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"24'	"Status of front cylinders upstream oxygen sensor'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"25'	"Voltage of front cylinders upstream oxygen sensor'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"26'	"Status of front cylinders downstream oxygen sensor'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"27'	"Voltage of front cylinders downstream oxygen sensor'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"28'	"Status of rear cylinders upstream oxygen sensor'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"29'	"Voltage of rear cylinders upstream oxygen sensor'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"30'	"Status of rear cylinders downstream oxygen sensor'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"31'	"Voltage of rear cylinders downstream oxygen sensor'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"32'	"Engine speed'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"33'	"Battery voltage'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"34'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"35'	"Coolant temperature'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"36'	"Air temperature'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"37'	"Oil temperature'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"38'	"Input, AC thermostat'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"39'	"Air conditioning authorisation'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"40'	"A/C pressure'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"41'	"Engine speed'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"42'	"Battery voltage'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"43'	"Throttle status'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"44'	"Engine torque'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"45'	"Injection time'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"46'	"Vehicle speed'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"47'	"CAN: communication gearbox'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"48'	"Gearbox ratio'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"49'	"Power supply relay'

"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"50'	"Cooling fan relay'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"51'	"Fan speed reference value'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"52'	"Fan speed'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"53'	"Camshaft position sensor, front cylinders'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"54'	"Camshaft position sensor, front cylinders'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"55'	"Camshaft position sensor, rear cylinders'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Live Parameters'	"56'	"Camshaft position sensor, rear cylinders'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Tests'	"1'	"Lambda probe heating, before catalyst'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Tests'	"2'	"Lambda probe heating, after catalyst'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Tests'	"3'	"Ignition coil 1'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Tests'	"4'	"Ignition coil 2'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Tests'	"5'	"Ignition coil 3'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Tests'	"6'	"Ignition coil 4'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Tests'	"7'	"Ignition coil 5'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Tests'	"8'	"Ignition coil 6'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Tests'	"9'	"Cooling fan low speed'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Tests'	"10'	"Carbon filter solenoid valve'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Tests'	"11'	"EGR valve'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Tests'	"12'	"Activation, fuel injector, cylinder 1'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Tests'	"13'	"Activation, fuel injector, cylinder 2'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Tests'	"14'	"Activation, fuel injector, cylinder 3'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Tests'	"15'	"Activation, fuel injector, cylinder 4'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Tests'	"16'	"Activation, fuel injector, cylinder 5'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Tests'	"17'	"Activation, fuel injector, cylinder 6'
"Citroën'	"C6'	"Engine Petrol'	"XFV 3,0 Bosch ME 7.4.7'	"	"Tests'	"18'	"Fuel pump'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Adaptations'	"1'	"Neutral position'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Adaptations'	"2'	"Clear adaption memory'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Adaptations'	"3'	"Oil change'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"ECU Information'	"4'	"Software index'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"ECU Information'	"5'	"Supplier'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"ECU Information'	"6'	"System'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"ECU Information'	"7'	"Application'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"ECU Information'	"8'	"Version index'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"ECU Information'	"9'	"Version index'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"1'	"Oil change'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"2'	"Transmission control module'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"3'	"Check engine lamp'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"4'	"Selector lever position'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"5'	"Gear'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"6'	"Torque converter'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"7'	"Accelerator pedal position'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"8'	"Wake up line, status'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"9'	"Winter switch'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"10'	"Brake pedal'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"11'	"Redundant brake pedal'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"12'	"Gearbox torque, reference value'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"13'	"Engine torque limitation'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"14'	"Engine torque requested by driver'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"15'	"ESP regulation'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"16'	"Front wheels average speed'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"17'	"Speed of rear R/H wheel'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"18'	"Speed of rear L/H wheel'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"19'	"Front wheels average speed'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"20'	"Engine speed'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"21'	"Battery voltage'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"22'	"Gearbox oil temperature'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"23'	"Outside temperature'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"24'	"Coolant temperature'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"25'	"Engine torque'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"26'	"Solenoid S1'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"27'	"Solenoid S1 (return)'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"28'	"Solenoid S2'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"29'	"Solenoid S2 (return)'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"30'	"Lock-up solenoid (reference value)'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"31'	"Lock-up solenoid'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"32'	"Line pressure solenoid (reference value)'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"33'	"Line pressure solenoid'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"34'	"SLB1 (Linear solenoid valve - brake 1) pressure (reference value)'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"35'	"SLB1 (Linear solenoid valve - brake 1) pressure'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"36'	"SLC1 (Linear solenoid valve - clutch 1) pressure (reference value)'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"37'	"SLC1 (Linear solenoid valve - clutch 1) pressure'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"38'	"SLC2 (Linear solenoid valve - clutch 2) pressure (reference value)'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"39'	"SLC2 (Linear solenoid valve - clutch 2) pressure'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"40'	"SLC3 (Linear solenoid valve - clutch 3) pressure (reference value)'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"41'	"SLC3 (Linear solenoid valve - clutch 3) pressure'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"42'	"Gearbox input rpm'

"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"43'	"Gearbox input rpm, target value'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"44'	"Gearbox output rpm'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"45'	"Gearbox output rpm, target value'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"46'	"Torque converter slip actual'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"47'	"Torque converter slip desired'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"48'	"Limp home mode'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"49'	"Limp home mode (temporarily)'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"50'	"Status gearbox'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"51'	"Wake up line, status'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"52'	"Cruise control or variable speed limiter'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"53'	"Upshift'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"54'	"Downshift'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"55'	"Starter lockout'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"56'	"Shift lock function'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Live Parameters'	"57'	"Oil deterioration'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Tests'	"1'	"Solenoid S1'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Tests'	"2'	"Solenoid S2'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Tests'	"3'	"Converter lock up solenoid AT'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Tests'	"4'	"Line pressure solenoid'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Tests'	"5'	"SLB1 (Linear solenoid valve - brake 1) pressure'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Tests'	"6'	"SLC1 (Linear solenoid valve - clutch 1) pressure'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Tests'	"7'	"SLC2 (Linear solenoid valve - clutch 2) pressure'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Tests'	"8'	"SLC3 (Linear solenoid valve - clutch 3) pressure'
"Citroën'	"C6'	"Gearbox / Automatic Transmission'	"AM6'	"	"Tests'	"9'	"Shift lock function'
"Citroën'	"C6'	"Parking System'	"Parking Brake - Bosch'	"	"Adaptations'	"1'	"Service position'
"Citroën'	"C6'	"Parking System'	"Parking Brake - Bosch'	"	"Adaptations'	"2'	"Brake cable tension'
"Citroën'	"C6'	"Parking System'	"Parking Brake - Bosch'	"	"Adaptations'	"3'	"Calibration'
"Citroën'	"C6'	"Parking System'	"Parking Brake - Bosch'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"C6'	"Parking System'	"Parking Brake - Bosch'	"	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C6'	"Parking System'	"Parking Brake - Bosch'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C6'	"Parking System'	"Parking Brake - Bosch'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C6'	"Parking System'	"Parking Brake - Bosch'	"	"ECU Information'	"5'	"Software index'
"Citroën'	"C6'	"Parking System'	"Parking Brake - Bosch'	"	"ECU Information'	"6'	"Application'
"Citroën'	"C6'	"Parking System'	"Parking Brake - Bosch'	"	"ECU Information'	"7'	"Day of production'
"Citroën'	"C6'	"Parking System'	"Parking Brake - Bosch'	"	"ECU Information'	"8'	"Programming date'
"Citroën'	"C6'	"Parking System'	"Parking Brake - Bosch'	"	"ECU Information'	"9'	"Number of programmings'
"Citroën'	"C6'	"Parking System'	"Parking Brake - Bosch'	"	"Live Parameters'	"1'	"Vehicle speed'
"Citroën'	"C6'	"Parking System'	"Parking Brake - Bosch'	"	"Live Parameters'	"2'	"Supply voltage'
"Citroën'	"C6'	"Parking System'	"Parking Brake - Bosch'	"	"Live Parameters'	"3'	"Electromechanical parking brake button status'
"Citroën'	"C6'	"Parking System'	"Parking Brake - Bosch'	"	"Live Parameters'	"4'	"Electric parking brake'
"Citroën'	"C6'	"Parking System'	"Parking Brake - Bosch'	"	"Live Parameters'	"5'	"Brake pedal'
"Citroën'	"C6'	"Parking System'	"Parking Brake - Bosch'	"	"Live Parameters'	"6'	"Diagnostic for data-bus'
"Citroën'	"C6'	"Parking System'	"Parking Brake - Bosch'	"	"Live Parameters'	"7'	"Parking brake, normal force'
"Citroën'	"C6'	"Parking System'	"Parking Brake - Bosch'	"	"Tests'	"1'	"Application switch position(Electric parking brake)'
"Citroën'	"C6'	"Parking System'	"Parking Brake - Bosch'	"	"Tests'	"2'	"Release switch position (Electric parking brake)'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"5'	"Calibration version'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"6'	"Diagnos index'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"7'	"Diagnostics indicator'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"8'	"Checking of action in aftermarket'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"9'	"Checking at factory'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"10'	"Checking at supplier'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"11'	"After sales check'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"12'	"Front satellite sensors PSA reference'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"13'	"Satellite sensors supplier'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"14'	"Front satellites calibration version'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"15'	"Front satellites material version'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"16'	"Front satellites software version'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"17'	"Rear satellite sensors PSA reference'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"18'	"Rear satellite sensors supplier'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"19'	"Rear satellites calibration version'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"20'	"Rear satellites material version'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"ECU Information'	"21'	"Rear satellites software version'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"1'	"Driver airbag ignition squib 1'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"2'	"Driver airbag ignition squib 2'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"3'	"Driver knee airbag'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"4'	"Anti submarining, driver side'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"5'	"Driver seat position sensor'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"6'	"Front passenger airbag ignition squib 1'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"7'	"Front passenger airbag ignition squib 2'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"8'	"Passenger knee airbag'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"9'	"Anti submarining, passenger side'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"10'	"Passenger seat position sensor'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"11'	"Switch, passenger airbag'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"12'	"Number of impacts'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"13'	"Rear impact detected'

"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"14'	"Drivers pretensioner'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"15'	"Driver lap strap pretensioner'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"16'	"Passenger pretensioner'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"17'	"Passenger lap strap pretensioner'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"18'	"Center pretensioner squib circuit row 1'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"19'	"Right pretensioner squib circuit row 2'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"20'	"Left pretensioner squib circuit row 2'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"21'	"Center pretensioner squib circuit row 2'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"22'	"Right pretensioner squib circuit row 3'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"23'	"Left pretensioner squib circuit row 3'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"24'	"Center pretensioner squib circuit row 3'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"25'	"Right front side airbag ignition squib'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"26'	"Left front side airbag ignition squib'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"27'	"Right side curtain airbag'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"28'	"Left side curtain airbag'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"29'	"Right rear side airbag ignition squib'
"Citroën'	"C6'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"30'	"Left rear side airbag ignition squib'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"ECU Information'	"5'	"Software version'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"ECU Information'	"6'	"Supplier'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"ECU Information'	"7'	"System'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"ECU Information'	"8'	"Application'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"ECU Information'	"9'	"Version index'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"ECU Information'	"10'	"Version number'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"1'	"Wheel set 1'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"2'	"Tire pressure sensor identification number of left front wheel'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"3'	"Tire pressure sensor identification number of right front wheel'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"4'	"Tire pressure sensor identification number of right rear wheel'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"5'	"Tire pressure sensor identification number of left rear wheel'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"6'	"Tyre pressure sensor identification number of spare wheel'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"7'	"Wheel set 2'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"8'	"Tire pressure sensor identification number of left front wheel'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"9'	"Tire pressure sensor identification number of right front wheel'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"10'	"Tire pressure sensor identification number of right rear wheel'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"11'	"Tire pressure sensor identification number of left rear wheel'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"12'	"Tyre pressure monitoring'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"13'	"Wheel status front left'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"14'	"Wheel status front left'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"15'	"Wheel status front right'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"16'	"Wheel status front right'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"17'	"Wheel status rear right'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"18'	"Wheel status rear right'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"19'	"Wheel status rear left'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"20'	"Wheel status rear left'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"21'	"Front left wheel pressure'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"22'	"Front right wheel pressure'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"23'	"Rear right wheel pressure'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"24'	"Rear left wheel pressure'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"25'	"Tire temperature of left front wheel'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"26'	"Tire temperature of right front wheel'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"27'	"Tire temperature of right rear wheel'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"28'	"Tire temperature of left rear wheel'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"29'	"Front left wheel acceleration sensor'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"30'	"Front right wheel acceleration sensor'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"31'	"Rear right wheel acceleration sensor'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"32'	"Rear left wheel acceleration sensor'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"33'	"Steering wheel angle sensor'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"34'	"Engine speed'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"35'	"Vehicle speed'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"36'	"Vehicle weight'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"37'	"Weight distribution (front)'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"38'	"Tyre pressure monitoring'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"39'	"Wake up line, status'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"40'	"Wake up line, status'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"41'	"Front nominal pressure'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"42'	"Rear nominal pressure'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"43'	"Status of tire pressure sensor battery in left front wheel'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"44'	"Status of tire pressure sensor battery in right front wheel'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"45'	"Status of tire pressure sensor battery in right rear wheel'
"Citroën'	"C6'	"Tyre Pressure'	"Siemens'	"	"Live Parameters'	"46'	"Status of tire pressure sensor battery in left rear wheel'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose'	"	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose'	"	"ECU Information'	"4'	"VIN code'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose'	"	"ECU Information'	"5'	"Software version'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose'	"	"ECU Information'	"6'	"Software index'

"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Adaptations'	"1'	"Recall service message'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"ECU Information'	"2'	"Supplier'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"ECU Information'	"3'	"VIN code'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"ECU Information'	"4'	"ECU reference (Electronic Control Unit)'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"ECU Information'	"5'	"Software version'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"ECU Information'	"6'	"Software index'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"1'	"Front left-hand wheel valve code'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"2'	"Front right-hand wheel valve code'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"3'	"Rear right-hand wheel valve code'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"4'	"Rear left-hand wheel valve code'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"5'	"Engine running'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"6'	"Economy position'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"7'	"Factory position'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"8'	"Actual + for accessories (+ACC)'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"9'	"Ignition +15'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"10'	"Rain sensor supply'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"11'	"Rear window switch supply'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"12'	"Switching off rear switches'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"13'	"Battery voltage'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"14'	"Alternator voltage'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"15'	"Supply, VAN comfort'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"16'	"Supply, VAN body'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"17'	"Fuel pump shut off'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"18'	"Fuel pump relay'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"19'	"Air pump'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"20'	"Output status of air pump/water in diesel relay'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"21'	"Control of AC compressor'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"22'	"A/C relay, output'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"23'	"Radiator fan relay'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"24'	"Medium speed fan control'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"25'	"Evaporator icing safety circuit'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"26'	"Evaporator, air conditioning'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"27'	"ESP disarming request'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"28'	"Hand brake'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"29'	"Brake pedal switch'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"30'	"Information reverse'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"31'	"Switch, belt, driver side'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"32'	"Switch, belt, passenger side'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"33'	"Winter program'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"34'	"Park/Neutral switch'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"35'	"Tyre pressure monitoring'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"36'	"Wheel status front left'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"37'	"Wheel status front right'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"38'	"Wheel status rear right'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"39'	"Wheel status rear left'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"40'	"Front left wheel pressure'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"41'	"Front right wheel pressure'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"42'	"Rear right wheel pressure'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"43'	"Rear left wheel pressure'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"44'	"Front left wheel pressure'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"45'	"Front right wheel pressure'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"46'	"Rear right wheel pressure'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"47'	"Rear left wheel pressure'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"48'	"Rear fog light control'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"49'	"Control of right flashers'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"50'	"Control of left flashers'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"51'	"Indicator relay'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"52'	"Interior lighting'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"53'	"Courtesy light control relay output'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"54'	"Lights and courtesy light request'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"55'	"Front sill lighting outlet'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"56'	"Twilight dipped beam lighting mode'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"57'	"Dipped beam'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"58'	"Main beam'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"59'	"Position light control'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"60'	"Bootlid light control'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"61'	"Boot light control relay output'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"62'	"Horn'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"63'	"Ecu locked'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"64'	"Programmed keys'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"65'	"Remote control'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"66'	"BSI paired with engine control unit'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"67'	"BSI with anti-scanning'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"68'	"BSI not programmed'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"69'	"Bonnet open'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"70'	"Boot open'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"71'	"Boot lid opening control'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index) 30.10'	""	"Live Parameters'	"72'	"Boot opening relay output'

"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"6'	"Economy position'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"7'	"Factory position'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"8'	"Actual + for accessories (+ACC)'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"9'	"Ignition +15'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"10'	"Rain sensor supply'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"11'	"Rear window switch supply'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"12'	"Switching off rear switches'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"13'	"Battery voltage'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"14'	"Alternator voltage'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"15'	"Supply, VAN comfort'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"16'	"Supply, VAN body'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"17'	"Fuel pump shut off'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"18'	"Fuel pump relay'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"19'	"Air pump'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"20'	"Output status of air pump/water in diesel relay'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"21'	"Control of AC compressor'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"22'	"A/C relay, output'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"23'	"Radiator fan relay'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"24'	"Medium speed fan control'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"25'	"Evaporator icing safety circuit'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"26'	"Evaporator, air conditioning'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"27'	"ESP disarming request'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"28'	"Hand brake'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"29'	"Brake pedal switch'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"30'	"Information reverse'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"31'	"Switch, belt, driver side'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"32'	"Switch, belt, passenger side'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"33'	"Winter program'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"34'	"Park/Neutral switch'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"35'	"Tyre pressure monitoring'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"36'	"Wheel status front left'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"37'	"Wheel status front right'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"38'	"Wheel status rear right'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"39'	"Wheel status rear left'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"40'	"Front left wheel pressure'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"41'	"Front right wheel pressure'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"42'	"Rear right wheel pressure'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"43'	"Rear left wheel pressure'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"44'	"Front left wheel pressure'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"45'	"Front right wheel pressure'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"46'	"Rear right wheel pressure'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"47'	"Rear left wheel pressure'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"48'	"Rear fog light control'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"49'	"Control of right flashers'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"50'	"Control of left flashers'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"51'	"Indicator relay'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"52'	"Interior lighting'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"53'	"Courtesy light control relay output'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"54'	"Lights and courtesy light request'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"55'	"Front sill lighting outlet'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"56'	"Twilight dipped beam lighting mode'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"57'	"Dipped beam'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"58'	"Main beam'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"59'	"Position light control'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"60'	"Bootlid light control'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"61'	"Boot light control relay output'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"62'	"Horn'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"63'	"Alarm from passenger compartment monitoring'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"64'	"Alarm: passenger compartment sensor disabling'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"65'	"Ecu locked'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"66'	"Programmed keys'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"67'	"Remote control'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"68'	"BSI paired with engine control unit'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"69'	"BSI with anti-scanning'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"70'	"BSI not programmed'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"71'	"Bonnet open'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"72'	"Boot open'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"73'	"Boot lid opening control'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"74'	"Boot opening relay output'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"75'	"Opening of bootlid requested'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"76'	"Right rear door'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"77'	"Left rear door'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"78'	"Right front door'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"79'	"Left front door'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"80'	"Control, locking'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"81'	"Control, unlocking'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"82'	"Locks deadlocking control'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"83'	"Relay for central locking: locking'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"84'	"Relay for central locking: unlocking'

"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"85'	"Relay central locking, deadlock'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"86'	"Unlocking front right door'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"87'	"Unlocking front left door'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"88'	"Childproof lock activation control'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"89'	"Childproof lock de-activation control'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"90'	"Engine coolant level lamp'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"91'	"Oil pressure lamp'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"92'	"Water in fuel'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"93'	"Brake fluid level, too low'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"94'	"Gross fuel level'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"95'	"Filtered fuel level'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"96'	"Fuel level pointer, instrumentation'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"97'	"Fuel gauge impedance'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"98'	"Outside temperature'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"99'	"Coolant temperature'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"100'	"Engine oil temperature'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"101'	"Oil level gauge'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"102'	"Maintenance counter'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"103'	"Twilight brightness measurement'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"104'	"Average fuel consumption/distance'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"105'	"Average fuel consumption/travel'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"106'	"Total distance (km)'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"107'	"Levelled consumption'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"108'	"Alarm LED'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"109'	"Minimum window wash level lamp'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"110'	"Right rear windowlift button position 2'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"111'	"Left rear windowlift button position 2'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"112'	"Right rear windowlift button position 1'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"113'	"Left rear windowlift button position 1'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"114'	"Rear screen wiper'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"115'	"Wipers, front, low speed control'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"116'	"Wipers, front, high speed control'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"117'	"Washers, front, requested'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"118'	"Washer, rear, requested'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"119'	"Headlight washer requested'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"120'	"Wiper, rear, control of stopping'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Live Parameters'	"121'	"Wipers, front, control of stopping'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Tests'	"1'	"Rear foglight'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Tests'	"2'	"Lighting of right flashers'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Tests'	"3'	"Lighting of left flashers'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Tests'	"4'	"Bootlid light control'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Tests'	"5'	"Interior lighting'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Tests'	"6'	"Position light control'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Tests'	"7'	"Window rear right, up'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Tests'	"8'	"Window rear right, down'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Tests'	"9'	"Window rear left, up'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Tests'	"10'	"Window rear left, down'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Tests'	"11'	"Rear screen wiper'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Tests'	"12'	"Windscreen wipers'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Tests'	"13'	"Windscreen washer'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Tests'	"14'	"Rear window washer'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Tests'	"15'	"Headlight washer'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Tests'	"16'	"AC compressor'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Tests'	"17'	"Medium speed fan control'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Tests'	"18'	"Locking'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Tests'	"19'	"Unlock'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Tests'	"20'	"Locks deadlocking control'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Tests'	"21'	"Trunk opening switch'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Tests'	"22'	"Childproof lock activation control'
"Citroën'	"C8'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 27.14'	""	"Tests'	"23'	"Childproof lock de-activation control'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	""	"Adaptations'	"1'	"Disconnecting speed limitation'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	""	"Adaptations'	"2'	"Steering angle decalibration'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	""	"Adaptations'	"3'	"Steering angle calibration'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	""	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	""	"ECU Information'	"2'	"Supplier'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	""	"ECU Information'	"3'	"Supplier number'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	""	"ECU Information'	"4'	"Software version number'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	""	"ECU Information'	"5'	"Calibration number'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	""	"ECU Information'	"6'	"Diagnostic version'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	""	"ECU Information'	"7'	"Bosch hardware number'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	""	"Live Parameters'	"1'	"Vehicle speed'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	""	"Live Parameters'	"2'	"Front left speed sensor'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	""	"Live Parameters'	"3'	"Front right speed sensor'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	""	"Live Parameters'	"4'	"Rear left speed sensor'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	""	"Live Parameters'	"5'	"Rear right speed sensor'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	""	"Live Parameters'	"6'	"Control unit power supply'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	""	"Live Parameters'	"7'	"Brake light switch'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	""	"Live Parameters'	"8'	"Brake fluid level'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	""	"Live Parameters'	"9'	"Brake pad wear switch'

"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"10'	"Engine speed'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"11'	"Engine torque request'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"12'	"Steering wheel angle'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"13'	"Yaw rate sensor'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"14'	"Lateral acceleration sensor'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"15'	"Brake pressure'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"16'	"ESP button'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"17'	"Hand brake'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"18'	"Brake pedal switch 2'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"19'	"Actual gear'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"20'	"CAN: Communication'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"21'	"Actual engine load'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"22'	"Accelerator pedal position'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"23'	"Steering wheel angle sensor'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"24'	"Steering wheel angle sensor'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"25'	"Steering wheel angle sensor'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"26'	"Reference value setting status ASR/MSR'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"27'	"Change of gear in progress'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"28'	"Shift position'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"29'	"Torque converter'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"1'	"Hydraulic pump ABS'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"2'	"Front left load valve'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"3'	"Front right load valve'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"4'	"Left rear load valve'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"5'	"Right rear load valve'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"6'	"Switching solenoid valve 1'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"7'	"Switching solenoid valve 2'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"8'	"Limiting solenoid valve 1'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"9'	"Limiting solenoid valve 2'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"10'	"Front left drain valve'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"11'	"Front right drain valve'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"12'	"Left rear drain valve'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"13'	"Right rear drain valve'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Adaptations'	"1'	"Steering angle decalibration'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Adaptations'	"2'	"Calibration of steering angle sensor'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Adaptations'	"3'	"Bleed rear left hand wheel circuit.'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Adaptations'	"4'	"Bleed front left hand wheel circuit'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Adaptations'	"5'	"Bleed front right hand wheel circuit'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Adaptations'	"6'	"Bleed rear right hand wheel circuit.'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"ECU Information'	"5'	"Calibration version'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"ECU Information'	"6'	"Diagnostic version'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"ECU Information'	"7'	"BOSCH'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"2'	"Vehicle speed'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"3'	"Front left wheel speed sensor'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"4'	"Front right wheel speed sensor'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"5'	"Rear left wheel speed sensor'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"6'	"Rear right wheel speed sensor'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"7'	"Relay for solenoid valve'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"8'	"Hydraulic pump relay'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"9'	"Brake lining condition'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"10'	"Brake light switch 1'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"11'	"Brake fluid level'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"12'	"Engine speed'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"13'	"Brake light switch 2'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"14'	"Brake pressure'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"15'	"Yaw rate sensor'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"16'	"Lateral acceleration'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"17'	"Steering wheel angle sensor'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"18'	"Engine torque requested by driver'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"19'	"Communication ABS/ASR engine'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"20'	"Actual gear'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"21'	"Diagnostic for data-bus'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"22'	"Steering wheel angle sensor'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"23'	"Steering wheel angle sensor'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"24'	"Steering wheel angle sensor programming'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"25'	"Rotation rate signal'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"26'	"Engine torque'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"27'	"Accelerator pedal position sensor'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"28'	"Reference value setting status ASR/MSR'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"29'	"Change of gear in progress'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"30'	"Gear selector'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"31'	"Gear selected (calculated)'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Live Parameters'	"32'	"Torque converter'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Tests'	"1'	"Recirculating Pump'

"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Tests'	"2'	"Front left load valve'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Tests'	"3'	"Front right load valve'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Tests'	"4'	"Left rear load valve'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Tests'	"5'	"Right rear load valve'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Tests'	"6'	"Switching solenoid valve 1'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Tests'	"7'	"Switching solenoid valve 2'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Tests'	"8'	"Limiting solenoid valve 1'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Tests'	"9'	"Limiting solenoid valve 2'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Tests'	"10'	"Front left drain valve'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Tests'	"11'	"Front right drain valve'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Tests'	"12'	"Left rear drain valve'
"Citroën'	"C8'	"Brake System'	"ABS Bosch 8.0 ESP'	"	"Tests'	"13'	"Right rear drain valve'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"ECU Information'	"5'	"Calibration version'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"ECU Information'	"6'	"Diagnostics indicator'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"ECU Information'	"7'	"Diagnostic version'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"Live Parameters'	"2'	"Left outlet air temperature'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"Live Parameters'	"3'	"Right outlet air temperature'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"Live Parameters'	"4'	"Evaporator temperature sensor'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"Live Parameters'	"5'	"Sun sensor'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"Live Parameters'	"6'	"Compartement fan control power'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"Live Parameters'	"7'	"Recirculation'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"Live Parameters'	"8'	"Air distribution'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"Live Parameters'	"9'	"Left blending flap'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"Live Parameters'	"10'	"Right blending flap'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"Live Parameters'	"11'	"AC button'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"Live Parameters'	"12'	"Windscreen button'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"Live Parameters'	"13'	"Auto button'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"Live Parameters'	"14'	"Recirculation button'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"Live Parameters'	"15'	"Defrost button'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"Live Parameters'	"16'	"Fan +'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"Live Parameters'	"17'	"Fan -'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"Live Parameters'	"18'	"Air distribution'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"Live Parameters'	"19'	"Mono zone'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"Live Parameters'	"20'	"Left (+) button temperature setting'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"Live Parameters'	"21'	"Left (-) button temperature setting'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"Live Parameters'	"22'	"Right (+) button temperature setting'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"Live Parameters'	"23'	"Right (-) button temperature setting'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"Tests'	"1'	"Recycling motor control'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"Tests'	"2'	"Air distribution flap motor'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"Tests'	"3'	"LH mixing actuator'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"Tests'	"4'	"RH mixing actuator'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"Tests'	"5'	"Segment display switched on'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"Tests'	"6'	"Illumination'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"Tests'	"7'	"Fan motor'
"Citroën'	"C8'	"Climate Control'	"Kostal'	"	"Tests'	"8'	"Button light'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"ECU Information'	"3'	"Software version'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Live Parameters'	"1'	"Left hand drive'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Live Parameters'	"2'	"Diesel'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Live Parameters'	"3'	"Cooling fan 2'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Live Parameters'	"4'	"Type of glass'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Live Parameters'	"5'	"Supply, VAN comfort'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Live Parameters'	"6'	"Blower ctrl voltage'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Live Parameters'	"7'	"Compartement temperature'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Live Parameters'	"8'	"Mixed air temperature left'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Live Parameters'	"9'	"Mixed air temperature right'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Live Parameters'	"10'	"Distribution position left'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Live Parameters'	"11'	"Distribution position right'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Live Parameters'	"12'	"Air distribution valve'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Live Parameters'	"13'	"Recirculation actuator'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Live Parameters'	"14'	"Left temperature Increase'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Live Parameters'	"15'	"Left temperature Decrease'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Live Parameters'	"16'	"Right temperature Increase'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Live Parameters'	"17'	"Right temperature Decrease'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Live Parameters'	"18'	"Fan +'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Live Parameters'	"19'	"Fan -'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Live Parameters'	"20'	"Recirculation button'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Live Parameters'	"21'	"Air distribution'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Live Parameters'	"22'	"Auto button'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Live Parameters'	"23'	"Defrost button'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Live Parameters'	"24'	"AC button'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Live Parameters'	"25'	"Windscreen button'

"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Live Parameters'	"26'	"Ventilation, rear'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Tests'	"1'	"Damper motor, recirculation'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Tests'	"2'	"Distribution motor potentiometer'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Tests'	"3'	"Left blending flap'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Tests'	"4'	"Right blending flap'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Tests'	"5'	"Segment'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Tests'	"6'	"Cabin fan motor'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Tests'	"7'	"ACC-panel lights'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Tests'	"8'	"Left additional blower unit motor'
"Citroën'	"C8'	"Climate Control'	"Magneti Marelli'	"	"Tests'	"9'	"Right additional blower unit motor'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Adaptations'	"1'	"Regeneration'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"ECU Information'	"5'	"Software version'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"ECU Information'	"6'	"Software index'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"1'	"Atmospheric pressure'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"2'	"Fuel temperature'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"3'	"Camshafts sensors power supply'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"4'	"Sensor power supply'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"5'	"Crankshaft / camshaft synchronization'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"6'	"Cruise control switch'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"7'	"Brake pedal switch 1'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"8'	"Brake pedal switch 2'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"9'	"Clutch pedal switch'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"10'	"Overboost pressure measured'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"11'	"Target overboost pressure'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"12'	"Fuel pressure regulator'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"13'	"Measured/requested fuel pressure deviation'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"14'	"Control unit'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"15'	"Immobilisation status'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"16'	"Problems detected during transmission of unlocking code'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"17'	"Inlet air temperature'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"18'	"Coolant temperature'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"19'	"Vehicle speed'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"20'	"Gear detected'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"21'	"With automatic transmission'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"22'	"High speed radiator fan relay'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"23'	"Low speed radiator fan relay'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"24'	"A/C pressure sensor'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"25'	"Accelerator pedal position'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"26'	"Battery voltage'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"27'	"Relay, pre-/post-heating control'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"28'	"A/C cut signal'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"29'	"Engine speed'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"30'	"Air mass measured'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"31'	"EGR valve opening'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"32'	"EGR throttle opening'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"33'	"Boost pressure valve duty cycle'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"34'	"Deactivation of piston element in high pressure pump'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"35'	"Pre injection timing'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"36'	"Main injection timing'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"37'	"Fuel pressure regulator'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"38'	"Fuel pressure measured'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"39'	"Calculated fuel quantity'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"40'	"Cylinder 1 fuel trim'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"41'	"Cylinder 2 fuel trim'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"42'	"Cylinder 3 fuel trim'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"43'	"Cylinder 4 fuel trim'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"44'	"Injector voltage Injector 1 and 4'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"45'	"Injector voltage Injector 2 and 3'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"46'	"Choking of particle emission filter'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"47'	"Exhaust gas temperature, upstreams catalytic converter'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"48'	"Exhaust gas temperature, downstreams catalytic converter'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"49'	"Intake air bypass butterfly'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"50'	"Post injection quantity'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"51'	"Post injection timing'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"52'	"Pressure difference between inlet and outlet in particle emission filter'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"53'	"Total quantity of additive'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"54'	"A/C help request'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"55'	"Activation of power consuming equipment'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"56'	"Average distance between the last 5 regenerations'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Live Parameters'	"57'	"Distance travelled since last regeneration'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Tests'	"1'	"Electric fan speed 1'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Tests'	"2'	"Electric fan speed 2'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Tests'	"3'	"Fuel pressure regulator'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Tests'	"4'	"Deactivation of piston element in high pressure pump'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Tests'	"5'	"Relay, pre-/post-heating control'

"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Tests'	"6'	"Solenoid valve, damper (EGR)'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Tests'	"7'	"EGR valve'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Tests'	"8'	"Main relay, supply circuit'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Tests'	"9'	"Charging pressure valve'
"Citroën'	"C8'	"Engine Diesel'	"4HW 2,2 EDC 15C2'	"	"Tests'	"10'	"Intake air bypass butterfly'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Adaptations'	"1'	"Regeneration'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"ECU Information'	"5'	"Software version'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"ECU Information'	"6'	"Software index'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"1'	"Atmospheric pressure'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"2'	"Fuel temperature'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"3'	"Camshafts sensors power supply'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"4'	"Sensor power supply'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"5'	"Crankshaft / camshaft synchronization'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"6'	"Cruise control switch'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"8'	"Brake pedal switch 2'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"9'	"Clutch pedal switch'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"10'	"Overboost pressure measured'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"11'	"Target overboost pressure'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"12'	"Fuel pressure regulator'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"13'	"Measured/requested fuel pressure deviation'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"14'	"Control unit'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"15'	"Immobilisation status'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"16'	"Problems detected during transmission of unlocking code'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"17'	"Inlet air temperature'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"18'	"Coolant temperature'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"19'	"Vehicle speed'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"20'	"Gear detected'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"21'	"With automatic transmission'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"22'	"High speed radiator fan relay'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"23'	"Low speed radiator fan relay'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"24'	"A/C pressure sensor'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"25'	"Accelerator pedal position'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"26'	"Battery voltage'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"27'	"Relay, pre-/post-heating control'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"28'	"A/C cut signal'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"29'	"Engine speed'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"30'	"Air mass measured'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"31'	"EGR valve opening'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"32'	"EGR throttle opening'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"33'	"Boost pressure valve duty cycle'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"34'	"Deactivation of piston element in high pressure pump'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"35'	"Pre injection timing'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"36'	"Main injection timing'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"37'	"Fuel pressure regulator'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"38'	"Fuel pressure measured'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"39'	"Calculated fuel quantity'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"40'	"Cylinder 1 fuel trim'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"41'	"Cylinder 2 fuel trim'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"42'	"Cylinder 3 fuel trim'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"43'	"Cylinder 4 fuel trim'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"44'	"Injector voltage Injector 1 and 4'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"45'	"Injector voltage Injector 2 and 3'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"46'	"Choking of particle emission filter'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"47'	"Exhaust gas temperature, upstreams catalytic converter'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"48'	"Exhaust gas temperature, downstreams catalytic converter'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"49'	"Intake air bypass butterfly'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"50'	"Post injection quantity'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"51'	"Post injection timing'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"52'	"Pressure difference between inlet and outlet in particle emission filter'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"53'	"Total quantity of additive'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"54'	"A/C help request'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"55'	"Activation of power consuming equipment'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"56'	"Average distance between the last 5 regenerations'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Live Parameters'	"57'	"Distance travelled since last regeneration'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Tests'	"1'	"Electric fan speed 1'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Tests'	"2'	"Electric fan speed 2'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Tests'	"3'	"Fuel pressure regulator'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Tests'	"4'	"Deactivation of piston element in high pressure pump'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Tests'	"5'	"Relay, pre-/post-heating control'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Tests'	"6'	"Solenoid valve, damper (EGR)'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Tests'	"7'	"EGR valve'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Tests'	"8'	"Main relay, supply circuit'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Tests'	"9'	"Charging pressure valve'
"Citroën'	"C8'	"Engine Diesel'	"RHT 2,0 EDC 15C2'	"	"Tests'	"10'	"Intake air bypass butterfly'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"ECU Information'	"1'	"Reference PSA'

"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"ECU Information'	"8'	"Part version suffix'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"1'	"Engine speed'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"3'	"Injection time'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"4'	"Injection shut-off'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"5'	"Coolant temperature'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"6'	"Inlet air temperature'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"7'	"Inlet manifold pressure'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"8'	"Throttle status'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"9'	"Throttle potentiometer'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"10'	"Ignition timing'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"11'	"Coil charge time cylinder 1'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"12'	"Coil charge time cylinder 2'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"13'	"Coil charge time cylinder 3'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"14'	"Coil charge time cylinder 4'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"15'	"Front lambda sensor'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"16'	"Rear lambda sensor'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"17'	"Mixing adaption'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"18'	"Carbon filter solenoid valve'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"19'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"20'	"Air conditioning authorisation'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"21'	"Main relay'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"22'	"Engine load'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"23'	"Vehicle speed'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"24'	"Cooling fan relay'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Live Parameters'	"25'	"Blower speed'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Tests'	"1'	"Electronic throttle control'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Tests'	"2'	"Ignition coil 1'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Tests'	"3'	"Ignition coil 2'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Tests'	"4'	"Ignition coil 3'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Tests'	"5'	"Ignition coil 4'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Tests'	"6'	"Fuel pump relay'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Tests'	"7'	"Injection valve 1'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Tests'	"8'	"Injection valve 2'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Tests'	"9'	"Injection valve 3'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Tests'	"10'	"Injection valve 4'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Tests'	"11'	"Carbon filter solenoid valve'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Tests'	"12'	"Front lambda sensor'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Tests'	"13'	"Rear lambda sensor'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Tests'	"14'	"Cooling fan high speed'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LP'	"	"Tests'	"15'	"Cooling fan low speed'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Adaptations'	"1'	"Clear adaption memory'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"ECU Information'	"3'	"Diagnostic version'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"ECU Information'	"4'	"ECU status'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"ECU Information'	"5'	"Immobilisation status'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"ECU Information'	"6'	"Problems detected during transmission of unlocking code'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"ECU Information'	"7'	"Software version'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"ECU Information'	"8'	"Software index'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"1'	"Engine speed'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"3'	"Coolant temperature'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"4'	"Air temperature'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"5'	"Injection time'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"6'	"Injection cut off request'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"7'	"Throttle status'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"8'	"Throttle position sensor'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"9'	"Inlet manifold pressure'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"10'	"Engine speed'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"11'	"Battery voltage'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"12'	"Ignition advance/retard controller'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"13'	"Ignition coil 1'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"14'	"Ignition coil 2'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"15'	"Ignition coil 3'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"16'	"Ignition coil 4'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"17'	"Front lambda sensor'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"18'	"Rear lambda sensor'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"19'	"Mixture adjustment'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"20'	"Carbon filter solenoid valve'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"21'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"22'	"Coolant temperature'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"23'	"Air temperature'

"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"24'	"Oil temperature'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"25'	"Air conditioning authorisation'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"26'	"Input, AC thermostat'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"27'	"Refrigerant pressure sensor'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"28'	"Accelerator pedal'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"29'	"Kick-down'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"30'	"Engine load'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"31'	"Vehicle speed'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"32'	"Gear'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"33'	"Injection time'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"34'	"Power supply relay'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"35'	"Cooling fan relay'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"36'	"Fan speed reference value'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"37'	"Wake up line, status'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"38'	"ECU status'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"39'	"Throttle status'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"40'	"Camshaft angle, actual'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Live Parameters'	"41'	"Camshaft regulation'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"1'	"Motor controlled throttle'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"2'	"Ignition coil 1'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"3'	"Ignition coil 2'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"4'	"Ignition coil 3'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"5'	"Ignition coil 4'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"6'	"Injector cylinder 1'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"7'	"Injector cylinder 2'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"8'	"Injector cylinder 3'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"9'	"Injector cylinder 4'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"10'	"Fuel pump relay'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"11'	"Carbon filter solenoid valve'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"12'	"Lambda sensor heating upstream'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"13'	"Lambda sensor heating downstream'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"14'	"Cooling fan high speed'
"Citroën'	"C8'	"Engine Petrol'	"RFJ 2,0 MM 6LPB'	"	"Tests'	"15'	"Camshaft regulation'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"ECU Information'	"8'	"Part version suffix'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"1'	"Injection time'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"2'	"Throttle potentiometer'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"3'	"Throttle status'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"4'	"Coolant temperature'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"5'	"Inlet air temperature'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"6'	"Inlet manifold pressure'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"7'	"Stepper motor'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"8'	"Injection shut-off'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"9'	"Carbon filter solenoid valve'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"10'	"Ignition timing'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"11'	"Ignition coil 1'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"12'	"Ignition coil 2'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"13'	"Front lambda sensor'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"14'	"Rear lambda sensor'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"15'	"Fuelmixture'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"16'	"Revolution signal'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"17'	"Battery voltage'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"18'	"AC approved'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"19'	"Input, AC thermostat'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"20'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"21'	"Power relay'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"22'	"Road speed signal'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"23'	"Engine torque'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"24'	"Gear detected'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"25'	"Radiator fan relay'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"26'	"Blower speed'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"27'	"Cooling fan'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"1'	"Idle stop engine'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"4'	"Fuel pump relay'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"5'	"Injection valve 1'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"6'	"Injection valve 2'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"7'	"Injection valve 3'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"8'	"Injection valve 4'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"9'	"Secondary air pump relay'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"10'	"Carbon filter solenoid valve'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"11'	"EGR valve'
"Citroën'	"C8'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"14'	"Cooling fan'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Adaptations'	"1'	"Clear adaption memory'

"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"ECU Information'	"3'	"Diagnostic version'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"ECU Information'	"4'	"Control unit'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"ECU Information'	"5'	"Immobilisation status'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"ECU Information'	"6'	"Problems detected during transmission of unlocking code'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"ECU Information'	"7'	"Part version suffix'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"1'	"Engine speed'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"3'	"Injection time'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"4'	"Injection shut-off'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"5'	"Carbon filter solenoid valve'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"6'	"Coolant temperature'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"7'	"Inlet air temperature'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"8'	"Inlet manifold pressure'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"9'	"Throttle status'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"10'	"Throttle angle'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"11'	"Throttle control valve'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"12'	"Ignition timing'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"13'	"Coil charge time cylinder 1'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"14'	"Coil charge time cylinder 2'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"15'	"Coil charge time cylinder 3'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"16'	"Coil charge time cylinder 4'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"17'	"Coil charge time cylinder 5'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"18'	"Coil charge time cylinder 6'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"19'	"Status of front cylinders upstream oxygen sensor'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"20'	"Status of front cylinders downstream oxygen sensor'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"21'	"Status of rear cylinders upstream oxygen sensor'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"22'	"Status of rear cylinders downstream oxygen sensor'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"23'	"Front cylinders mixture regulation'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"24'	"Voltage of front cylinders upstream oxygen sensor'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"25'	"Voltage of rear cylinders downstream oxygen sensor'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"26'	"Voltage of rear cylinders upstream oxygen sensor'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"27'	"Voltage of rear cylinders downstream oxygen sensor'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"28'	"Catalytic converter diagnosis'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"29'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"30'	"Air conditioning authorisation'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"31'	"A/C requested'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"32'	"Engine torque'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"33'	"Vehicle speed'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"34'	"Double relay control circuit'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"35'	"Low speed radiator fan relay'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"36'	"High speed radiator fan relay'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"37'	"Fan control'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"38'	"Variable timing electrovalve, front cylinders'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"39'	"Camshaft position sensor, front cylinders'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"40'	"Variable timing electrovalve, rear cylinders'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Live Parameters'	"41'	"Camshaft position sensor, rear cylinders'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Tests'	"1'	"Variable timing electrovalve, front cylinders'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Tests'	"2'	"Variable timing electrovalve, rear cylinders'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Tests'	"3'	"Double relay control circuit'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Tests'	"4'	"Injection valve 1'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Tests'	"5'	"Injection valve 2'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Tests'	"6'	"Injection valve 3'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Tests'	"7'	"Injection valve 4'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Tests'	"8'	"Injection valve 5'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Tests'	"9'	"Injection valve 6'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Tests'	"10'	"Carbon filter solenoid valve'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Tests'	"11'	"Front lambda sensor'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Tests'	"12'	"Rear lambda sensor'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Tests'	"13'	"Cooling fan high speed'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Tests'	"14'	"Cooling fan low speed'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Tests'	"15'	"Ignition coil 1'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Tests'	"16'	"Ignition coil 2'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Tests'	"17'	"Ignition coil 3'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Tests'	"18'	"Ignition coil 4'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Tests'	"19'	"Ignition coil 5'
"Citroën'	"C8'	"Engine Petrol'	"XFW 3,0 ME 7.4.6'	"	"Tests'	"20'	"Ignition coil 6'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Adaptations'	"1'	"Clear adaption memory'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"ECU Information'	"3'	"Diagnostic version'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"ECU Information'	"4'	"Control unit'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"ECU Information'	"5'	"Immobilisation status'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"ECU Information'	"6'	"Problems detected during transmission of unlocking code'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"ECU Information'	"7'	"Part version suffix'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"1'	"Engine speed'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"3'	"Injection time'

"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"4'	"Injection shut-off'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"5'	"Carbon filter solenoid valve'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"6'	"Coolant temperature'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"7'	"Inlet air temperature'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"8'	"Inlet manifold pressure'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"9'	"Throttle status'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"10'	"Throttle angle'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"11'	"Throttle control valve'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"12'	"Ignition timing'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"13'	"Coil charge time cylinder 1'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"14'	"Coil charge time cylinder 2'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"15'	"Coil charge time cylinder 3'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"16'	"Coil charge time cylinder 4'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"17'	"Coil charge time cylinder 5'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"18'	"Coil charge time cylinder 6'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"19'	"Status of front cylinders upstream oxygen sensor'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"20'	"Status of front cylinders downstream oxygen sensor'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"21'	"Status of rear cylinders upstream oxygen sensor'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"22'	"Status of rear cylinders downstream oxygen sensor'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"23'	"Front cylinders mixture regulation'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"24'	"Voltage of front cylinders upstream oxygen sensor'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"25'	"Voltage of rear cylinders downstream oxygen sensor'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"26'	"Voltage of rear cylinders upstream oxygen sensor'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"27'	"Voltage of rear cylinders downstream oxygen sensor'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"28'	"Catalytic converter diagnosis'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"29'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"30'	"Air conditioning authorisation'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"31'	"A/C requested'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"32'	"Engine torque'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"33'	"Vehicle speed'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"34'	"Double relay control circuit'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"35'	"Low speed radiator fan relay'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"36'	"High speed radiator fan relay'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"37'	"Fan control'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"38'	"Variable timing electrovalve, front cylinders'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"39'	"Camshaft position sensor, front cylinders'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"40'	"Variable timing electrovalve, rear cylinders'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Live Parameters'	"41'	"Camshaft position sensor, rear cylinders'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"1'	"Variable timing electrovalve, front cylinders'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"2'	"Variable timing electrovalve, rear cylinders'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"3'	"Double relay control circuit'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"4'	"Injection valve 1'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"5'	"Injection valve 2'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"6'	"Injection valve 3'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"7'	"Injection valve 4'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"8'	"Injection valve 5'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"9'	"Injection valve 6'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"10'	"Carbon filter solenoid valve'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"11'	"Front lambda sensor'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"12'	"Rear lambda sensor'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"13'	"Cooling fan high speed'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"14'	"Cooling fan low speed'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"15'	"Ignition coil 1'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"16'	"Ignition coil 2'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"17'	"Ignition coil 3'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"18'	"Ignition coil 4'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"19'	"Ignition coil 5'
"Citroën'	"C8'	"Engine Petrol'	"XFX 3,0 ME 7.4.6'	"	"Tests'	"20'	"Ignition coil 6'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"5'	"Diagnostics indicator'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"1'	"Country type'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"2'	"Instrument cluster'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"3'	"Engine type'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"4'	"Unit'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"5'	"ESP button'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"6'	"Parking assistance'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"7'	"AC switch'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"8'	"Heated rear screen command'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"1'	"Speedometer'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"2'	"RPM-gauge'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"3'	"Fuel level'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"4'	"Coolant temperature'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"5'	"Instrument panel lightning'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"6'	"Control panel warning lights'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"7'	"Button light'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"8'	"Instrument panel needles'

"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"3'	"Software version'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"5'	"Supplier'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"6'	"Diesel'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"1'	"Switch, hazardwarning'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"2'	"Brightness, instrument panel'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"3'	"ESP button'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"1'	"Speed meter gauge 100 km/h'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"2'	"Rpm gauge (4000 Rpm)'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"3'	"Fuel gauge, full tank'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"4'	"Coolant temperature, high'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"5'	"Brightness, instrument panel'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"6'	"Indicator lamps'
"Citroën'	"C8'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"7'	"Button light'
"Citroën'	"C8'	"Other'	"Diesel additive - Magneti Marelli'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C8'	"Other'	"Diesel additive - Magneti Marelli'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C8'	"Other'	"Diesel additive - Magneti Marelli'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C8'	"Other'	"Diesel additive - Magneti Marelli'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C8'	"Other'	"Diesel additive - Magneti Marelli'	"	"ECU Information'	"5'	"Diagnostic version'
"Citroën'	"C8'	"Other'	"Diesel additive - Magneti Marelli'	"	"Live Parameters'	"1'	"Tank level, additive'
"Citroën'	"C8'	"Other'	"Diesel additive - Magneti Marelli'	"	"Live Parameters'	"2'	"Fuel cap'
"Citroën'	"C8'	"Other'	"Diesel additive - Magneti Marelli'	"	"Live Parameters'	"3'	"Total quantity of diesel additive injected in particular emission filter (counter 1)'
"Citroën'	"C8'	"Other'	"Diesel additive - Magneti Marelli'	"	"Tests'	"1'	"Diesel additive pump'
"Citroën'	"C8'	"Other'	"Diesel additive - Magneti Marelli'	"	"Tests'	"2'	"Injection valve'
"Citroën'	"C8'	"Other'	"Diesel additive - Marwel'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C8'	"Other'	"Diesel additive - Marwel'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C8'	"Other'	"Diesel additive - Marwel'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C8'	"Other'	"Diesel additive - Marwel'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C8'	"Other'	"Diesel additive - Marwel'	"	"ECU Information'	"5'	"Diagnostic version'
"Citroën'	"C8'	"Other'	"Diesel additive - Marwel'	"	"Live Parameters'	"1'	"Tank level, additive'
"Citroën'	"C8'	"Other'	"Diesel additive - Marwel'	"	"Live Parameters'	"2'	"Fuel cap'
"Citroën'	"C8'	"Other'	"Diesel additive - Marwel'	"	"Live Parameters'	"3'	"Temperature after particular emission filter (if equipped)'
"Citroën'	"C8'	"Other'	"Diesel additive - Marwel'	"	"Live Parameters'	"4'	"Total quantity of diesel additive injected in particular emission filter (counter 1)'
"Citroën'	"C8'	"Other'	"Diesel additive - Marwel'	"	"Live Parameters'	"5'	"Total quantity of diesel additive injected from additive reservoir (counter 2)'
"Citroën'	"C8'	"Other'	"Diesel additive - Marwel'	"	"Tests'	"1'	"Diesel additive pump'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"5'	"Calibration version'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"6'	"Diagnos index'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"7'	"Diagnostics indicator'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"8'	"Checking of action in aftermarket'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"9'	"Checking at factory'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"10'	"Checking at supplier'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"11'	"After sales check'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"12'	"Front satellite sensors PSA reference'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"13'	"Satellite sensors supplier'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"14'	"Front satellites calibration version'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"15'	"Front satellites material version'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"16'	"Front satellites software version'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"17'	"Rear satellite sensors PSA reference'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"18'	"Rear satellite sensors supplier'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"19'	"Rear satellites calibration version'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"20'	"Rear satellites material version'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"21'	"Rear satellites software version'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"1'	"Driver airbag ignition squib 1'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"2'	"Driver airbag ignition squib 2'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"3'	"Driver knee airbag'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"4'	"Anti submarining, driver side'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"5'	"Driver seat position sensor'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"6'	"Front passenger airbag ignition squib 1'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"7'	"Front passenger airbag ignition squib 2'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"8'	"Passenger knee airbag'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"9'	"Anti submarining, passenger side'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"10'	"Passenger seat position sensor'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"11'	"Switch, passenger airbag'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"12'	"Number of impacts'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"13'	"Rear impact detected'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"14'	"Drivers pretensioner'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"15'	"Driver lap strap pretensioner'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"16'	"Passenger pretensioner'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"17'	"Passenger lap strap pretensioner'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"18'	"Center pretensioner squib circuit row 1'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"19'	"Right pretensioner squib circuit row 2'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"20'	"Left pretensioner squib circuit row 2'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"21'	"Center pretensioner squib circuit row 2'

"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"22'	"Right pretensioner squib circuit row 3'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"23'	"Left pretensioner squib circuit row 3'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"24'	"Center pretensioner squib circuit row 3'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"25'	"Right front side airbag ignition squib'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"26'	"Left front side airbag ignition squib'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"27'	"Right side curtain airbag'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"28'	"Left side curtain airbag'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"29'	"Right rear side airbag ignition squib'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"30'	"Left rear side airbag ignition squib'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"3'	"Version of program'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"4'	"Calibration number'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"5'	"Diagnostic version'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"6'	"Checking at after line production'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"7'	"Checking at factory'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"8'	"Checking at supplier'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"9'	"Maintenance counter'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"10'	"Front satellite sensors PSA reference'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"11'	"Front satellites calibration version'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"12'	"Front satellites software version'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"13'	"Front satellites material version'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"1'	"Airbag driver and passenger level 1'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"2'	"Airbag driver and passenger level 2'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"3'	"Driver knee airbag'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"4'	"Switch to disable passenger airbag'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"5'	"Frontal side airbag'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"6'	"Side head airbags'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"7'	"Front pretensioning seatbelts'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"8'	"Rear pretensioning seatbelts'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"9'	"Frontal left and right satellites'
"Citroën'	"C8'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"10'	"Rear left and right satellites'
"Citroën'	"C8'	"Steering'	"Power steering - HPI'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C8'	"Steering'	"Power steering - HPI'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"C8'	"Steering'	"Power steering - HPI'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"C8'	"Steering'	"Power steering - HPI'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"C8'	"Steering'	"Power steering - HPI'	"	"ECU Information'	"5'	"Software index'
"Citroën'	"C8'	"Steering'	"Power steering - HPI'	"	"ECU Information'	"6'	"Software version'
"Citroën'	"C8'	"Steering'	"Power steering - HPI'	"	"Live Parameters'	"1'	"Rotation speed'
"Citroën'	"C8'	"Steering'	"Power steering - HPI'	"	"Live Parameters'	"2'	"Power steering pump'
"Citroën'	"C8'	"Steering'	"Power steering - HPI'	"	"Live Parameters'	"3'	"Current steering motor'
"Citroën'	"C8'	"Steering'	"Power steering - HPI'	"	"Live Parameters'	"4'	"Electrical power steering motor'
"Citroën'	"C8'	"Steering'	"Power steering - HPI'	"	"Live Parameters'	"5'	"Pump engine speed'
"Citroën'	"C8'	"Steering'	"Power steering - HPI'	"	"Live Parameters'	"6'	"Engine status'
"Citroën'	"C8'	"Steering'	"Power steering - HPI'	"	"Live Parameters'	"7'	"Vehicle speed'
"Citroën'	"C8'	"Steering'	"Power steering - HPI'	"	"Tests'	"1'	"Power steering pump'
"Citroën'	"C-Crosser'	"Body Control Module'	"BSI - Diagnose'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"C-Crosser'	"Body Control Module'	"BSI - Diagnose'	"	"ECU Information'	"2'	"Part number'
"Citroën'	"C-Crosser'	"Body Control Module'	"BSI - Diagnose'	"	"ECU Information'	"3'	"Hardware version'
"Citroën'	"C-Crosser'	"Body Control Module'	"BSI - Diagnose'	"	"ECU Information'	"4'	"Original VIN'
"Citroën'	"C-Crosser'	"Body Control Module'	"BSI - Diagnose'	"	"ECU Information'	"5'	"Current VIN'
"Citroën'	"C-Crosser'	"Body Control Module'	"BSI - Diagnose'	"	"ECU Information'	"6'	"Programming date'
"Citroën'	"C-Crosser'	"Body Control Module'	"BSI - Diagnose'	"	"ECU Information'	"7'	"Software index'
"Citroën'	"C-Crosser'	"Body Control Module'	"BSI - Diagnose'	"	"ECU Information'	"8'	"Software version'
"Citroën'	"C-Crosser'	"Body Control Module'	"BSI - Diagnose'	"	"ECU Information'	"9'	"Diagnostic version'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Adaptations'	"1'	"Lateral accelerator sensor calibration'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Adaptations'	"2'	"Longitudinal acceleration sensor calibration'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Adaptations'	"3'	"Calibration of steering angle sensor'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Adaptations'	"4'	"Brake pressure sensor initialisation'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"ECU Information'	"2'	"ECU identification'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"ECU Information'	"3'	"Diagnostic version'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"ECU Information'	"4'	"Hardware version'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"ECU Information'	"5'	"Software version'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"ECU Information'	"6'	"Part number'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Live Parameters'	"1'	"Front left wheel speed sensor'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Live Parameters'	"2'	"Front right wheel speed sensor'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Live Parameters'	"3'	"Rear left wheel speed sensor'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Live Parameters'	"4'	"Rear right wheel speed sensor'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Live Parameters'	"5'	"Steering wheel angle'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Live Parameters'	"6'	"Yaw rate sensor'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Live Parameters'	"7'	"Brake pressure'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Live Parameters'	"8'	"Lateral acceleration'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Live Parameters'	"9'	"Longitudinal acceleration'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Live Parameters'	"10'	"Engine speed'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Live Parameters'	"11'	"Engine torque'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Live Parameters'	"12'	"Accelerator pedal position'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Live Parameters'	"13'	"ESP regulation'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Live Parameters'	"14'	"Battery voltage'

"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Live Parameters'	"15'	"Voltage supply hydraulic pump'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Live Parameters'	"16'	"Voltage supply valve relay'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Live Parameters'	"17'	"Steering wheel angle sensor programming'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Live Parameters'	"18'	"Vehicle speed'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Live Parameters'	"19'	"Left front wheel'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Live Parameters'	"20'	"Right front wheel'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Live Parameters'	"21'	"ESP off switch'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Live Parameters'	"22'	"Brake switch 1'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Live Parameters'	"23'	"Brake switch 2'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Live Parameters'	"24'	"Parking brake'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Live Parameters'	"25'	"Brake pressure sensor'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Live Parameters'	"26'	"Brake pedal switch'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Tests'	"1'	"ABS outlet valve front left'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Tests'	"2'	"ABS outlet valve front right'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Tests'	"3'	"ABS outlet valve rear left'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Tests'	"4'	"ABS outlet valve rear right'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Tests'	"5'	"ABS inlet valve front left'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Tests'	"6'	"ABS inlet valve front right'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Tests'	"7'	"ABS inlet valve rear left'
"Citroën'	"C-Crosser'	"Brake System'	"ABS Teves'	"	"Tests'	"8'	"ABS inlet valve rear right'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Adaptations'	"1'	"EGR-valve, adaption'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Adaptations'	"2'	"Intake air shut-off solenoid valve'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Adaptations'	"3'	"Air inlet sensor'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Adaptations'	"4'	"Regeneration'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Adaptations'	"5'	"Filling of diesel additive'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Adaptations'	"6'	"Refilling hose with additive'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Adaptations'	"7'	"Particle filter replaced'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"ECU Information'	"2'	"Original VIN'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"ECU Information'	"3'	"Current VIN'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"ECU Information'	"4'	"Supplier'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"ECU Information'	"5'	"Software index'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"ECU Information'	"6'	"Software version'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"ECU Information'	"7'	"Diagnostic version'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"1'	"Engine speed'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"2'	"Vehicle speed'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"3'	"Brake pedal'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"4'	"Clutch pedal'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"5'	"Accelerator pedal (sensor 1)'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"6'	"Accelerator pedal (sensor 2)'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"7'	"Accelerator pedal position'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"8'	"Gear'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"9'	"Gearbox type'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"10'	"Cruise control'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"11'	"Set point, cruise control'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"12'	"Cruise control switch'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"13'	"Coolant temperature'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"14'	"Battery voltage'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"15'	"Fan speed reference value'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"16'	"Fan speed'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"17'	"Cooling fan relay'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"18'	"A/C requested'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"19'	"Air conditioning authorisation'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"20'	"A/C pressure'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"21'	"Oil pressure sensor'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"22'	"High pressure pump'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"23'	"Rail pressure regulator'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"24'	"Rail pressure setting'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"25'	"Rail pressure'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"26'	"Rail pressure regulator'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"27'	"Fuel flow regulator'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"28'	"Injection quantity'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"29'	"Fuel quantity correction cylinder 1'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"30'	"Fuel quantity correction cylinder 2'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"31'	"Fuel quantity correction cylinder 3'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"32'	"Fuel quantity correction cylinder 4'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"33'	"Fuel temperature'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"34'	"Injection quantity correction'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"35'	"Injection valve 1'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"36'	"Injection valve 2'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"37'	"Injection valve 3'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"38'	"Injection valve 4'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"39'	"Air mass reference value'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"40'	"Air mass'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"41'	"Air inlet sensor'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"42'	"Intake manifold'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"43'	"EGR valve'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"44'	"EGR valve position recopy'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"45'	"Additive lambda regulation'

"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"46'	"Lambda sensor'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"47'	"Calculated Lambda'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"48'	"Lambda sensor heater'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"49'	"Turbo charging pressure'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"50'	"Atmospheric pressure'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"51'	"Target overboost pressure'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"52'	"Overboost pressure measured'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"53'	"Variable geometry turbo duty cycle'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"54'	"Content of soot in the particle emission filter'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"55'	"Exhaust gas temperature, downstreams catalytic converter'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"56'	"Pressure difference between inlet and outlet in particle emission filter'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"57'	"Distance travelled since particle filter replaced'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"58'	"Distance travelled since last regeneration'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"59'	"Average distance between the last 5 regenerations'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"60'	"Level sensor, additive'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"61'	"Level in additive tank is low'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"62'	"Total quantity of diesel additive injected in particular emission filter (counter 1)'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"63'	"Tank level, additive'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"64'	"Choking of particle emission filter'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"65'	"Cleaning or replacement of particular emission filter'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"66'	"EGR valve programming'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Live Parameters'	"67'	"Exhaust gas recirculation positioner'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Tests'	"1'	"Injection pump regulator'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Tests'	"2'	"Relay, pre-/post-heating control'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Tests'	"3'	"Cooling fan high speed'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Tests'	"4'	"Fuel pressure regulation'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Tests'	"5'	"EGR valve'
"Citroën'	"C-Crosser'	"Engine Diesel'	"4HN 2,2 EDC 16CP39'	"	"Tests'	"6'	"EGR cooling bypass valve'
"Citroën'	"C-Crosser'	"Restraints'	"Airbag - TRW'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"C-Crosser'	"Restraints'	"Airbag - TRW'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"C-Crosser'	"Restraints'	"Airbag - TRW'	"	"ECU Information'	"3'	"Diagnostic version'
"Citroën'	"C-Crosser'	"Restraints'	"Airbag - TRW'	"	"ECU Information'	"4'	"Hardware version'
"Citroën'	"C-Crosser'	"Restraints'	"Airbag - TRW'	"	"ECU Information'	"5'	"Software version'
"Citroën'	"C-Crosser'	"Restraints'	"Airbag - TRW'	"	"ECU Information'	"6'	"Original VIN'
"Citroën'	"C-Crosser'	"Restraints'	"Airbag - TRW'	"	"ECU Information'	"7'	"Current VIN'
"Citroën'	"C-Crosser'	"Restraints'	"Airbag - TRW'	"	"Live Parameters'	"1'	"LED warning light'
"Citroën'	"C-Crosser'	"Restraints'	"Airbag - TRW'	"	"Live Parameters'	"2'	"Deactivation switch passenger airbag'
"Citroën'	"C-Crosser'	"Restraints'	"Airbag - TRW'	"	"Live Parameters'	"3'	"Indicator lamp for passenger airbag disconnection'
"Citroën'	"C-Crosser'	"Restraints'	"Airbag - TRW'	"	"Live Parameters'	"4'	"Passenger airbag'
"Citroën'	"C-Crosser'	"Restraints'	"Airbag - TRW'	"	"Live Parameters'	"5'	"Driver knee airbag'
"Citroën'	"C-Crosser'	"Restraints'	"Airbag - TRW'	"	"Live Parameters'	"6'	"Deactivation switch passenger airbag'
"Citroën'	"C-Crosser'	"Restraints'	"Airbag - TRW'	"	"Live Parameters'	"7'	"Key switch, driver airbag'
"Citroën'	"C-Crosser'	"Restraints'	"Airbag - TRW'	"	"Live Parameters'	"8'	"Right front side airbag'
"Citroën'	"C-Crosser'	"Restraints'	"Airbag - TRW'	"	"Live Parameters'	"9'	"Left front side airbag'
"Citroën'	"C-Crosser'	"Restraints'	"Airbag - TRW'	"	"Live Parameters'	"10'	"Right side curtain airbag'
"Citroën'	"C-Crosser'	"Restraints'	"Airbag - TRW'	"	"Live Parameters'	"11'	"Left side curtain airbag'
"Citroën'	"C-Crosser'	"Restraints'	"Airbag - TRW'	"	"Tests'	"1'	"LED warning light'
"Citroën'	"Evasion'	"Body Control Module'	"Body computer'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Evasion'	"Body Control Module'	"Body computer'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Evasion'	"Body Control Module'	"Body computer'	"	"Live Parameters'	"1'	"Number of keys'
"Citroën'	"Evasion'	"Body Control Module'	"Body computer'	"	"Live Parameters'	"2'	"Stored remote controls count'
"Citroën'	"Evasion'	"Body Control Module'	"Body computer'	"	"Live Parameters'	"3'	"Configuration'
"Citroën'	"Evasion'	"Body Control Module'	"Body computer'	"	"Live Parameters'	"4'	"Alarm configuration'
"Citroën'	"Evasion'	"Body Control Module'	"Body computer'	"	"Live Parameters'	"5'	"Ignition +15'
"Citroën'	"Evasion'	"Body Control Module'	"Body computer'	"	"Live Parameters'	"6'	"Transponder communication'
"Citroën'	"Evasion'	"Body Control Module'	"Body computer'	"	"Live Parameters'	"7'	"Communication with siren'
"Citroën'	"Evasion'	"Body Control Module'	"Body computer'	"	"Live Parameters'	"8'	"Driver door locking button'
"Citroën'	"Evasion'	"Body Control Module'	"Body computer'	"	"Live Parameters'	"9'	"Passenger door locking button'
"Citroën'	"Evasion'	"Body Control Module'	"Body computer'	"	"Live Parameters'	"10'	"Left front door'
"Citroën'	"Evasion'	"Body Control Module'	"Body computer'	"	"Live Parameters'	"11'	"Right front door'
"Citroën'	"Evasion'	"Body Control Module'	"Body computer'	"	"Live Parameters'	"12'	"Rear left door'
"Citroën'	"Evasion'	"Body Control Module'	"Body computer'	"	"Live Parameters'	"13'	"Rear right door'
"Citroën'	"Evasion'	"Brake System'	"Bosch 5.3'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Evasion'	"Brake System'	"Bosch 5.3'	"	"ECU Information'	"2'	"Bosch hardware number'
"Citroën'	"Evasion'	"Brake System'	"Bosch 5.3'	"	"Live Parameters'	"1'	"Wheel sensor LF'
"Citroën'	"Evasion'	"Brake System'	"Bosch 5.3'	"	"Live Parameters'	"2'	"Wheel sensor RF'
"Citroën'	"Evasion'	"Brake System'	"Bosch 5.3'	"	"Live Parameters'	"3'	"Wheel sensor LR'
"Citroën'	"Evasion'	"Brake System'	"Bosch 5.3'	"	"Live Parameters'	"4'	"Wheel sensor RR'
"Citroën'	"Evasion'	"Brake System'	"Bosch 5.3'	"	"Live Parameters'	"5'	"Safety circuit'
"Citroën'	"Evasion'	"Brake System'	"Bosch 5.3'	"	"Live Parameters'	"6'	"Brake pedal switch'
"Citroën'	"Evasion'	"Brake System'	"Bosch 5.3'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Evasion'	"Brake System'	"Bosch 5.3'	"	"ECU Information'	"2'	"Bosch hardware number'
"Citroën'	"Evasion'	"Brake System'	"Bosch 5.3'	"	"Live Parameters'	"1'	"Wheel sensor LF'
"Citroën'	"Evasion'	"Brake System'	"Bosch 5.3'	"	"Live Parameters'	"2'	"Wheel sensor RF'
"Citroën'	"Evasion'	"Brake System'	"Bosch 5.3'	"	"Live Parameters'	"3'	"Wheel sensor LR'
"Citroën'	"Evasion'	"Brake System'	"Bosch 5.3'	"	"Live Parameters'	"4'	"Wheel sensor RR'
"Citroën'	"Evasion'	"Brake System'	"Bosch 5.3'	"	"Live Parameters'	"5'	"Safety circuit'
"Citroën'	"Evasion'	"Brake System'	"Bosch 5.3'	"	"Live Parameters'	"6'	"Brake pedal switch'
"Citroën'	"Evasion'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"ECU Information'	"1'	"ECU serial number'

"Citroën'	"Evasion'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Evasion'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"2'	"Desired injection start'
"Citroën'	"Evasion'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"3'	"Actual injection start'
"Citroën'	"Evasion'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"4'	"Injection amount'
"Citroën'	"Evasion'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"5'	"Throttle potentiometer'
"Citroën'	"Evasion'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"6'	"Needle lift sensor'
"Citroën'	"Evasion'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"7'	"Diagnostics indicator'
"Citroën'	"Evasion'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"8'	"Idle valve'
"Citroën'	"Evasion'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"9'	"AC shut off relay'
"Citroën'	"Evasion'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"10'	"Glow pin relay coil'
"Citroën'	"Evasion'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"11'	"Atmospheric pressure'
"Citroën'	"Evasion'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"12'	"Battery voltage'
"Citroën'	"Evasion'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"13'	"EGR valve'
"Citroën'	"Evasion'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Tests'	"1'	"Injection valves'
"Citroën'	"Evasion'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Tests'	"2'	"Idle speed regulator'
"Citroën'	"Evasion'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Tests'	"3'	"Carbon filter solenoid valve'
"Citroën'	"Evasion'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Tests'	"4'	"AC-relay'
"Citroën'	"Evasion'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Tests'	"5'	"Fuel consumption'
"Citroën'	"Evasion'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Tests'	"6'	"RPM-gauge'
"Citroën'	"Evasion'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Evasion'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"2'	"Inlet manifold pressure'
"Citroën'	"Evasion'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"3'	"Battery voltage'
"Citroën'	"Evasion'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"4'	"Actual + for accessories (+ACC)'
"Citroën'	"Evasion'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"5'	"Road speed signal'
"Citroën'	"Evasion'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"6'	"Rotor Calibration'
"Citroën'	"Evasion'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"7'	"Rotor position requested'
"Citroën'	"Evasion'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"8'	"Real rotor position'
"Citroën'	"Evasion'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"9'	"Rotor control'
"Citroën'	"Evasion'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"10'	"Rotor solenoid valve - (delay)'
"Citroën'	"Evasion'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"11'	"Power relay'
"Citroën'	"Evasion'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"12'	"Rotor solenoid valve - (gain)'
"Citroën'	"Evasion'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"13'	"Rotor solenoid valve + (gain)'
"Citroën'	"Evasion'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"14'	"Injection advance actuator'
"Citroën'	"Evasion'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"15'	"Cam Calibration'
"Citroën'	"Evasion'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"16'	"Air density'
"Citroën'	"Evasion'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"17'	"Operational State'
"Citroën'	"Evasion'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"18'	"Brake pedal switch'
"Citroën'	"Evasion'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"19'	"EGR solenoid valve'
"Citroën'	"Evasion'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"20'	"Glowplug pre-operation'
"Citroën'	"Evasion'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"21'	"Shift position'
"Citroën'	"Evasion'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"22'	"Idle switch'
"Citroën'	"Evasion'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Tests'	"1'	"Injection valve cylinder 1 and 4'
"Citroën'	"Evasion'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Tests'	"2'	"Injection valve cylinder 2 and 3'
"Citroën'	"Evasion'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Tests'	"3'	"Carbon filter solenoid valve'
"Citroën'	"Evasion'	"Engine Diesel'	"RHW 2,0 EDC 15C2'	"	"Live Parameters'	"1'	"Diagnostics indicator'
"Citroën'	"Evasion'	"Engine Diesel'	"RHW 2,0 EDC 15C2'	"	"Live Parameters'	"2'	"Pedal position sensor'
"Citroën'	"Evasion'	"Engine Diesel'	"RHW 2,0 EDC 15C2'	"	"Live Parameters'	"3'	"Pedal position sensor'
"Citroën'	"Evasion'	"Engine Diesel'	"RHW 2,0 EDC 15C2'	"	"Live Parameters'	"4'	"Atmospheric pressure'
"Citroën'	"Evasion'	"Engine Diesel'	"RHW 2,0 EDC 15C2'	"	"Live Parameters'	"5'	"Load pressure'
"Citroën'	"Evasion'	"Engine Diesel'	"RHW 2,0 EDC 15C2'	"	"Live Parameters'	"6'	"Revolution signal'
"Citroën'	"Evasion'	"Engine Diesel'	"RHW 2,0 EDC 15C2'	"	"Live Parameters'	"7'	"Battery voltage'
"Citroën'	"Evasion'	"Engine Diesel'	"RHW 2,0 EDC 15C2'	"	"Live Parameters'	"8'	"Coolant temperature'
"Citroën'	"Evasion'	"Engine Diesel'	"RHW 2,0 EDC 15C2'	"	"Live Parameters'	"9'	"Fuel temperature'
"Citroën'	"Evasion'	"Engine Diesel'	"RHW 2,0 EDC 15C2'	"	"Live Parameters'	"10'	"Inlet air temperature'
"Citroën'	"Evasion'	"Engine Diesel'	"RHW 2,0 EDC 15C2'	"	"Live Parameters'	"11'	" +15 signal'
"Citroën'	"Evasion'	"Engine Diesel'	"RHW 2,0 EDC 15C2'	"	"Live Parameters'	"12'	"Road speed signal'
"Citroën'	"Evasion'	"Engine Diesel'	"RHW 2,0 EDC 15C2'	"	"Live Parameters'	"13'	"Fuel pressure'
"Citroën'	"Evasion'	"Engine Diesel'	"RHW 2,0 EDC 15C2'	"	"Live Parameters'	"14'	"Air mass meter'
"Citroën'	"Evasion'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"1'	"Diagnostics indicator'
"Citroën'	"Evasion'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"2'	"Pedal position sensor'
"Citroën'	"Evasion'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"3'	"Pedal position sensor'
"Citroën'	"Evasion'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"4'	"Atmospheric pressure'
"Citroën'	"Evasion'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"5'	"Load pressure'
"Citroën'	"Evasion'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"6'	"Revolution signal'
"Citroën'	"Evasion'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"7'	"Battery voltage'
"Citroën'	"Evasion'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"8'	"Coolant temperature'
"Citroën'	"Evasion'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"9'	"Fuel temperature'
"Citroën'	"Evasion'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"10'	"Inlet air temperature'
"Citroën'	"Evasion'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"11'	" +15 signal'
"Citroën'	"Evasion'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"12'	"Road speed signal'
"Citroën'	"Evasion'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"13'	"Fuel pressure'
"Citroën'	"Evasion'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"14'	"Air mass meter'
"Citroën'	"Evasion'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"1'	"Injection time'
"Citroën'	"Evasion'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"2'	"Throttle potentiometer'
"Citroën'	"Evasion'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"3'	"Inlet manifold pressure'
"Citroën'	"Evasion'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"4'	"Stepper motor'
"Citroën'	"Evasion'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"5'	"Injection valves'
"Citroën'	"Evasion'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"6'	"Revolution signal'
"Citroën'	"Evasion'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"7'	"Battery voltage'

"Citroën'	"Evasion'	"Engine Petrol'	"RFV 2,0 Motronic MP 7.3'	"	"Tests'	"5'	"Injection valve 3'
"Citroën'	"Evasion'	"Engine Petrol'	"RFV 2,0 Motronic MP 7.3'	"	"Tests'	"6'	"Injection valve 4'
"Citroën'	"Evasion'	"Engine Petrol'	"RFV 2,0 Motronic MP 7.3'	"	"Tests'	"7'	"Secondary air pump relay'
"Citroën'	"Evasion'	"Engine Petrol'	"RFV 2,0 Motronic MP 7.3'	"	"Tests'	"8'	"AC shut off relay'
"Citroën'	"Evasion'	"Engine Petrol'	"RFV 2,0 Motronic MP 7.3'	"	"Tests'	"9'	"Carbon filter solenoid valve'
"Citroën'	"Evasion'	"Engine Petrol'	"RFV 2,0 Motronic MP 7.3'	"	"Tests'	"10'	"RPM-gauge'
"Citroën'	"Evasion'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"ECU Information'	"1'	"ECU serial number'
"Citroën'	"Evasion'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Evasion'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"2'	"Coolant temperature'
"Citroën'	"Evasion'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"3'	"Inlet air temperature'
"Citroën'	"Evasion'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"4'	"Injection time'
"Citroën'	"Evasion'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"5'	"Lambda sensor'
"Citroën'	"Evasion'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"6'	"Inlet manifold pressure'
"Citroën'	"Evasion'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"7'	"Throttle potentiometer'
"Citroën'	"Evasion'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"8'	"Camshaft position sensor'
"Citroën'	"Evasion'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"9'	"Ignition timing'
"Citroën'	"Evasion'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"10'	"Idle valve'
"Citroën'	"Evasion'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"11'	"Carbon filter solenoid valve'
"Citroën'	"Evasion'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"12'	"Road speed signal'
"Citroën'	"Evasion'	"Restrains'	"AC4'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Evasion'	"Restrains'	"AC4'	"	"ECU Information'	"2'	"Bosch hardware number'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"1'	"Request engine'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"2'	"Injection controller'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"3'	"Immobiliser signal'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"4'	"Number of rewrites'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"5'	"Engine speed'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"6'	"Accelerator pedal position'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"7'	"Injection start'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"8'	"Pilot injection start'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"9'	"Main injection time'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"10'	"Pre injection time'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"11'	"Injection amount'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"12'	"Target fuel pressure'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"13'	"Fuel pressure measured'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"14'	"Solenoid pressure regulation'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"15'	"Overboost pressure measured'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"16'	"Atmospheric pressure'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"17'	"Inlet air temperature'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"18'	"Coolant temperature'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"19'	"Battery voltage'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"20'	"Road speed signal'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"21'	"A/C requested'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"22'	"Brake pedal'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"23'	"Clutch pedal'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"24'	"Ignition status'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"25'	"CAN: data bus'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"26'	"AD/C accelerator position 1'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"27'	"AD/C accelerator position 2'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"28'	"Capacitor 1'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"29'	"Fuel temperature'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"30'	"Injection amount'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"31'	"CAN: data bus (if present)'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Tests'	"1'	"Fan 1'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Tests'	"2'	"Fan 2'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Tests'	"3'	"AC-relay'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Tests'	"4'	"Malfunction indicator lamp (MIL)'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Tests'	"5'	"Turbo regulator'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Tests'	"6'	"Fuel pump'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Tests'	"7'	"EGR valve'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Tests'	"8'	"Glowplug relay'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Tests'	"9'	"Fuel filter heating relay'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Tests'	"10'	"Fuel pressure regulator'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Tests'	"11'	"Glow time lamp'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Tests'	"12'	"Cruise lamp'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Tests'	"13'	"Oil pressure lamp'
"Citroën'	"Jumper I'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Tests'	"14'	"Changeover valve for induction damper'
"Citroën'	"Jumper I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"ECU Information'	"1'	"ECU serial number'
"Citroën'	"Jumper I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Jumper I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"2'	"Desired injection start'
"Citroën'	"Jumper I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"3'	"Actual injection start'
"Citroën'	"Jumper I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"4'	"Injection amount'
"Citroën'	"Jumper I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"5'	"Throttle potentiometer'
"Citroën'	"Jumper I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"6'	"Needle lift sensor'
"Citroën'	"Jumper I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"7'	"Diagnostics indicator'
"Citroën'	"Jumper I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"8'	"Idle valve'
"Citroën'	"Jumper I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"9'	"AC shut off relay'
"Citroën'	"Jumper I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"10'	"Glow pin relay coil'
"Citroën'	"Jumper I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"11'	"Atmospheric pressure'
"Citroën'	"Jumper I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"12'	"Battery voltage'

"Citroën'	"Jumper I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"13'	"EGR valve'
"Citroën'	"Jumper I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Tests'	"1'	"Injection valves'
"Citroën'	"Jumper I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Tests'	"2'	"Idle speed regulator'
"Citroën'	"Jumper I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Tests'	"3'	"Carbon filter solenoid valve'
"Citroën'	"Jumper I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Tests'	"4'	"AC-relay'
"Citroën'	"Jumper I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Tests'	"5'	"Fuel consumption'
"Citroën'	"Jumper I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Tests'	"6'	"RPM-gauge'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"1'	"Request engine'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"2'	"Injection controller'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"3'	"Immobiliser signal'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"4'	"Number of rewrites'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"5'	"Engine speed'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"6'	"Accelerator pedal position'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"7'	"Injection start'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"8'	"Pilot injection start'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"9'	"Main injection time'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"10'	"Pre injection time'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"11'	"Injection amount'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"12'	"Target fuel pressure'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"13'	"Fuel pressure measured'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"14'	"Solenoid pressure regulation'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"15'	"Overboost pressure measured'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"16'	"Atmospheric pressure'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"17'	"Inlet air temperature'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"18'	"Coolant temperature'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"19'	"Battery voltage'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"20'	"Road speed signal'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"21'	"A/C requested'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"22'	"Brake pedal'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"23'	"Clutch pedal'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"24'	"Ignition status'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"25'	"CAN: data bus'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"26'	"AD/C accelerator position 1'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"27'	"AD/C accelerator position 2'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"28'	"Capacitor 1'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"29'	"Fuel temperature'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"30'	"Injection amount'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Live Parameters'	"31'	"CAN: data bus (if present)'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Tests'	"1'	"Fan 1'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Tests'	"2'	"Fan 2'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Tests'	"3'	"AC-relay'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Tests'	"4'	"Malfunction indicator lamp (MIL)'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Tests'	"5'	"Turbo regulator'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Tests'	"6'	"Fuel pump'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Tests'	"7'	"EGR valve'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Tests'	"8'	"Glowplug relay'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Tests'	"9'	"Fuel filter heating relay'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Tests'	"10'	"Fuel pressure regulator'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Tests'	"11'	"Glow time lamp'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Tests'	"12'	"Cruise lamp'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Tests'	"13'	"Oil pressure lamp'
"Citroën'	"Jumper II'	"Engine Diesel'	"8140.43s 2,8 EDC 15C7'	"	"Tests'	"14'	"Changeover valve for induction damper'
"Citroën'	"Jumper III'	"Body Control Module'	"BSI - Diagnose'	"	"ECU Information'	"1'	"ISO Code'
"Citroën'	"Jumper III'	"Body Control Module'	"BSI - Diagnose'	"	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"Jumper III'	"Body Control Module'	"BSI - Diagnose'	"	"ECU Information'	"3'	"ECU version'
"Citroën'	"Jumper III'	"Body Control Module'	"BSI - Diagnose'	"	"ECU Information'	"4'	"Software index'
"Citroën'	"Jumper III'	"Body Control Module'	"BSI - Diagnose'	"	"ECU Information'	"5'	"Software version'
"Citroën'	"Jumper III'	"Body Control Module'	"BSI - Diagnose'	"	"ECU Information'	"6'	"Hardware number'
"Citroën'	"Jumper III'	"Body Control Module'	"BSI - Diagnose'	"	"ECU Information'	"7'	"Programming date'
"Citroën'	"Jumper III'	"Brake System'	"ABS Bosch 8.0'	"	"ECU Information'	"1'	"ISO Code'
"Citroën'	"Jumper III'	"Brake System'	"ABS Bosch 8.0'	"	"ECU Information'	"2'	"Hardware number'
"Citroën'	"Jumper III'	"Brake System'	"ABS Bosch 8.0'	"	"ECU Information'	"3'	"ECU version'
"Citroën'	"Jumper III'	"Brake System'	"ABS Bosch 8.0'	"	"ECU Information'	"4'	"Reference PSA'
"Citroën'	"Jumper III'	"Brake System'	"ABS Bosch 8.0'	"	"ECU Information'	"5'	"Software index'
"Citroën'	"Jumper III'	"Brake System'	"ABS Bosch 8.0'	"	"ECU Information'	"6'	"Programming date'
"Citroën'	"Jumper III'	"Brake System'	"ABS Bosch 8.0'	"	"Live Parameters'	"1'	"Front left wheel speed sensor'
"Citroën'	"Jumper III'	"Brake System'	"ABS Bosch 8.0'	"	"Live Parameters'	"2'	"Front right wheel speed sensor'
"Citroën'	"Jumper III'	"Brake System'	"ABS Bosch 8.0'	"	"Live Parameters'	"3'	"Rear right wheel speed sensor'
"Citroën'	"Jumper III'	"Brake System'	"ABS Bosch 8.0'	"	"Live Parameters'	"4'	"Rear left wheel speed sensor'
"Citroën'	"Jumper III'	"Brake System'	"ABS Bosch 8.0'	"	"Live Parameters'	"5'	"Brake light switch'
"Citroën'	"Jumper III'	"Brake System'	"ABS Bosch 8.0'	"	"Live Parameters'	"6'	"Relay for solenoid valve'
"Citroën'	"Jumper III'	"Brake System'	"ABS Bosch 8.0'	"	"Live Parameters'	"7'	"Recirculating Pump'
"Citroën'	"Jumper III'	"Brake System'	"ABS Bosch 8.0'	"	"Live Parameters'	"8'	"ABS inlet valve front left'
"Citroën'	"Jumper III'	"Brake System'	"ABS Bosch 8.0'	"	"Live Parameters'	"9'	"ABS outlet valve front left'
"Citroën'	"Jumper III'	"Brake System'	"ABS Bosch 8.0'	"	"Live Parameters'	"10'	"ABS inlet valve front right'
"Citroën'	"Jumper III'	"Brake System'	"ABS Bosch 8.0'	"	"Live Parameters'	"11'	"ABS outlet valve front right'
"Citroën'	"Jumper III'	"Brake System'	"ABS Bosch 8.0'	"	"Live Parameters'	"12'	"ABS inlet valve rear left'
"Citroën'	"Jumper III'	"Brake System'	"ABS Bosch 8.0'	"	"Live Parameters'	"13'	"ABS outlet valve rear left'
"Citroën'	"Jumper III'	"Brake System'	"ABS Bosch 8.0'	"	"Live Parameters'	"14'	"ABS inlet valve rear right'

"Citroën'	"Jumper III'	"Brake System'	"ABS Bosch 8.0'	"	"Live Parameters'	"15'	"ABS outlet valve rear right'
"Citroën'	"Jumper III'	"Brake System'	"ABS Bosch 8.0'	"	"Live Parameters'	"16'	"Secondary brake contact'
"Citroën'	"Jumper III'	"Brake System'	"ABS Bosch 8.0'	"	"Live Parameters'	"17'	"Supply voltage'
"Citroën'	"Jumper III'	"Brake System'	"ABS Bosch 8.0'	"	"Tests'	"1'	"Recirculating Pump'
"Citroën'	"Jumper III'	"Brake System'	"ABS Bosch 8.0'	"	"Tests'	"2'	"ABS outlet valve front left'
"Citroën'	"Jumper III'	"Brake System'	"ABS Bosch 8.0'	"	"Tests'	"3'	"ABS outlet valve front right'
"Citroën'	"Jumper III'	"Brake System'	"ABS Bosch 8.0'	"	"Tests'	"4'	"ABS outlet valve rear left'
"Citroën'	"Jumper III'	"Brake System'	"ABS Bosch 8.0'	"	"Tests'	"5'	"ABS outlet valve rear right'
"Citroën'	"Jumper III'	"Brake System'	"ABS Bosch 8.0'	"	"Tests'	"6'	"ABS inlet valve front left'
"Citroën'	"Jumper III'	"Brake System'	"ABS Bosch 8.0'	"	"Tests'	"7'	"ABS inlet valve front right'
"Citroën'	"Jumper III'	"Brake System'	"ABS Bosch 8.0'	"	"Tests'	"8'	"ABS inlet valve rear left'
"Citroën'	"Jumper III'	"Brake System'	"ABS Bosch 8.0'	"	"Tests'	"9'	"ABS inlet valve rear right'
"Citroën'	"Jumper III'	"Brake System'	"ABS Bosch 8.0'	"	"Tests'	"10'	"LED'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"ECU Information'	"1'	"Hardware number'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"ECU Information'	"3'	"ECU version'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"ECU Information'	"4'	"Software index'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"ECU Information'	"5'	"Software version'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"ECU Information'	"6'	"ISO Code'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"ECU Information'	"7'	"Programming date'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"ECU Information'	"8'	"Immobilizer status'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"1'	"Cruise Control'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"2'	"ABS control unit'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"3'	"Air conditioning'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"4'	"Engine cooling fan'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"5'	"Fuel quantity correction cylinder 1'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"6'	"Fuel quantity correction cylinder 2'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"7'	"Fuel quantity correction cylinder 3'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"8'	"Fuel quantity correction cylinder 4'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"9'	"Engine speed'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"10'	"Vehicle speed'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"11'	"Relay, pre-/post-heating control'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"12'	"Indicator lamp engine temperature'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"13'	"Oil pressure lamp'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"14'	"Water in diesel detector'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"15'	"Engine status'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"16'	"Malfunction indicator lamp (MIL)'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"17'	"Brake pedal'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"18'	"Redundant brake pedal'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"19'	"Clutch switch'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"20'	"Accelerator pedal position'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"21'	"Accelerator pedal signal 1'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"22'	"Accelerator pedal signal 2'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"23'	"Fuel consumption'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"24'	"Gear engaged'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"25'	"Gearbox type'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"26'	"A/C requested'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"27'	"AC relay'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"28'	"A/C pressure level 1'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"29'	"A/C pressure level 2'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"30'	"A/C pressure level 3'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"31'	"A/C pressure level 4'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"32'	"A/C pressure'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"33'	"Cooling fan step 1'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"34'	"Cooling fan step 2'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"35'	"Synchronising between camshaft and crankshaft'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"36'	"Intake manifold'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"37'	"Engine temperature'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"38'	"Engine temperature'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"39'	"Overboost pressure'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"40'	"Air mass'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"41'	"Inlet air temperature'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"42'	"Injection quantity, demand'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"43'	"Injection quantity'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"44'	"Main injection'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"45'	"Preinjection'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"46'	"Fuel pump relay control'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"47'	"Fuel temperature'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"48'	"Fuel temperature sensor'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"49'	"Relay, pre-/post-heating control'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"50'	"Rail pressure'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"51'	"Fuel pressure sensor'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"52'	"Rail pressure setting'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"53'	"Fuel flow regulator'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"54'	"EGR valve control'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"55'	"EGR valve status'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"56'	"Engine oil pressure'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"57'	"Atmospheric pressure'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"58'	"Injector voltage'

"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"59'	"Sensor supply voltage'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"60'	"Battery voltage'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Live Parameters'	"61'	"Oil change'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Tests'	"1'	"Injection pump regulator'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Tests'	"2'	"Indicator lamp engine temperature'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Tests'	"3'	"Malfunction indicator lamp (MIL)'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Tests'	"4'	"Oil pressure lamp'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Tests'	"5'	"Cooling fan step 1'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Tests'	"6'	"Cooling fan step 2'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Tests'	"7'	"AC relay'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Tests'	"8'	"Relay, pre-/post-heating control'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Tests'	"9'	"EGR valve'
"Citroën'	"Jumper III'	"Engine Diesel'	"4HU 2,2 Hdi'	"	"Tests'	"10'	"Fuel pump relay'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"1'	"ISO Code'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"3'	"ECU version'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"4'	"Software index'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"5'	"Software version'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"6'	"Hardware number'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"7'	"Programming date'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"1'	"Vehicle speed'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"2'	"Engine speed'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"3'	"Coolant temperature'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"4'	"Fuel level'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"5'	"Battery voltage'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"6'	"Main beam headlight control'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"7'	"Buzzer volume'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"8'	"Serial number'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"1'	"Engine coolant temperature warning'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"2'	"Fuel warning lamp'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"3'	"Alternator warning lamp'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"4'	"Oil pressure warning lamp'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"5'	"Check engine lamp'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"6'	"Low brake fluid, parking brake warning lamp'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"7'	"Side lights information'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"8'	"Main beam indicator lamp'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"9'	"Left hand indicator information'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"10'	"Right hand indicator information'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"11'	"Immobilizer lamp'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"12'	"Rear fog lights'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"13'	"External lights failure w.lamp'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"14'	"Door warning light/entry light'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"15'	"Preheater light'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"16'	"ABS warning lamp'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"17'	"Front fog lights'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"18'	"Water in diesel filter'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"19'	"LED warning light'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"20'	"Cruise control lamp'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"21'	"ASR/ESP warning lamp'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"22'	"Airbag malfunction indicator and warning lamp'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"23'	"Deactivated airbag warning lamp, passenger side'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"24'	"Seat belt warning lamp'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"25'	"Brake pad wear indicator'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"26'	"Engine coolant level lamp'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"27'	"Particulate filter lamp'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"28'	"Acoustic indicator (buzzer)'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"29'	"Speedometer'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"30'	"RPM-gauge'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"31'	"Fuel gauge'
"Citroën'	"Jumper III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"32'	"Coolant temperature'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"ECU Information'	"2'	"ECU reference (Electronic Control Unit)'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"ECU Information'	"3'	"ECU version'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"ECU Information'	"5'	"Programming date'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"ECU Information'	"6'	"Serial number'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"1'	"Driver airbag ignition squib 1'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"2'	"Driver airbag ignition squib 2'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"3'	"Driver knee airbag'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"4'	"Seat sensor, driver side'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"5'	"Front passenger airbag ignition squib 1'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"6'	"Front passenger airbag ignition squib 2'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"7'	"Passenger knee airbag'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"8'	"Seat sensor, passenger side'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"9'	"Seat occupancy detector passenger'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"10'	"Deactivation switch passenger airbag'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"11'	"Drivers pretensioner'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"12'	"Passenger pretensioner'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"13'	"Center pretensioner squib circuit row 1'

"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"14'	"Left and right pretensioner squib circuit row 2'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"15'	"Center pretensioner squib circuit row 2'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"16'	"Right front side airbag ignition squib'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"17'	"Left front side airbag ignition squib'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"18'	"Right side curtain airbag'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"19'	"Left side curtain airbag'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"20'	"Seat belt buckle,driver'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"21'	"Seat belt buckle,passenger'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"22'	"Row 1 central seat belt switch'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"23'	"Row 2 left and right seat belt switch'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"24'	"Row 2 central seat belt switch'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"25'	"Driver airbag ignition squib 1'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"26'	"Driver airbag ignition squib 2'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"27'	"Front passenger airbag ignition squib 1'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"28'	"Drivers pretensioner'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"29'	"Passenger pretensioner'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"30'	"Center pretensioner squib circuit row 1'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"31'	"Right front side airbag ignition squib'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"32'	"Left front side airbag ignition squib'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"33'	"Right side curtain airbag'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"34'	"Left side curtain airbag'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"35'	"Accelerometer 1'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"36'	"Accelerometer 2'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"37'	"Accelerometer 3'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"38'	"Energy reserve 1'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"39'	"Energy reserve 2'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"40'	"ASIC 1'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"41'	"ASIC 2'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"42'	"ASIC 3'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"43'	"ASIC 4'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"44'	"EEPROM fault'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"45'	"Voltage regulator'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"46'	"Computer'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"47'	"LED warning light'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"48'	"LED warning light flashing'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"49'	"Status 'Deactivation switch passenger airbag'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"50'	"Indicator lamp for passenger airbag disconnection'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"51'	"Seat belt buckle,driver'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"52'	"Seat belt buckle,passenger'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"53'	"Row 2 left seat belt switch'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Live Parameters'	"54'	"Row 2 right seat belt switch'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Tests'	"1'	"LED warning light'
"Citroën'	"Jumper III'	"Restraints'	"Airbag - Diagnose'	"	"Tests'	"2'	"Seat belt warning lamp'
"Citroën'	"Jumpy I'	"Brake System'	"Bosch 5.0 / 5.3'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Jumpy I'	"Brake System'	"Bosch 5.0 / 5.3'	"	"ECU Information'	"2'	"Bosch hardware number'
"Citroën'	"Jumpy I'	"Brake System'	"Bosch 5.0 / 5.3'	"	"Live Parameters'	"1'	"Wheel sensor LF'
"Citroën'	"Jumpy I'	"Brake System'	"Bosch 5.0 / 5.3'	"	"Live Parameters'	"2'	"Wheel sensor RF'
"Citroën'	"Jumpy I'	"Brake System'	"Bosch 5.0 / 5.3'	"	"Live Parameters'	"3'	"Wheel sensor LR'
"Citroën'	"Jumpy I'	"Brake System'	"Bosch 5.0 / 5.3'	"	"Live Parameters'	"4'	"Wheel sensor RR'
"Citroën'	"Jumpy I'	"Brake System'	"Bosch 5.0 / 5.3'	"	"Live Parameters'	"5'	"Safety circuit'
"Citroën'	"Jumpy I'	"Brake System'	"Bosch 5.0 / 5.3'	"	"Live Parameters'	"6'	"Brake pedal switch'
"Citroën'	"Jumpy I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"ECU Information'	"1'	"ECU serial number'
"Citroën'	"Jumpy I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Jumpy I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"2'	"Desired injection start'
"Citroën'	"Jumpy I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"3'	"Actual injection start'
"Citroën'	"Jumpy I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"4'	"Injection amount'
"Citroën'	"Jumpy I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"5'	"Throttle potentiometer'
"Citroën'	"Jumpy I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"6'	"Needle lift sensor'
"Citroën'	"Jumpy I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"7'	"Diagnostics indicator'
"Citroën'	"Jumpy I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"8'	"Idle valve'
"Citroën'	"Jumpy I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"9'	"AC shut off relay'
"Citroën'	"Jumpy I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"10'	"Glow pin relay coil'
"Citroën'	"Jumpy I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"11'	"Atmospheric pressure'
"Citroën'	"Jumpy I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"12'	"Battery voltage'
"Citroën'	"Jumpy I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"13'	"EGR valve'
"Citroën'	"Jumpy I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Tests'	"1'	"Injection valves'
"Citroën'	"Jumpy I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Tests'	"2'	"Idle speed regulator'
"Citroën'	"Jumpy I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Tests'	"3'	"Carbon filter solenoid valve'
"Citroën'	"Jumpy I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Tests'	"4'	"AC-relay'
"Citroën'	"Jumpy I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Tests'	"5'	"Fuel consumption'
"Citroën'	"Jumpy I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Tests'	"6'	"RPM-gauge'
"Citroën'	"Jumpy I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Jumpy I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"2'	"Inlet manifold pressure'
"Citroën'	"Jumpy I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"3'	"Battery voltage'
"Citroën'	"Jumpy I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"4'	"Actual + for accessories (+ACC)'
"Citroën'	"Jumpy I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"5'	"Road speed signal'
"Citroën'	"Jumpy I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"6'	"Rotor Calibration'
"Citroën'	"Jumpy I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"7'	"Rotor position requested'
"Citroën'	"Jumpy I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"8'	"Real rotor position'

"Citroën'	"Jumpy I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"9'	"Rotor control'
"Citroën'	"Jumpy I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"10'	"Rotor solenoid valve - (delay)'
"Citroën'	"Jumpy I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"11'	"Power relay'
"Citroën'	"Jumpy I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"12'	"Rotor solenoid valve - (gain)'
"Citroën'	"Jumpy I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"13'	"Rotor solenoid valve + (gain)'
"Citroën'	"Jumpy I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"14'	"Injection advance actuator'
"Citroën'	"Jumpy I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"15'	"Cam Calibration'
"Citroën'	"Jumpy I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"16'	"Air density'
"Citroën'	"Jumpy I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"17'	"Operational State'
"Citroën'	"Jumpy I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"18'	"Brake pedal switch'
"Citroën'	"Jumpy I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"19'	"EGR solenoid valve'
"Citroën'	"Jumpy I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"20'	"Glowplug pre-operation'
"Citroën'	"Jumpy I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"21'	"Shift position'
"Citroën'	"Jumpy I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"22'	"Idle switch'
"Citroën'	"Jumpy I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Tests'	"1'	"Injection valve cylinder 1 and 4'
"Citroën'	"Jumpy I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Tests'	"2'	"Injection valve cylinder 2 and 3'
"Citroën'	"Jumpy I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Tests'	"3'	"Carbon filter solenoid valve'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHW 2,0 EDC 15C2'	"	"Live Parameters'	"1'	"Diagnostics indicator'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHW 2,0 EDC 15C2'	"	"Live Parameters'	"2'	"Pedal position sensor'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHW 2,0 EDC 15C2'	"	"Live Parameters'	"3'	"Pedal position sensor'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHW 2,0 EDC 15C2'	"	"Live Parameters'	"4'	"Atmospheric pressure'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHW 2,0 EDC 15C2'	"	"Live Parameters'	"5'	"Load pressure'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHW 2,0 EDC 15C2'	"	"Live Parameters'	"6'	"Revolution signal'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHW 2,0 EDC 15C2'	"	"Live Parameters'	"7'	"Battery voltage'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHW 2,0 EDC 15C2'	"	"Live Parameters'	"8'	"Coolant temperature'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHW 2,0 EDC 15C2'	"	"Live Parameters'	"9'	"Fuel temperature'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHW 2,0 EDC 15C2'	"	"Live Parameters'	"10'	"Inlet air temperature'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHW 2,0 EDC 15C2'	"	"Live Parameters'	"11'	" +15 signal'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHW 2,0 EDC 15C2'	"	"Live Parameters'	"12'	"Road speed signal'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHW 2,0 EDC 15C2'	"	"Live Parameters'	"13'	"Fuel pressure'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHW 2,0 EDC 15C2'	"	"Live Parameters'	"14'	"Air mass meter'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHX 2,0 EDC 15C2'	"	"Live Parameters'	"1'	"Diagnostics indicator'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHX 2,0 EDC 15C2'	"	"Live Parameters'	"2'	"Pedal position sensor'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHX 2,0 EDC 15C2'	"	"Live Parameters'	"3'	"Pedal position sensor'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHX 2,0 EDC 15C2'	"	"Live Parameters'	"4'	"Atmospheric pressure'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHX 2,0 EDC 15C2'	"	"Live Parameters'	"5'	"Load pressure'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHX 2,0 EDC 15C2'	"	"Live Parameters'	"6'	"Revolution signal'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHX 2,0 EDC 15C2'	"	"Live Parameters'	"7'	"Battery voltage'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHX 2,0 EDC 15C2'	"	"Live Parameters'	"8'	"Coolant temperature'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHX 2,0 EDC 15C2'	"	"Live Parameters'	"9'	"Fuel temperature'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHX 2,0 EDC 15C2'	"	"Live Parameters'	"10'	"Inlet air temperature'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHX 2,0 EDC 15C2'	"	"Live Parameters'	"11'	" +15 signal'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHX 2,0 EDC 15C2'	"	"Live Parameters'	"12'	"Road speed signal'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHX 2,0 EDC 15C2'	"	"Live Parameters'	"13'	"Fuel pressure'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHX 2,0 EDC 15C2'	"	"Live Parameters'	"14'	"Air mass meter'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"ECU Information'	"5'	"Software version'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"ECU Information'	"6'	"Software index'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"1'	"Atmospheric pressure'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"2'	"Fuel temperature'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"3'	"Camshafts sensors power supply'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"4'	"Sensor power supply'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"5'	"Crankshaft / camshaft synchronization'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"6'	"Cruise control switch'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"7'	"Overboost pressure measured'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"8'	"Target overboost pressure'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"9'	"Fuel pressure regulator'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"10'	"Measured/requested fuel pressure deviation'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"11'	"Inlet air temperature'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"12'	"Coolant temperature'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"13'	"Vehicle speed'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"14'	"Gear detected'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"15'	"With automatic transmission'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"16'	"High speed radiator fan relay'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"17'	"Low speed radiator fan relay'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"18'	"Accelerator pedal position'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"19'	"Battery voltage'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"20'	"Relay, pre-/post-heating control'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"21'	"Brake pedal switch'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"22'	"A/C cut signal'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"23'	"Engine speed'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"24'	"Air mass measured'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"25'	"EGR valve opening'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"26'	"EGR throttle opening'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"27'	"Boost pressure valve duty cycle'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"28'	"Deactivation of piston element in high pressure pump'

"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"29'	"Pre injection timing'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"30'	"Main injection timing'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"31'	"Fuel pressure regulator'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"32'	"Fuel pressure measured'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"33'	"Calculated fuel quantity'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"34'	"Cylinder 1 fuel trim'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"35'	"Cylinder 2 fuel trim'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"36'	"Cylinder 3 fuel trim'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"37'	"Cylinder 4 fuel trim'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"38'	"Injectors voltage'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"1'	"Electric fan speed 1'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"2'	"Electric fan speed 2'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"3'	"Fuel pressure regulator'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"4'	"Deactivation of piston element in high pressure pump'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"5'	"Relay, pre-/post-heating control'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"6'	"Solenoid valve, damper (EGR)'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"7'	"EGR valve'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"8'	"Main relay, supply circuit'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"9'	"Charging pressure valve'
"Citroën'	"Jumpy I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"10'	"Inlet air heater valve'
"Citroën'	"Jumpy I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"ECU Information'	"1'	"Part number'
"Citroën'	"Jumpy I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Jumpy I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"ECU Information'	"3'	"Part version suffix'
"Citroën'	"Jumpy I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Jumpy I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Jumpy I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"3'	"Injection timing adjustment'
"Citroën'	"Jumpy I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"4'	"Engine load'
"Citroën'	"Jumpy I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"5'	"Coolant temperature'
"Citroën'	"Jumpy I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"6'	"Road speed signal'
"Citroën'	"Jumpy I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"7'	"Revolution signal'
"Citroën'	"Jumpy I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"8'	"Battery voltage'
"Citroën'	"Jumpy I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"9'	"Engine load'
"Citroën'	"Jumpy I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"10'	"Coolant temperature'
"Citroën'	"Jumpy I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"11'	"Fan relay 2'
"Citroën'	"Jumpy I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"12'	"Cooling fan'
"Citroën'	"Jumpy I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"13'	"Cooling fan'
"Citroën'	"Jumpy I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"14'	"Revolution signal'
"Citroën'	"Jumpy I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"15'	"Battery voltage'
"Citroën'	"Jumpy I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"16'	"Coolant temperature'
"Citroën'	"Jumpy I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"17'	"Injection request'
"Citroën'	"Jumpy I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"18'	"Injection actual'
"Citroën'	"Jumpy I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"19'	"Accelerator pedal position sensor'
"Citroën'	"Jumpy I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"20'	"Fuel quantity requested by pedal value sensor'
"Citroën'	"Jumpy I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"21'	"Idling fuel quantity'
"Citroën'	"Jumpy I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"22'	"Maximum fuel allow under current conditions'
"Citroën'	"Jumpy I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"23'	"AC compressor'
"Citroën'	"Jumpy I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"1'	"AC-relay'
"Citroën'	"Jumpy I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"2'	"Glow pin relay coil'
"Citroën'	"Jumpy I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"3'	"Solenoid valve, pre-injection'
"Citroën'	"Jumpy I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"4'	"EGR valve'
"Citroën'	"Jumpy I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"5'	"Cooling fan'
"Citroën'	"Jumpy I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"6'	"Solenoid valve, damper (EGR)'
"Citroën'	"Jumpy I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"7'	"Check engine lamp'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"1'	"Injection time'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"2'	"Throttle potentiometer'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"3'	"Inlet manifold pressure'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"4'	"Stepper motor'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"5'	"Injection valves'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"6'	"Revolution signal'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"7'	"Battery voltage'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"8'	"Ignition timing'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"9'	"Ignition coil 1'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"10'	"Ignition coil 2'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"11'	"Coolant temperature'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"12'	"Inlet air temperature'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"13'	"Revolution signal'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"14'	"Front lambda sensor'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"15'	"Front lambda sensor'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"16'	"Rear lambda sensor'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"17'	"Rear lambda sensor'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"18'	"Fuelmixture'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"19'	"Revolution signal'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"20'	"Battery voltage'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"21'	"Coolant temperature'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"22'	"Inlet air temperature'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"23'	"Carbon filter solenoid valve'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"24'	"AC approved'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"25'	"Input, AC thermostat'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"26'	"Revolution signal'

"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"27'	"Battery voltage'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"28'	"Power relay'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"29'	"AC approved'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"30'	"Input, AC thermostat'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"31'	"Road speed signal'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"32'	"Radiator fan relay'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"33'	"Cyclic opening ratio, cooling fan unit'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"1'	"Idle step engine'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"4'	"Fuel pump relay'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"5'	"Injection valve 1'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"6'	"Injection valve 2'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"7'	"Injection valve 3'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"8'	"Injection valve 4'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"9'	"Secondary air pump relay'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"10'	"Carbon filter solenoid valve'
"Citroën'	"Jumpy I'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"11'	"EGR valve'
"Citroën'	"Jumpy I'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"1'	"Airbag locking'
"Citroën'	"Jumpy I'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"2'	"Airbag unlocking'
"Citroën'	"Jumpy I'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"1'	"Reference PSA'
"Citroën'	"Jumpy I'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"2'	"Supplier'
"Citroën'	"Jumpy I'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"3'	"Version of program'
"Citroën'	"Jumpy I'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"4'	"Calibration number'
"Citroën'	"Jumpy I'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"5'	"Diagnostic version'
"Citroën'	"Jumpy I'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"6'	"Checking at after line production'
"Citroën'	"Jumpy I'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"7'	"Checking at factory'
"Citroën'	"Jumpy I'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"8'	"Checking at supplier'
"Citroën'	"Jumpy I'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"9'	"Checking of action in aftermarket'
"Citroën'	"Jumpy I'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"10'	"Airbag locking'
"Citroën'	"Jumpy I'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"11'	"Driver airbag'
"Citroën'	"Jumpy I'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"12'	"Passenger airbag'
"Citroën'	"Jumpy I'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"13'	"Switch to disable passenger airbag'
"Citroën'	"Jumpy I'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"14'	"Frontal side airbag'
"Citroën'	"Jumpy I'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"15'	"Side head airbags'
"Citroën'	"Jumpy I'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"16'	"Pretensioner'
"Citroën'	"Jumpy I'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"17'	"Satellite sensors'
"Citroën'	"Jumpy II'	"Body Control Module'	"Texton'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Jumpy II'	"Body Control Module'	"Texton'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Jumpy II'	"Body Control Module'	"Texton'	"	"Live Parameters'	"1'	"Number of keys'
"Citroën'	"Jumpy II'	"Body Control Module'	"Texton'	"	"Live Parameters'	"2'	"Stored remote controls count'
"Citroën'	"Jumpy II'	"Body Control Module'	"Texton'	"	"Live Parameters'	"3'	"Configuration'
"Citroën'	"Jumpy II'	"Body Control Module'	"Texton'	"	"Live Parameters'	"4'	"Ignition +15'
"Citroën'	"Jumpy II'	"Body Control Module'	"Texton'	"	"Live Parameters'	"5'	"Transponder communication'
"Citroën'	"Jumpy II'	"Body Control Module'	"Texton'	"	"Live Parameters'	"6'	"Driver door locking button'
"Citroën'	"Jumpy II'	"Body Control Module'	"Texton'	"	"Live Parameters'	"7'	"Passenger door locking button'
"Citroën'	"Jumpy II'	"Body Control Module'	"Texton'	"	"Live Parameters'	"8'	"Alarm configuration'
"Citroën'	"Jumpy II'	"Brake System'	"Bosch 5.0 / 5.3'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Jumpy II'	"Brake System'	"Bosch 5.0 / 5.3'	"	"ECU Information'	"2'	"Bosch hardware number'
"Citroën'	"Jumpy II'	"Brake System'	"Bosch 5.0 / 5.3'	"	"Live Parameters'	"1'	"Wheel sensor LF'
"Citroën'	"Jumpy II'	"Brake System'	"Bosch 5.0 / 5.3'	"	"Live Parameters'	"2'	"Wheel sensor RF'
"Citroën'	"Jumpy II'	"Brake System'	"Bosch 5.0 / 5.3'	"	"Live Parameters'	"3'	"Wheel sensor LR'
"Citroën'	"Jumpy II'	"Brake System'	"Bosch 5.0 / 5.3'	"	"Live Parameters'	"4'	"Wheel sensor RR'
"Citroën'	"Jumpy II'	"Brake System'	"Bosch 5.0 / 5.3'	"	"Live Parameters'	"5'	"Safety circuit'
"Citroën'	"Jumpy II'	"Brake System'	"Bosch 5.0 / 5.3'	"	"Live Parameters'	"6'	"Brake pedal switch'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"ECU Information'	"5'	"Software version'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"ECU Information'	"6'	"Software index'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"1'	"Atmospheric pressure'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"2'	"Fuel temperature'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"3'	"Camshafts sensors power supply'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"4'	"Sensor power supply'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"5'	"Crankshaft / camshaft synchronization'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"6'	"Cruise control switch'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"7'	"Overboost pressure measured'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"8'	"Target overboost pressure'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"9'	"Fuel pressure regulator'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"10'	"Measured/requested fuel pressure deviation'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"11'	"Inlet air temperature'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"12'	"Coolant temperature'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"13'	"Vehicle speed'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"14'	"Gear detected'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"15'	"With automatic transmission'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"16'	"High speed radiator fan relay'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"17'	"Low speed radiator fan relay'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"18'	"Accelerator pedal position'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"19'	"Battery voltage'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"20'	"Relay, pre-/post-heating control'

"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"21'	"Brake pedal switch'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"22'	"A/C cut signal'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"23'	"Engine speed'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"24'	"Air mass measured'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"25'	"EGR valve opening'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"26'	"EGR throttle opening'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"27'	"Boost pressure valve duty cycle'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"28'	"Deactivation of piston element in high pressure pump'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"29'	"Pre injection timing'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"30'	"Main injection timing'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"31'	"Fuel pressure regulator'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"32'	"Fuel pressure measured'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"33'	"Calculated fuel quantity'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"34'	"Cylinder 1 fuel trim'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"35'	"Cylinder 2 fuel trim'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"36'	"Cylinder 3 fuel trim'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"37'	"Cylinder 4 fuel trim'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"38'	"Injectors voltage'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"1'	"Electric fan speed 1'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"2'	"Electric fan speed 2'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"3'	"Fuel pressure regulator'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"4'	"Deactivation of piston element in high pressure pump'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"5'	"Relay, pre-/post-heating control'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"6'	"Solenoid valve, damper (EGR)'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"7'	"EGR valve'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"8'	"Main relay, supply circuit'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"9'	"Charging pressure valve'
"Citroën'	"Jumpy II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"10'	"Inlet air heater valve'
"Citroën'	"Jumpy II'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"1'	"Airbag locking'
"Citroën'	"Jumpy II'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"2'	"Airbag unlocking'
"Citroën'	"Jumpy II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"1'	"Reference PSA'
"Citroën'	"Jumpy II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"2'	"Supplier'
"Citroën'	"Jumpy II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"3'	"Version of program'
"Citroën'	"Jumpy II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"4'	"Calibration number'
"Citroën'	"Jumpy II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"5'	"Diagnostic version'
"Citroën'	"Jumpy II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"6'	"Checking at after line production'
"Citroën'	"Jumpy II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"7'	"Checking at factory'
"Citroën'	"Jumpy II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"8'	"Checking at supplier'
"Citroën'	"Jumpy II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"9'	"Checking of action in aftermarket'
"Citroën'	"Jumpy II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"10'	"Airbag locking'
"Citroën'	"Jumpy II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"11'	"Driver airbag'
"Citroën'	"Jumpy II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"12'	"Passenger airbag'
"Citroën'	"Jumpy II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"13'	"Switch to disable passenger airbag'
"Citroën'	"Jumpy II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"14'	"Frontal side airbag'
"Citroën'	"Jumpy II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"15'	"Side head airbags'
"Citroën'	"Jumpy II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"16'	"Pretensioner'
"Citroën'	"Jumpy II'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"17'	"Satellite sensors'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Adaptations'	"1'	"Configuration, door with mirror folding'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Adaptations'	"2'	"Mirror folding with remote control'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Adaptations'	"3'	"Configuration, tyre pressure monitoring'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Adaptations'	"4'	"Configuration, daytime running lights'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Configurations'	"1'	"Configuration'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Configurations'	"2'	"Tyre pressure monitoring'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Configurations'	"3'	"Door with mirror folding'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Configurations'	"4'	"Mirror folding with remote control'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Configurations'	"5'	"Configuration'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Configurations'	"6'	"Daytime running light'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"ECU Information'	"1'	"Supplier'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"ECU Information'	"3'	"Software number'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"ECU Information'	"4'	"VIN code'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"ECU Information'	"5'	"Software version'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"ECU Information'	"6'	"Software index'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"2'	"Economy mode'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"3'	"BSI information'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"4'	"Ignition on'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"5'	"Cranking'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"6'	"Vehicle status'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"7'	"Engine status'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"8'	"Seat heater'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"9'	"Alternator voltage'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"10'	"no load shedding'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"11'	"preheater plug load shedding'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"12'	"fan unit forced low speed load shedding'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"13'	"Load shedding during particle filter regeneration'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"14'	"deicing load shedding'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"15'	"partial heating load shedding'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"16'	"complete heating load shedding'

"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"96'	"Rear left door'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"97'	"Boot'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"98'	"Outside temperature'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"99'	"Brake fluid level lamp'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"100'	"Coolant temperature'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"101'	"Engine coolant level warning lamp'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"102'	"Engine oil temperature'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"103'	"Engine oil level'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"104'	"Oil pressure warning'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"105'	"Fuel level sensor'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"106'	"Gross fuel level'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"107'	"Fuel level'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"108'	"Water in diesel detector'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"109'	"Driving range to next servicing [km]'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"110'	"Maintenance counter'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"111'	"Current odometer reading'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"112'	"Average fuel consumption'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"113'	"Levelled consumption'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"114'	"Momentary consumption'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"115'	"ESP control light'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"116'	"Automatic wipe mode'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"117'	"Windscreen wipers switch, step 1'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"118'	"Windscreen wipers switch, step 2'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"119'	"Windscreen wiper control'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"120'	"Windscreen wiper parked position'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"121'	"Washers, front, requested'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"122'	"Control circuit windshield washer pump'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"123'	"Head light cleaning'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"124'	"Rear wiper requested'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"125'	"Rear screen wiper'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"126'	"Rear screen wiper parked position'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"127'	"Washer, rear, requested'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"128'	"Control circuit rear window washer pump'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Live Parameters'	"129'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Tests'	"1'	"AC-compressor'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Tests'	"2'	"Horn activation'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Tests'	"3'	"Dipped beam'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Tests'	"4'	"Main beam'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Tests'	"5'	"Left position light'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Tests'	"6'	"Right position light'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Tests'	"7'	"Left flasher'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Tests'	"8'	"Right flasher'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Tests'	"9'	"Rear fog lights'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Tests'	"10'	"Interior lighting'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Tests'	"11'	"Central locking, locking'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Tests'	"12'	"Relay central locking, deadlock'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Tests'	"13'	"Central locking, unlocking'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Tests'	"14'	"Boot lid opening control'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Tests'	"15'	"Child safety lock motor'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Tests'	"16'	"ESP control light'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Tests'	"17'	"Windscreen Wiper stage 1'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Tests'	"18'	"Windscreen Wiper stage 2'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Tests'	"19'	"Rear screen wiper'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Tests'	"20'	"Windscreen washer'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Tests'	"21'	"Rear washer'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Tests'	"22'	"Headlight washer'
"Citroën'	"Jumpy III'	"Body Control Module'	"BSI - Diagnose ISO 15765-4 CAN (11/500Kb)'	"Jumpy II BSI'	"Tests'	"23'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"Jumpy III'	"Brake System'	"ABS Bosch 8.0'	"	"Adaptations'	"1'	"Bleed rear left hand wheel circuit.'
"Citroën'	"Jumpy III'	"Brake System'	"ABS Bosch 8.0'	"	"Adaptations'	"2'	"Bleed front left hand wheel circuit'
"Citroën'	"Jumpy III'	"Brake System'	"ABS Bosch 8.0'	"	"Adaptations'	"3'	"Bleed front right hand wheel circuit'
"Citroën'	"Jumpy III'	"Brake System'	"ABS Bosch 8.0'	"	"Adaptations'	"4'	"Bleed rear right hand wheel circuit.'
"Citroën'	"Jumpy III'	"Brake System'	"ABS Bosch 8.0'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Jumpy III'	"Brake System'	"ABS Bosch 8.0'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"Jumpy III'	"Brake System'	"ABS Bosch 8.0'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"Jumpy III'	"Brake System'	"ABS Bosch 8.0'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"Jumpy III'	"Brake System'	"ABS Bosch 8.0'	"	"ECU Information'	"5'	"Calibration version'
"Citroën'	"Jumpy III'	"Brake System'	"ABS Bosch 8.0'	"	"ECU Information'	"6'	"Diagnostic version'
"Citroën'	"Jumpy III'	"Brake System'	"ABS Bosch 8.0'	"	"ECU Information'	"7'	"BOSCH'
"Citroën'	"Jumpy III'	"Brake System'	"ABS Bosch 8.0'	"	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"Jumpy III'	"Brake System'	"ABS Bosch 8.0'	"	"Live Parameters'	"2'	"Vehicle speed'
"Citroën'	"Jumpy III'	"Brake System'	"ABS Bosch 8.0'	"	"Live Parameters'	"3'	"Front left wheel speed sensor'
"Citroën'	"Jumpy III'	"Brake System'	"ABS Bosch 8.0'	"	"Live Parameters'	"4'	"Front right wheel speed sensor'
"Citroën'	"Jumpy III'	"Brake System'	"ABS Bosch 8.0'	"	"Live Parameters'	"5'	"Rear left wheel speed sensor'
"Citroën'	"Jumpy III'	"Brake System'	"ABS Bosch 8.0'	"	"Live Parameters'	"6'	"Rear right wheel speed sensor'
"Citroën'	"Jumpy III'	"Brake System'	"ABS Bosch 8.0'	"	"Live Parameters'	"7'	"Relay for solenoid valve'
"Citroën'	"Jumpy III'	"Brake System'	"ABS Bosch 8.0'	"	"Live Parameters'	"8'	"Hydraulic pump relay'
"Citroën'	"Jumpy III'	"Brake System'	"ABS Bosch 8.0'	"	"Live Parameters'	"9'	"Brake lining condition'
"Citroën'	"Jumpy III'	"Brake System'	"ABS Bosch 8.0'	"	"Live Parameters'	"10'	"Brake light switch 1'
"Citroën'	"Jumpy III'	"Brake System'	"ABS Bosch 8.0'	"	"Live Parameters'	"11'	"Brake fluid level'

"Citroën'	"Jumpy III'	"Brake System'	"ABS Bosch 8.0'	"	"Tests'	"1'	"Recirculating Pump'
"Citroën'	"Jumpy III'	"Brake System'	"ABS Bosch 8.0'	"	"Tests'	"2'	"Front left load valve'
"Citroën'	"Jumpy III'	"Brake System'	"ABS Bosch 8.0'	"	"Tests'	"3'	"Front right load valve'
"Citroën'	"Jumpy III'	"Brake System'	"ABS Bosch 8.0'	"	"Tests'	"4'	"Left rear load valve'
"Citroën'	"Jumpy III'	"Brake System'	"ABS Bosch 8.0'	"	"Tests'	"5'	"Right rear load valve'
"Citroën'	"Jumpy III'	"Brake System'	"ABS Bosch 8.0'	"	"Tests'	"6'	"Front left drain valve'
"Citroën'	"Jumpy III'	"Brake System'	"ABS Bosch 8.0'	"	"Tests'	"7'	"Front right drain valve'
"Citroën'	"Jumpy III'	"Brake System'	"ABS Bosch 8.0'	"	"Tests'	"8'	"Left rear drain valve'
"Citroën'	"Jumpy III'	"Brake System'	"ABS Bosch 8.0'	"	"Tests'	"9'	"Right rear drain valve'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Adaptations'	"1'	"EGR valve'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Adaptations'	"2'	"Regeneration'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"ECU Information'	"1'	"PSA number'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"ECU Information'	"2'	"Supplier code'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"ECU Information'	"3'	"Complementary number'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"ECU Information'	"4'	"Diagnostic issue number'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"ECU Information'	"5'	"Associated parameters number'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"1'	"Engine speed'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"2'	"Vehicle speed'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"3'	"Brake switch'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"4'	"Brake safety switch'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"5'	"Clutch switch'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"6'	"Pedal track 1 raw'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"7'	"Pedal track 2 raw'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"8'	"Pedal position'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"9'	"Kick down switch'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"10'	"Actual gear'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"11'	"Gearbox'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"12'	"Engine state'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"13'	"Engine at idle condition'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"14'	"Cruise control'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"15'	"Programmed speed cruise control'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"16'	"Speed limitation'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"17'	"Speed limiter reference speed'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"18'	"Intake air temperature signal'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"19'	"Coolant temperature'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"20'	"GMV demand'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"21'	"GMV speed'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"22'	"Fan 2 drive'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"23'	"A/C pressure'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"24'	"Battery voltage'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"25'	"Pedal track 1 supply'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"26'	"Pedal track 2 supply'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"27'	"IMV current'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"28'	"Rail pressure control'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"29'	"Rail pressure demand'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"30'	"Rail pressure'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"31'	"IMV drive (PWM)'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"32'	"Fuel quantity'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"33'	"Cylinder balancing offset cylinder 1'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"34'	"Cylinder balancing offset cylinder 3'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"35'	"Cylinder balancing offset cylinder 4'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"36'	"Cylinder balancing offset cylinder 2'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"37'	"Fuel temperature'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"38'	"HSD voltage'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"39'	"Cylinder balance control'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"40'	"Injector control error'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"41'	"Air mass flow demand'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"42'	"Mass air flow sensor'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"43'	"Intake air temperature signal'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"44'	"Boost air temperature'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"45'	"EGR throttle solenoid valve PWM'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"46'	"EGR control'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"47'	"EGR valve PWM drive'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"48'	"EGR position'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"49'	"Boost pressure regulation'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"50'	"Atmospheric pressure'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"51'	"Boost Pressure demand'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"52'	"Engine boost pressure'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"53'	"TGV valve position'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"54'	"Turbo valve position'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"55'	"FAP load'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"56'	"Regeneration help state'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"57'	"Temperature after catalyst'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"58'	"Differential Pressure'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"59'	"Electric consumers activation'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"60'	"DPF air flow'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"61'	"Distance covered since DPF change'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"62'	"Distance covered since DPF change'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTE4)'	"	"Live Parameters'	"63'	"Distance travelled since last regeneration'

"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"64'	"Distance'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"65'	"FAP additive quantity'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"66'	"Fuel Additive Level Low'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"67'	"Additive reservoir volume'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"68'	"Synchronisation state'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"69'	"PPH control state'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"70'	"Additional heater drive 1'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"71'	"Additional heater drive 2'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"72'	"Main fuel demand'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"73'	"Main pulse'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"74'	"DCU relay state'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"75'	"First DPF additivation not done'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTED4)'	"	"Tests'	"1'	"Injector cylinder 1'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTED4)'	"	"Tests'	"2'	"Injector cylinder 2'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTED4)'	"	"Tests'	"3'	"Injector cylinder 3'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTED4)'	"	"Tests'	"4'	"Injector cylinder 4'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTED4)'	"	"Tests'	"5'	"DCU feed relay'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTED4)'	"	"Tests'	"6'	"PPH controller'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTED4)'	"	"Tests'	"7'	"Additional heater'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTED4)'	"	"Tests'	"8'	"Cooling fan low speed'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTED4)'	"	"Tests'	"9'	"Cooling fan high speed'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTED4)'	"	"Tests'	"10'	"IMV'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 DCM3.4 (DW10BTED4)'	"	"Tests'	"11'	"EGR throttle'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Adaptations'	"1'	"EGR valve'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Adaptations'	"2'	"Regeneration'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Adaptations'	"3'	"Replacing the particle filter'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Adaptations'	"4'	"Filling of diesel additive'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Adaptations'	"5'	"Refilling hose with additive'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Adaptations'	"6'	"Forcing learning new injector: injector 1'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Adaptations'	"7'	"Forcing learning new injector: injector 2'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Adaptations'	"8'	"Forcing learning new injector: injector 3'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Adaptations'	"9'	"Forcing learning new injector: injector 4'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"ECU Information'	"3'	"Diagnostic version'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"ECU Information'	"4'	"Software number'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"ECU Information'	"5'	"ECU status'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"ECU Information'	"8'	"Software version'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"1'	"Engine speed'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"2'	"Target overboost pressure'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"3'	"Overboost pressure'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"4'	"Air inlet temperature'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"5'	"Coolant temperature'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"6'	"Injector programming'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"7'	"Clutch pedal'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"8'	"Sensor supply voltage 1'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"9'	"Coolant temperature'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"10'	"EGR valve opening'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"11'	"EGR valve position recopy'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"12'	"Intake air bypass valve'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"13'	"Wastegate duty cycle'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"14'	"Wastegate target position'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"15'	"Wastegate position'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"16'	"Air conditioning authorisation'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"17'	"Input, AC thermostat'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"18'	"AC pressure sensor'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"19'	"Degas valve'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"20'	"Vehicle speed'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"21'	"Maximum vehicle speed limit'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"22'	"Gear'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"23'	"Cooling fan relay'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"24'	"Fan speed'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"25'	"Engine speed'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"26'	"Air inlet sensor'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"27'	"Fuel temperature'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"28'	"Atmospheric pressure'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"29'	"Accelerator pedal position'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"30'	"Kick-down'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"31'	"Battery voltage'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"32'	"Ignition +15'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"33'	"Brake pedal'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"34'	"Redundant brake pedal'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"35'	"Air conditioning'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"36'	"Fuel pressure measured'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"37'	"Injection quantity'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"38'	"Air mass'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"39'	"Preinjection'

"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"40'	"Main injection'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"41'	"Injector voltage'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"42'	"Fuel quantity correction cylinder 1'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"43'	"Fuel quantity correction cylinder 2'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"44'	"Fuel quantity correction cylinder 3'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"45'	"Fuel quantity correction cylinder 4'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"46'	"Fuel pressure regulator'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"47'	"Fuel flow regulator'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"48'	"EGR valve opening'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"49'	"Intake air shut-off solenoid valve'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"50'	"Content of soot in the particle emission filter'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"51'	"Regeneration status'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"52'	"Exhaust gas temperature, downstreams catalytic converter'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"53'	"Particle filter differential pressure'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"54'	"Air inlet sensor'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"55'	"Total quantity of additive'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"56'	"Consumer activation'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"57'	"Airflow'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"58'	"Driving state'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"59'	"Distance travelled since last regeneration'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"60'	"Distance travelled since particle filter replaced'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"61'	"Content of soot in the particle emission filter'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"62'	"Distance remaining until particle filter replacement'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"63'	"Theoretical distance remaining before total filling of particle filter'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"64'	"Average distance between the last 5 regenerations'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"65'	"Load state particle filter'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"66'	"Particle filter regeneration'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"67'	"Coolant temperature'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"68'	"Fuel pressure'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"69'	"Air mass reference value'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"70'	"Injection time'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"71'	"Crankshaft / camshaft synchronization'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Live Parameters'	"72'	"Engine status'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Tests'	"1'	"Cooling fan'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Tests'	"2'	"Glow plug relay'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Tests'	"3'	"EGR valve'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Tests'	"4'	"Intake air shut-off solenoid valve'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Tests'	"5'	"Intake air bypass valve'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Tests'	"6'	"Wastegate Solenoid Circuit'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Tests'	"7'	"Fuel pressure regulation'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHK 2,0 SID 803A'	"	"Tests'	"8'	"Injection pump regulator'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Adaptations'	"1'	"EGR valve'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Adaptations'	"2'	"Regeneration'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"ECU Information'	"1'	"PSA number'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"ECU Information'	"2'	"Supplier code'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"ECU Information'	"3'	"Complementary number'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"ECU Information'	"4'	"Diagnostic issue number'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"ECU Information'	"5'	"Associated parameters number'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"1'	"Engine speed'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"2'	"Vehicle speed'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"3'	"Brake switch'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"4'	"Brake safety switch'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"5'	"Clutch switch'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"6'	"Pedal track 1 raw'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"7'	"Pedal track 2 raw'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"8'	"Pedal position'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"9'	"Kick down switch'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"10'	"Actual gear'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"11'	"Gearbox'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"12'	"Engine state'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"13'	"Engine at idle condition'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"14'	"Cruise control'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"15'	"Programmed speed cruise control'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"16'	"Speed limitation'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"17'	"Speed limiter reference speed'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"18'	"Intake air temperature signal'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"19'	"Coolant temperature'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"20'	"GMV demand'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"21'	"GMV speed'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"22'	"Fan 2 drive'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"23'	"A/C pressure'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"24'	"Battery voltage'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"25'	"Pedal track 1 supply'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"26'	"Pedal track 2 supply'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"27'	"IMV current'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"28'	"Rail pressure control'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"29'	"Rail pressure demand'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"30'	"Rail pressure'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"31'	"IMV drive (PWM)'

"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"32'	"Fuel quantity'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"33'	"Cylinder balancing offset cylinder 1'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"34'	"Cylinder balancing offset cylinder 3'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"35'	"Cylinder balancing offset cylinder 4'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"36'	"Cylinder balancing offset cylinder 2'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"37'	"Fuel temperature'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"38'	"HSD voltage'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"39'	"Cylinder balance control'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"40'	"Injector control error'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"41'	"Air mass flow demand'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"42'	"Mass air flow sensor'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"43'	"Intake air temperature signal'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"44'	"Boost air temperature'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"45'	"EGR throttle solenoid valve PWM'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"46'	"EGR control'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"47'	"EGR valve PWM drive'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"48'	"EGR position'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"49'	"Boost pressure regulation'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"50'	"Atmospheric pressure'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"51'	"Boost Pressure demand'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"52'	"Engine boost pressure'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"53'	"TGV valve position'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"54'	"Turbo valve position'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"55'	"FAP load'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"56'	"Regeneration help state'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"57'	"Temperature after catalyst'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"58'	"Differential Pressure'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"59'	"Electric consumers activation'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"60'	"DPF air flow'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"61'	"Distance covered since DPF change'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"62'	"Distance covered since DPF change'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"63'	"Distance travelled since last regeneration'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"64'	"Distance'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"65'	"FAP additive quantity'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"66'	"Fuel Additive Level Low'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"67'	"Additive reservoir volume'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"68'	"Synchronisation state'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"69'	"PPH control state'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"70'	"Additional heater drive 1'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"71'	"Additional heater drive 2'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"72'	"Main fuel demand'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"73'	"Main pulse'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"74'	"DCU relay state'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Live Parameters'	"75'	"First DPF additivation not done'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Tests'	"1'	"Injector cylinder 1'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Tests'	"2'	"Injector cylinder 2'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Tests'	"3'	"Injector cylinder 3'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Tests'	"4'	"Injector cylinder 4'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Tests'	"5'	"DCU feed relay'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Tests'	"6'	"PPH controller'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Tests'	"7'	"Additional heater'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Tests'	"8'	"Cooling fan low speed'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Tests'	"9'	"Cooling fan high speed'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Tests'	"10'	"IMV'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 DCM3.4 (DW10BTED4)'	"	"Tests'	"11'	"EGR throttle'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Adaptations'	"1'	"EGR valve'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Adaptations'	"2'	"Regeneration'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Adaptations'	"3'	"Replacing the particle filter'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Adaptations'	"4'	"Filling of diesel additive'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Adaptations'	"5'	"Refilling hose with additive'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Adaptations'	"6'	"Forcing learning new injector: injector 1'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Adaptations'	"7'	"Forcing learning new injector: injector 2'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Adaptations'	"8'	"Forcing learning new injector: injector 3'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Adaptations'	"9'	"Forcing learning new injector: injector 4'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"ECU Information'	"3'	"Diagnostic version'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"ECU Information'	"4'	"Software number'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"ECU Information'	"5'	"ECU status'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"ECU Information'	"8'	"Software version'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"1'	"Engine speed'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"2'	"Target overboost pressure'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"3'	"Overboost pressure'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"4'	"Air inlet temperature'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"5'	"Coolant temperature'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"6'	"Injector programming'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"7'	"Clutch pedal'

"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"8'	"Sensor supply voltage 1'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"9'	"Coolant temperature'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"10'	"EGR valve opening'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"11'	"EGR valve position recopy'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"12'	"Intake air bypass valve'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"13'	"Wastegate duty cycle'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"14'	"Wastegate target position'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"15'	"Wastegate position'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"16'	"Air conditioning authorisation'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"17'	"Input, AC thermostat'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"18'	"AC pressure sensor'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"19'	"Degas valve'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"20'	"Vehicle speed'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"21'	"Maximum vehicle speed limit'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"22'	"Gear'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"23'	"Cooling fan relay'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"24'	"Fan speed'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"25'	"Engine speed'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"26'	"Air inlet sensor'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"27'	"Fuel temperature'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"28'	"Atmospheric pressure'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"29'	"Accelerator pedal position'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"30'	"Kick-down'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"31'	"Battery voltage'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"32'	"Ignition +15'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"33'	"Brake pedal'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"34'	"Redundant brake pedal'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"35'	"Air conditioning'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"36'	"Fuel pressure measured'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"37'	"Injection quantity'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"38'	"Air mass'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"39'	"Preinjection'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"40'	"Main injection'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"41'	"Injector voltage'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"42'	"Fuel quantity correction cylinder 1'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"43'	"Fuel quantity correction cylinder 2'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"44'	"Fuel quantity correction cylinder 3'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"45'	"Fuel quantity correction cylinder 4'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"46'	"Fuel pressure regulator'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"47'	"Fuel flow regulator'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"48'	"EGR valve opening'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"49'	"Intake air shut-off solenoid valve'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"50'	"Content of soot in the particle emission filter'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"51'	"Regeneration status'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"52'	"Exhaust gas temperature, downstreams catalytic converter'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"53'	"Particle filter differential pressure'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"54'	"Air inlet sensor'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"55'	"Total quantity of additive'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"56'	"Consumer activation'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"57'	"Airflow'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"58'	"Driving state'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"59'	"Distance travelled since last regeneration'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"60'	"Distance travelled since particle filter replaced'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"61'	"Content of soot in the particle emission filter'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"62'	"Distance remaining until particle filter replacement'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"63'	"Theoretical distance remaining before total filling of particle filter'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"64'	"Average distance between the last 5 regenerations'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"65'	"Load state particle filter'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"66'	"Particle filter regeneration'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"67'	"Coolant temperature'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"68'	"Fuel pressure'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"69'	"Air mass reference value'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"70'	"Injection time'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"71'	"Crankshaft / camshaft synchronization'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Live Parameters'	"72'	"Engine status'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Tests'	"1'	"Cooling fan'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Tests'	"2'	"Glow plug relay'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Tests'	"3'	"EGR valve'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Tests'	"4'	"Intake air shut-off solenoid valve'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Tests'	"5'	"Intake air bypass valve'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Tests'	"6'	"Wastegate Solenoid Circuit'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Tests'	"7'	"Fuel pressure regulation'
"Citroën'	"Jumpy III'	"Engine Diesel'	"RHR 2,0 SID 803A'	"	"Tests'	"8'	"Injection pump regulator'
"Citroën'	"Jumpy III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Jumpy III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Jumpy III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"Jumpy III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"Jumpy III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"5'	"Diagnostics indicator'
"Citroën'	"Jumpy III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"6'	"Day of production'

"Citroën'	"Jumpy III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"ECU Information'	"7'	"Serial number'
"Citroën'	"Jumpy III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"1'	"ESP button'
"Citroën'	"Jumpy III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"2'	"Parking assistance'
"Citroën'	"Jumpy III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"3'	"AC switch'
"Citroën'	"Jumpy III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"4'	"Heated rear screen command'
"Citroën'	"Jumpy III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"5'	"Instrument brightness adjustment button'
"Citroën'	"Jumpy III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Live Parameters'	"6'	"Odometer reset button'
"Citroën'	"Jumpy III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"1'	"Speedometer'
"Citroën'	"Jumpy III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"2'	"RPM-gauge'
"Citroën'	"Jumpy III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"3'	"Fuel level'
"Citroën'	"Jumpy III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"4'	"Coolant temperature'
"Citroën'	"Jumpy III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"5'	"Oil level gauge'
"Citroën'	"Jumpy III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"6'	"Instrument panel lightning'
"Citroën'	"Jumpy III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"7'	"Control panel warning lights'
"Citroën'	"Jumpy III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"8'	"Button light'
"Citroën'	"Jumpy III'	"Instrument / Dashboard'	"Instrument - Magneti Marelli'	"	"Tests'	"9'	"Instrument panel needles'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"ECU Information'	"5'	"Calibration version'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"ECU Information'	"6'	"Diagnos index'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"ECU Information'	"7'	"Diagnostics indicator'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"ECU Information'	"8'	"Checking of action in aftermarket'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"ECU Information'	"9'	"Checking at factory'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"ECU Information'	"10'	"Checking at supplier'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"ECU Information'	"11'	"After sales check'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"ECU Information'	"12'	"Front satellite sensors PSA reference'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"ECU Information'	"13'	"Satellite sensors supplier'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"ECU Information'	"14'	"Front satellites calibration version'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"ECU Information'	"15'	"Front satellites material version'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"ECU Information'	"16'	"Front satellites software version'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"ECU Information'	"17'	"Rear satellite sensors PSA reference'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"ECU Information'	"18'	"Rear satellite sensors supplier'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"ECU Information'	"19'	"Rear satellites calibration version'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"ECU Information'	"20'	"Rear satellites material version'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"ECU Information'	"21'	"Rear satellites software version'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"1'	"Driver airbag ignition squib 1'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"2'	"Driver airbag ignition squib 2'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"3'	"Driver knee airbag'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"4'	"Anti submarining, driver side'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"5'	"Driver seat position sensor'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"6'	"Front passenger airbag ignition squib 1'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"7'	"Front passenger airbag ignition squib 2'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"8'	"Passenger knee airbag'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"9'	"Anti submarining, passenger side'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"10'	"Passenger seat position sensor'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"11'	"Switch, passenger airbag'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"12'	"Number of impacts'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"13'	"Rear impact detected'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"14'	"Drivers pretensioner'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"15'	"Driver lap strap pretensioner'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"16'	"Passenger pretensioner'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"17'	"Passenger lap strap pretensioner'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"18'	"Center pretensioner squib circuit row 1'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"19'	"Right pretensioner squib circuit row 2'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"20'	"Left pretensioner squib circuit row 2'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"21'	"Center pretensioner squib circuit row 2'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"22'	"Right pretensioner squib circuit row 3'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"23'	"Left pretensioner squib circuit row 3'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"24'	"Center pretensioner squib circuit row 3'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"25'	"Right front side airbag ignition squib'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"26'	"Left front side airbag ignition squib'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"27'	"Right side curtain airbag'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"28'	"Left side curtain airbag'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"29'	"Right rear side airbag ignition squib'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"30'	"Left rear side airbag ignition squib'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"31'	"Seat belt buckle,driver'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"32'	"Seat belt buckle,passenger'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"33'	"Driver airbag ignition squib 1'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"34'	"Driver airbag ignition squib 2'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"35'	"Driver knee airbag'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"36'	"Anti submarining, driver side'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"37'	"Driver seat position sensor'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"38'	"Front passenger airbag ignition squib 1'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"39'	"Front passenger airbag ignition squib 2'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"40'	"Passenger knee airbag'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"41'	"Anti submarining, passenger side'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"42'	"Passenger seat position sensor'

"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"43'	"Switch, passenger airbag'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"44'	"Pedestrian impact detection'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"45'	"Drivers pretensioner'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"46'	"Driver lap strap pretensioner'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"47'	"Passenger pretensioner'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"48'	"Passenger lap strap pretensioner'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"49'	"Center pretensioner squib circuit row 1'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"50'	"Left pretensioner squib circuit row 2'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"51'	"Right pretensioner squib circuit row 2'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"52'	"Center pretensioner squib circuit row 2'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"53'	"Left front side airbag ignition squib'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"54'	"Right front side airbag ignition squib'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"55'	"Left rear side airbag ignition squib'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"56'	"Right rear side airbag ignition squib'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"57'	"Left side curtain airbag'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"58'	"Right side curtain airbag'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"59'	"Right front satellite'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"60'	"Left front satellite'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"61'	"Right rear satellite'
"Citroën'	"Jumpy III'	"Restraints'	"Airbag - Bosch'	"	"Live Parameters'	"62'	"Left rear satellite'
"Citroën'	"Jumpy III'	"Steering'	"Power steering - HPI'	"	"ECU Information'	"1'	"Supplier'
"Citroën'	"Jumpy III'	"Steering'	"Power steering - HPI'	"	"ECU Information'	"2'	"Reference PSA'
"Citroën'	"Jumpy III'	"Steering'	"Power steering - HPI'	"	"ECU Information'	"3'	"Software number'
"Citroën'	"Jumpy III'	"Steering'	"Power steering - HPI'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"Jumpy III'	"Steering'	"Power steering - HPI'	"	"ECU Information'	"5'	"Software index'
"Citroën'	"Jumpy III'	"Steering'	"Power steering - HPI'	"	"ECU Information'	"6'	"Software version'
"Citroën'	"Jumpy III'	"Steering'	"Power steering - HPI'	"	"Live Parameters'	"1'	"Vehicle speed'
"Citroën'	"Jumpy III'	"Steering'	"Power steering - HPI'	"	"Live Parameters'	"2'	"Engine status'
"Citroën'	"Jumpy III'	"Steering'	"Power steering - HPI'	"	"Live Parameters'	"3'	"Steering wheel rotational speed'
"Citroën'	"Jumpy III'	"Steering'	"Power steering - HPI'	"	"Live Parameters'	"4'	"Pump engine speed'
"Citroën'	"Jumpy III'	"Steering'	"Power steering - HPI'	"	"Live Parameters'	"5'	"Temperature'
"Citroën'	"Jumpy III'	"Steering'	"Power steering - HPI'	"	"Live Parameters'	"6'	"Current steering motor'
"Citroën'	"Jumpy III'	"Steering'	"Power steering - HPI'	"	"Live Parameters'	"7'	"Electrical power steering motor'
"Citroën'	"Jumpy III'	"Steering'	"Power steering - HPI'	"	"Tests'	"1'	"Pump engine'
"Citroën'	"Saxo'	"Brake System'	"Teves Mk20E'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Saxo'	"Brake System'	"Teves Mk20E'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"Saxo'	"Brake System'	"Teves Mk20E'	"	"Live Parameters'	"1'	"Brake pedal switch'
"Citroën'	"Saxo'	"Brake System'	"Teves Mk20E'	"	"Live Parameters'	"2'	"Wheel sensor LF'
"Citroën'	"Saxo'	"Brake System'	"Teves Mk20E'	"	"Live Parameters'	"3'	"Wheel sensor RF'
"Citroën'	"Saxo'	"Brake System'	"Teves Mk20E'	"	"Live Parameters'	"4'	"Wheel sensor LR'
"Citroën'	"Saxo'	"Brake System'	"Teves Mk20E'	"	"Live Parameters'	"5'	"Wheel sensor RR'
"Citroën'	"Saxo'	"Engine Diesel'	"VJX 1,5 Bosch AS4'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Saxo'	"Engine Diesel'	"VJX 1,5 Bosch AS4'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Saxo'	"Engine Diesel'	"VJX 1,5 Bosch AS4'	"	"ECU Information'	"3'	"Part version suffix'
"Citroën'	"Saxo'	"Engine Diesel'	"VJX 1,5 Bosch AS4'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Saxo'	"Engine Diesel'	"VJX 1,5 Bosch AS4'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Saxo'	"Engine Diesel'	"VJX 1,5 Bosch AS4'	"	"Live Parameters'	"3'	"Coolant temperature'
"Citroën'	"Saxo'	"Engine Diesel'	"VJX 1,5 Bosch AS4'	"	"Live Parameters'	"4'	"Needle lift sensor'
"Citroën'	"Saxo'	"Engine Diesel'	"VJX 1,5 Bosch AS4'	"	"Live Parameters'	"5'	"Injection request'
"Citroën'	"Saxo'	"Engine Diesel'	"VJX 1,5 Bosch AS4'	"	"Live Parameters'	"6'	"Injection actual'
"Citroën'	"Saxo'	"Engine Diesel'	"VJX 1,5 Bosch AS4'	"	"Live Parameters'	"7'	"EGR valve'
"Citroën'	"Saxo'	"Engine Diesel'	"VJX 1,5 Bosch AS4'	"	"Live Parameters'	"8'	"Relay, pre-/post-heating control'
"Citroën'	"Saxo'	"Engine Diesel'	"VJX 1,5 Bosch AS4'	"	"Live Parameters'	"9'	"Output AC enabled'
"Citroën'	"Saxo'	"Engine Diesel'	"VJX 1,5 Bosch AS4'	"	"Tests'	"1'	"AC-relay'
"Citroën'	"Saxo'	"Engine Diesel'	"VJX 1,5 Bosch AS4'	"	"Tests'	"2'	"Glow pin relay coil'
"Citroën'	"Saxo'	"Engine Diesel'	"VJX 1,5 Bosch AS4'	"	"Tests'	"3'	"Solenoid valve, injection start'
"Citroën'	"Saxo'	"Engine Diesel'	"VJX 1,5 Bosch AS4'	"	"Tests'	"4'	"EGR valve'
"Citroën'	"Saxo'	"Engine Diesel'	"VJX 1,5 Bosch AS4'	"	"Tests'	"5'	"Check engine lamp'
"Citroën'	"Saxo'	"Engine Diesel'	"VJX 1,5 Bosch AS4'	"	"Tests'	"6'	"Glow time lamp'
"Citroën'	"Saxo'	"Engine Diesel'	"VJX 1,5 Bosch AS4'	"	"Tests'	"7'	"Variable intake manifold, switchover valve'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"3'	"Torque control'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"4'	"Injection time'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"5'	"Injection valve'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"6'	"Throttle opening'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"7'	"Throttle potentiometer'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"8'	"Coolant temperature'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"9'	"Inlet air temperature'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"10'	"Inlet manifold pressure'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"11'	"Stepper motor'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"12'	"Carbon filter solenoid valve'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"13'	"Ignition timing'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"14'	"Ignition coil'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"15'	"Ignition coil'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"16'	"Front lambda sensor'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"17'	"Rear lambda sensor'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"18'	"Front lambda sensor'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"19'	"Rear lambda sensor'

"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"20'	"Lambda regulation'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"21'	"Lambda regulation'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"22'	"Carbon filter solenoid valve'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"23'	"AC approved'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"24'	"AC order signal'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"25'	"Road speed signal'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"26'	"Cooling fan'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"27'	"Cooling fan'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Live Parameters'	"28'	"Cooling fan'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Tests'	"3'	"Injection valve 1'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Tests'	"4'	"Injection valve 2'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Tests'	"5'	"Injection valve 3'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Tests'	"6'	"Injection valve 4'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Tests'	"7'	"Fuel pump relay'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Tests'	"8'	"AC compressor'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Tests'	"9'	"RPM-gauge'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Tests'	"10'	"Stepper motor'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Tests'	"13'	"Carbon filter solenoid valve'
"Citroën'	"Saxo'	"Engine Petrol'	"HFX 1,1 M 7.4.4'	"	"Tests'	"14'	"Check engine lamp'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"3'	"Torque control'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"4'	"Injection time'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"5'	"Injection shut-off'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"6'	"Accelerator pedal position'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"7'	"Throttle opening'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"8'	"Throttle potentiometer'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"9'	"Coolant temperature'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"10'	"Inlet air temperature'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"11'	"Inlet manifold pressure'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"12'	"Stepper motor'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"13'	"Carbon filter solenoid valve'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"14'	"Ignition timing'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"15'	"Ignition coil'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"16'	"Ignition coil'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"17'	"Mixing regulation'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"18'	"Front lambda sensor'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"19'	"Rear lambda sensor'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"20'	"Front lambda sensor'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"21'	"Rear lambda sensor'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"22'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"23'	"AC approved'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"24'	"Input, AC thermostat'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"25'	"Road speed signal'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"26'	"Main relay'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"27'	"Cooling fan relay'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"28'	"Cooling fan, duty factor'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"29'	"Cooling fan speed request'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Tests'	"3'	"Injection valve 1'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Tests'	"4'	"Injection valve 2'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Tests'	"5'	"Injection valve 3'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Tests'	"6'	"Injection valve 4'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Tests'	"7'	"Fuel pump relay'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Tests'	"8'	"AC compressor'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Tests'	"9'	"Stepper motor'
"Citroën'	"Saxo'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Tests'	"12'	"Carbon filter solenoid valve'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"ECU Information'	"2'	"Software version'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"3'	"Inlet manifold pressure'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"4'	"Lambda sensor'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"5'	"Vehicle speed'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"6'	"Shift position'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"7'	"Ignition coil 1'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"8'	"Ignition coil 2'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"9'	"Injectors 1 drive circuit'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"10'	"Injectors 2/3 drive circuit'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"11'	"Accelerator pedal position'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"12'	"Carbon filter solenoid valve'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"13'	"Stepper motor'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"14'	"Output AC enabled'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"15'	"Input, AC thermostat'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"16'	"Driving mode'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Tests'	"1'	"Injection valve cylinder 1 and 4'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Tests'	"2'	"Injection valve cylinder 2 and 3'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Tests'	"3'	"Fuel pump'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Tests'	"4'	"Idle step engine'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Tests'	"5'	"Carbon filter solenoid valve'

"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Tests'	"6'	"RPM-gauge'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"3'	"Engine load'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"4'	"Injection time'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"5'	"Throttle potentiometer'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"6'	"Throttle opening'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"7'	"Inlet manifold pressure'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"8'	"Revolution signal'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"9'	"Battery voltage'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"10'	"Carbon filter solenoid valve'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"11'	"Coolant temperature'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"12'	"Inlet air temperature'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"13'	"Coolant temperature'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"14'	"Inlet air temperature'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"15'	"Revolution signal'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"16'	"Battery voltage'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"17'	"Engine load'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"18'	"Ignition timing'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"19'	"Ignition coil 1'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"20'	"Ignition coil 2'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"21'	"Ignition coil 3'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"22'	"Ignition coil 4'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"23'	"Revolution signal'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"24'	"Coolant temperature'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"25'	"Lambda sensor'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"26'	"Lambda sensor'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"27'	"Lambda regulation'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"28'	"Lambda sensor'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"29'	"Lambda sensor'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"30'	"Lambda regulation'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"31'	"Revolution signal'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"32'	"Battery voltage'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"33'	"Coolant temperature'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"34'	"Coolant temperature'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"35'	"Inlet manifold pressure'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"36'	"Code gearbox'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"37'	"AC approved'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"38'	"Engine load'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"39'	"Carbon filter solenoid valve'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"40'	"Road speed signal'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Tests'	"1'	"Idle step engine'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Tests'	"2'	"Fuel pump relay'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Tests'	"3'	"Injection valve 1'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Tests'	"4'	"Injection valve 2'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Tests'	"5'	"Injection valve 3'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Tests'	"6'	"Injection valve 4'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Tests'	"7'	"Secondary air pump relay'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Tests'	"8'	"AC shut off relay'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Tests'	"9'	"Carbon filter solenoid valve'
"Citroën'	"Saxo'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Tests'	"10'	"RPM-gauge'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Live Parameters'	"1'	"Injection time'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Live Parameters'	"2'	"Throttle potentiometer'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Live Parameters'	"3'	"Inlet manifold pressure'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Live Parameters'	"4'	"Stepper motor'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Live Parameters'	"5'	"Injection valves'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Live Parameters'	"6'	"Revolution signal'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Live Parameters'	"7'	"Battery voltage'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Live Parameters'	"8'	"Ignition timing'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Live Parameters'	"9'	"Ignition coil 1'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Live Parameters'	"10'	"Ignition coil 2'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Live Parameters'	"11'	"Coolant temperature'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Live Parameters'	"12'	"Inlet air temperature'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Live Parameters'	"13'	"Revolution signal'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Live Parameters'	"14'	"Front lambda sensor'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Live Parameters'	"15'	"Front lambda sensor'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Live Parameters'	"16'	"Rear lambda sensor'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Live Parameters'	"17'	"Rear lambda sensor'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Live Parameters'	"18'	"Fuelmixture'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Live Parameters'	"19'	"Revolution signal'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Live Parameters'	"20'	"Battery voltage'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Live Parameters'	"21'	"Coolant temperature'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Live Parameters'	"22'	"Inlet air temperature'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Live Parameters'	"23'	"Carbon filter solenoid valve'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Live Parameters'	"24'	"AC approved'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Live Parameters'	"25'	"Input, AC thermostat'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Live Parameters'	"26'	"Revolution signal'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Live Parameters'	"27'	"Battery voltage'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Live Parameters'	"28'	"Power relay'

"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Live Parameters'	"29'	"AC approved'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Live Parameters'	"30'	"Input, AC thermostat'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Live Parameters'	"31'	"Road speed signal'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Live Parameters'	"32'	"Radiator fan relay'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Live Parameters'	"33'	"Cyclic opening ratio, cooling fan unit'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Tests'	"1'	"Idle step engine'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Tests'	"4'	"Fuel pump relay'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Tests'	"5'	"Injection valve 1'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Tests'	"6'	"Injection valve 2'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Tests'	"7'	"Injection valve 3'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Tests'	"8'	"Injection valve 4'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Tests'	"9'	"Secondary air pump relay'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Tests'	"10'	"Carbon filter solenoid valve'
"Citroën'	"Saxo'	"Engine Petrol'	"NFX 1,6 MM 48P'	"	"Tests'	"11'	"EGR valve'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.1'	"	"ECU Information'	"1'	"ECU serial number'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.1'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.1'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.1'	"	"Live Parameters'	"3'	"Coolant temperature'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.1'	"	"Live Parameters'	"4'	"Inlet air temperature'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.1'	"	"Live Parameters'	"5'	"Injection time'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.1'	"	"Live Parameters'	"6'	"Lambda sensor'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.1'	"	"Live Parameters'	"7'	"Inlet manifold pressure'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.1'	"	"Live Parameters'	"8'	"Throttle potentiometer'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.1'	"	"Live Parameters'	"9'	"Camshaft position sensor'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.1'	"	"Live Parameters'	"10'	"Ignition timing'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.1'	"	"Live Parameters'	"11'	"Idle valve'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.1'	"	"Live Parameters'	"12'	"Carbon filter solenoid valve'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.1'	"	"Tests'	"1'	"Injection valves'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.1'	"	"Tests'	"2'	"Carbon filter solenoid valve'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.1'	"	"Tests'	"3'	"Idle valve'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.2'	"	"ECU Information'	"1'	"ECU serial number'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.2'	"	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.2'	"	"Live Parameters'	"2'	"Revolution signal'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.2'	"	"Live Parameters'	"3'	"Coolant temperature'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.2'	"	"Live Parameters'	"4'	"Inlet air temperature'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.2'	"	"Live Parameters'	"5'	"Injection time'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.2'	"	"Live Parameters'	"6'	"Ignition timing'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.2'	"	"Live Parameters'	"7'	"Inlet manifold pressure'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.2'	"	"Live Parameters'	"8'	"Lambda sensor'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.2'	"	"Tests'	"1'	"Injection valves'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.2'	"	"Tests'	"2'	"Idle speed regulator'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.2'	"	"Tests'	"3'	"Carbon filter solenoid valve'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.2'	"	"Tests'	"4'	"AC-relay'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.2'	"	"Tests'	"5'	"Fuel consumption'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.2'	"	"Tests'	"6'	"RPM-gauge'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"2'	"Revolution signal'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"3'	"Throttle opening'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"4'	"Throttle potentiometer'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"5'	"Coolant temperature'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"6'	"Inlet air temperature'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"7'	"Inlet manifold pressure'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"8'	"Injection time'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"9'	"Load signal'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"10'	"Stepper motor'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"11'	"Carbon filter solenoid valve'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"12'	"Ignition timing'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"13'	"Front lambda sensor'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"14'	"Rear lambda sensor'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"15'	"Front lambda sensor'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"16'	"Rear lambda sensor'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"17'	"Code gearbox'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"18'	"AC approved'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"19'	"AC compressor'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Tests'	"1'	"Fuel pump'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Tests'	"2'	"Injection valve 1'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Tests'	"3'	"Injection valve 2'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Tests'	"4'	"Injection valve 3'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Tests'	"5'	"Injection valve 4'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Tests'	"6'	"Stepper motor'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Tests'	"7'	"Carbon filter solenoid valve'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Tests'	"8'	"RPM-gauge'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Tests'	"9'	"Fuel consumption signal'
"Citroën'	"Saxo'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Tests'	"10'	"AC-relay'
"Citroën'	"Saxo'	"Immobiliser'	"IMMO'	"	"Live Parameters'	"1'	"Ignition status'
"Citroën'	"Saxo'	"Immobiliser'	"IMMO'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Saxo'	"Immobiliser'	"IMMO'	"	"Live Parameters'	"3'	"Driver's door'
"Citroën'	"Saxo'	"Immobiliser'	"IMMO'	"	"Live Parameters'	"4'	"Key'
"Citroën'	"Saxo'	"Immobiliser'	"IMMO'	"	"Live Parameters'	"5'	"Key'

"Citroën'	"Saxo'	"Immobiliser'	"IMMO'	"	"Live Parameters'	"6'	"Control unit'
"Citroën'	"Saxo'	"Immobiliser'	"IMMO'	"	"Live Parameters'	"7'	"Summer'
"Citroën'	"Saxo'	"Immobiliser'	"IMMO'	"	"Live Parameters'	"8'	"Programmed keys'
"Citroën'	"Saxo'	"Immobiliser'	"IMMO'	"	"Live Parameters'	"1'	"Ignition status'
"Citroën'	"Saxo'	"Immobiliser'	"IMMO'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Saxo'	"Immobiliser'	"IMMO'	"	"Live Parameters'	"3'	"Driver's door'
"Citroën'	"Saxo'	"Immobiliser'	"IMMO'	"	"Live Parameters'	"4'	"Key'
"Citroën'	"Saxo'	"Immobiliser'	"IMMO'	"	"Live Parameters'	"5'	"Key'
"Citroën'	"Saxo'	"Immobiliser'	"IMMO'	"	"Live Parameters'	"6'	"Control unit'
"Citroën'	"Saxo'	"Immobiliser'	"IMMO'	"	"Live Parameters'	"7'	"Summer'
"Citroën'	"Saxo'	"Immobiliser'	"IMMO'	"	"Live Parameters'	"8'	"Programmed keys'
"Citroën'	"Saxo'	"Restraints'	"AC4'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Saxo'	"Restraints'	"AC4'	"	"ECU Information'	"2'	"Bosch hardware number'
"Citroën'	"Saxo'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"1'	"Airbag locking'
"Citroën'	"Saxo'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"2'	"Airbag unlocking'
"Citroën'	"Saxo'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"1'	"Reference PSA'
"Citroën'	"Saxo'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"2'	"Supplier'
"Citroën'	"Saxo'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"3'	"Version of program'
"Citroën'	"Saxo'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"4'	"Calibration number'
"Citroën'	"Saxo'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"5'	"Diagnostic version'
"Citroën'	"Saxo'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"6'	"Checking at after line production'
"Citroën'	"Saxo'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"7'	"Checking at factory'
"Citroën'	"Saxo'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"8'	"Checking at supplier'
"Citroën'	"Saxo'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"9'	"Checking of action in aftermarket'
"Citroën'	"Saxo'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"10'	"Airbag locking'
"Citroën'	"Saxo'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"11'	"Driver airbag'
"Citroën'	"Saxo'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"12'	"Passenger airbag'
"Citroën'	"Saxo'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"13'	"Switch to disable passenger airbag'
"Citroën'	"Saxo'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"14'	"Frontal side airbag'
"Citroën'	"Saxo'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"15'	"Side head airbags'
"Citroën'	"Saxo'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"16'	"Pretensioner'
"Citroën'	"Saxo'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"17'	"Satellite sensors'
"Citroën'	"Xantia I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"ECU Information'	"1'	"ECU serial number'
"Citroën'	"Xantia I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Xantia I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"2'	"Desired injection start'
"Citroën'	"Xantia I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"3'	"Actual injection start'
"Citroën'	"Xantia I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"4'	"Injection amount'
"Citroën'	"Xantia I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"5'	"Throttle potentiometer'
"Citroën'	"Xantia I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"6'	"Needle lift sensor'
"Citroën'	"Xantia I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"7'	"Diagnostics indicator'
"Citroën'	"Xantia I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"8'	"Idle valve'
"Citroën'	"Xantia I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"9'	"AC shut off relay'
"Citroën'	"Xantia I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"10'	"Glow pin relay coil'
"Citroën'	"Xantia I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"11'	"Atmospheric pressure'
"Citroën'	"Xantia I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"12'	"Battery voltage'
"Citroën'	"Xantia I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"13'	"EGR valve'
"Citroën'	"Xantia I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Tests'	"1'	"Injection valves'
"Citroën'	"Xantia I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Tests'	"2'	"Idle speed regulator'
"Citroën'	"Xantia I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Tests'	"3'	"Carbon filter solenoid valve'
"Citroën'	"Xantia I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Tests'	"4'	"AC-relay'
"Citroën'	"Xantia I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Tests'	"5'	"Fuel consumption'
"Citroën'	"Xantia I'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Tests'	"6'	"RPM-gauge'
"Citroën'	"Xantia I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Xantia I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"2'	"Inlet manifold pressure'
"Citroën'	"Xantia I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"3'	"Battery voltage'
"Citroën'	"Xantia I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"4'	"Actual + for accessories (+ACC)'
"Citroën'	"Xantia I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"5'	"Road speed signal'
"Citroën'	"Xantia I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"6'	"Rotor Calibration'
"Citroën'	"Xantia I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"7'	"Rotor position requested'
"Citroën'	"Xantia I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"8'	"Real rotor position'
"Citroën'	"Xantia I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"9'	"Rotor control'
"Citroën'	"Xantia I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"10'	"Rotor solenoid valve - (delay)'
"Citroën'	"Xantia I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"11'	"Power relay'
"Citroën'	"Xantia I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"12'	"Rotor solenoid valve - (gain)'
"Citroën'	"Xantia I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"13'	"Rotor solenoid valve + (gain)'
"Citroën'	"Xantia I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"14'	"Injection advance actuator'
"Citroën'	"Xantia I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"15'	"Cam Calibration'
"Citroën'	"Xantia I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"16'	"Air density'
"Citroën'	"Xantia I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"17'	"Operational State'
"Citroën'	"Xantia I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"18'	"Brake pedal switch'
"Citroën'	"Xantia I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"19'	"EGR solenoid valve'
"Citroën'	"Xantia I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"20'	"Glowplug pre-operation'
"Citroën'	"Xantia I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"21'	"Shift position'
"Citroën'	"Xantia I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Live Parameters'	"22'	"Idle switch'
"Citroën'	"Xantia I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Tests'	"1'	"Injection valve cylinder 1 and 4'
"Citroën'	"Xantia I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Tests'	"2'	"Injection valve cylinder 2 and 3'
"Citroën'	"Xantia I'	"Engine Diesel'	"P8C 2.1 Lucas EPIC'	"	"Tests'	"3'	"Carbon filter solenoid valve'
"Citroën'	"Xantia I'	"Engine Petrol'	"L6A 1.8 Motronic MP 5.1'	"	"ECU Information'	"1'	"ECU serial number'
"Citroën'	"Xantia I'	"Engine Petrol'	"L6A 1.8 Motronic MP 5.1'	"	"Live Parameters'	"1'	"Revolution signal'

"Citroën'	"Xantia I'	"Engine Petrol'	"L6A 1.8 Motronic MP 5.1'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Xantia I'	"Engine Petrol'	"L6A 1.8 Motronic MP 5.1'	"	"Live Parameters'	"3'	"Coolant temperature'
"Citroën'	"Xantia I'	"Engine Petrol'	"L6A 1.8 Motronic MP 5.1'	"	"Live Parameters'	"4'	"Inlet air temperature'
"Citroën'	"Xantia I'	"Engine Petrol'	"L6A 1.8 Motronic MP 5.1'	"	"Live Parameters'	"5'	"Injection time'
"Citroën'	"Xantia I'	"Engine Petrol'	"L6A 1.8 Motronic MP 5.1'	"	"Live Parameters'	"6'	"Lambda sensor'
"Citroën'	"Xantia I'	"Engine Petrol'	"L6A 1.8 Motronic MP 5.1'	"	"Live Parameters'	"7'	"Inlet manifold pressure'
"Citroën'	"Xantia I'	"Engine Petrol'	"L6A 1.8 Motronic MP 5.1'	"	"Live Parameters'	"8'	"Throttle potentiometer'
"Citroën'	"Xantia I'	"Engine Petrol'	"L6A 1.8 Motronic MP 5.1'	"	"Live Parameters'	"9'	"Camshaft position sensor'
"Citroën'	"Xantia I'	"Engine Petrol'	"L6A 1.8 Motronic MP 5.1'	"	"Live Parameters'	"10'	"Ignition timing'
"Citroën'	"Xantia I'	"Engine Petrol'	"L6A 1.8 Motronic MP 5.1'	"	"Live Parameters'	"11'	"Idle valve'
"Citroën'	"Xantia I'	"Engine Petrol'	"L6A 1.8 Motronic MP 5.1'	"	"Live Parameters'	"12'	"Carbon filter solenoid valve'
"Citroën'	"Xantia I'	"Engine Petrol'	"L6A 1.8 Motronic MP 5.1'	"	"Tests'	"1'	"Injection valves'
"Citroën'	"Xantia I'	"Engine Petrol'	"L6A 1.8 Motronic MP 5.1'	"	"Tests'	"2'	"Carbon filter solenoid valve'
"Citroën'	"Xantia I'	"Engine Petrol'	"L6A 1.8 Motronic MP 5.1'	"	"Tests'	"3'	"Idle valve'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFX 1.8 MM 1AP'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFX 1.8 MM 1AP'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFX 1.8 MM 1AP'	"	"Live Parameters'	"3'	"Inlet manifold pressure'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFX 1.8 MM 1AP'	"	"Live Parameters'	"4'	"Road speed signal'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFX 1.8 MM 1AP'	"	"Tests'	"1'	"Injection valve cylinder 1 and 4'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFX 1.8 MM 1AP'	"	"Tests'	"2'	"Injection valve cylinder 2 and 3'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFX 1.8 MM 1AP'	"	"Tests'	"3'	"Fuel pump'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFX 1.8 MM 1AP'	"	"Tests'	"4'	"Idle step engine'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFX 1.8 MM 1AP'	"	"Tests'	"5'	"Carbon filter solenoid valve'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFX 1.8 MM 1AP'	"	"Tests'	"6'	"RPM-gauge'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.1.1'	"	"ECU Information'	"1'	"ECU serial number'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.1.1'	"	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.1.1'	"	"Live Parameters'	"2'	"Revolution signal'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.1.1'	"	"Live Parameters'	"3'	"Injection time'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.1.1'	"	"Live Parameters'	"4'	"Inlet air temperature'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.1.1'	"	"Live Parameters'	"5'	"Coolant temperature'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.1.1'	"	"Live Parameters'	"6'	"Ignition timing'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.1.1'	"	"Live Parameters'	"7'	"Inlet manifold pressure'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.1.1'	"	"Live Parameters'	"8'	"Lambda sensor'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.1.1'	"	"Live Parameters'	"9'	"Throttle potentiometer'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.1.1'	"	"Live Parameters'	"10'	"Stepper motor'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.1.1'	"	"Live Parameters'	"11'	"AC compressor'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.1.1'	"	"Live Parameters'	"12'	"Shift lever switch AT'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.1.1'	"	"Tests'	"1'	"Injection valves'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.1.1'	"	"Tests'	"2'	"Stepper motor'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.1.1'	"	"Tests'	"3'	"Tank venting valve'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.1.1'	"	"Tests'	"4'	"AC-relay'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.1.1'	"	"Tests'	"5'	"Fuel consumption'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.1.1'	"	"Tests'	"6'	"RPM-gauge'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.2'	"	"ECU Information'	"1'	"ECU serial number'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.2'	"	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.2'	"	"Live Parameters'	"2'	"Revolution signal'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.2'	"	"Live Parameters'	"3'	"Coolant temperature'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.2'	"	"Live Parameters'	"4'	"Inlet air temperature'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.2'	"	"Live Parameters'	"5'	"Injection time'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.2'	"	"Live Parameters'	"6'	"Ignition timing'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.2'	"	"Live Parameters'	"7'	"Inlet manifold pressure'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.2'	"	"Live Parameters'	"8'	"Lambda sensor'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.2'	"	"Tests'	"1'	"Injection valves'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.2'	"	"Tests'	"2'	"Idle speed regulator'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.2'	"	"Tests'	"3'	"Carbon filter solenoid valve'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.2'	"	"Tests'	"4'	"AC-relay'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.2'	"	"Tests'	"5'	"Fuel consumption'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Motronic MP 5.2'	"	"Tests'	"6'	"RPM-gauge'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"2'	"Engine load'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"3'	"Inlet manifold pressure'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"4'	"Atmospheric pressure'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"5'	"Battery voltage'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"6'	"Lambda sensor'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"7'	"Throttle opening'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"8'	"Road speed signal'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"9'	"Injection time'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"10'	"Ignition timing'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"11'	"Ignition coil 1&4, short circuit'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"12'	"Ignition coil 2&3, short circuit'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"13'	"Stepper motor'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"14'	"Power relay'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"15'	"Power relay'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"16'	"AC approved'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"17'	"Control unit power supply'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"18'	"Check engine lamp'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Tests'	"1'	"Injection valve cylinder 1 and 4'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Tests'	"2'	"Injection valve cylinder 2 and 3'
"Citroën'	"Xantia I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Tests'	"3'	"Carbon filter solenoid valve'

"Citroën'	"Xantia I'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"3'	"Inlet air temperature'
"Citroën'	"Xantia I'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"4'	"Injection time'
"Citroën'	"Xantia I'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"5'	"Lambda sensor'
"Citroën'	"Xantia I'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"6'	"Inlet manifold pressure'
"Citroën'	"Xantia I'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"7'	"Throttle potentiometer'
"Citroën'	"Xantia I'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"8'	"Camshaft position sensor'
"Citroën'	"Xantia I'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"9'	"Ignition timing'
"Citroën'	"Xantia I'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"10'	"Idle valve'
"Citroën'	"Xantia I'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"11'	"Carbon filter solenoid valve'
"Citroën'	"Xantia I'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"12'	"Road speed signal'
"Citroën'	"Xantia I'	"Restraints'	"AC4'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xantia I'	"Restraints'	"AC4'	"	"ECU Information'	"2'	"Bosch hardware number'
"Citroën'	"Xantia II'	"Body Control Module'	"BSI'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xantia II'	"Body Control Module'	"BSI'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Xantia II'	"Body Control Module'	"BSI'	"	"Live Parameters'	"1'	"Number of keys'
"Citroën'	"Xantia II'	"Body Control Module'	"BSI'	"	"Live Parameters'	"2'	"Stored remote controls count'
"Citroën'	"Xantia II'	"Body Control Module'	"BSI'	"	"Live Parameters'	"3'	"Configuration'
"Citroën'	"Xantia II'	"Body Control Module'	"BSI'	"	"Live Parameters'	"4'	"Alarm configuration'
"Citroën'	"Xantia II'	"Body Control Module'	"BSI'	"	"Live Parameters'	"5'	"Ignition +15'
"Citroën'	"Xantia II'	"Body Control Module'	"BSI'	"	"Live Parameters'	"6'	"Transponder communication'
"Citroën'	"Xantia II'	"Body Control Module'	"BSI'	"	"Live Parameters'	"7'	"Communication with siren'
"Citroën'	"Xantia II'	"Body Control Module'	"BSI'	"	"Live Parameters'	"8'	"Driver door locking button'
"Citroën'	"Xantia II'	"Body Control Module'	"BSI'	"	"Live Parameters'	"9'	"Passenger door locking button'
"Citroën'	"Xantia II'	"Body Control Module'	"BSI'	"	"Live Parameters'	"10'	"Left front door'
"Citroën'	"Xantia II'	"Body Control Module'	"BSI'	"	"Live Parameters'	"11'	"Right front door'
"Citroën'	"Xantia II'	"Body Control Module'	"BSI'	"	"Live Parameters'	"12'	"Rear left door'
"Citroën'	"Xantia II'	"Body Control Module'	"BSI'	"	"Live Parameters'	"13'	"Rear right door'
"Citroën'	"Xantia II'	"Brake System'	"Teves Mk20E'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xantia II'	"Brake System'	"Teves Mk20E'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"Xantia II'	"Brake System'	"Teves Mk20E'	"	"Live Parameters'	"1'	"Brake pedal switch'
"Citroën'	"Xantia II'	"Brake System'	"Teves Mk20E'	"	"Live Parameters'	"2'	"Wheel sensor LF'
"Citroën'	"Xantia II'	"Brake System'	"Teves Mk20E'	"	"Live Parameters'	"3'	"Wheel sensor RF'
"Citroën'	"Xantia II'	"Brake System'	"Teves Mk20E'	"	"Live Parameters'	"4'	"Wheel sensor LR'
"Citroën'	"Xantia II'	"Brake System'	"Teves Mk20E'	"	"Live Parameters'	"5'	"Wheel sensor RR'
"Citroën'	"Xantia II'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"ECU Information'	"1'	"ECU serial number'
"Citroën'	"Xantia II'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Xantia II'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"2'	"Desired injection start'
"Citroën'	"Xantia II'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"3'	"Actual injection start'
"Citroën'	"Xantia II'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"4'	"Injection amount'
"Citroën'	"Xantia II'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"5'	"Throttle potentiometer'
"Citroën'	"Xantia II'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"6'	"Needle lift sensor'
"Citroën'	"Xantia II'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"7'	"Diagnostics indicator'
"Citroën'	"Xantia II'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"8'	"Idle valve'
"Citroën'	"Xantia II'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"9'	"AC shut off relay'
"Citroën'	"Xantia II'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"10'	"Glow pin relay coil'
"Citroën'	"Xantia II'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"11'	"Atmospheric pressure'
"Citroën'	"Xantia II'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"12'	"Battery voltage'
"Citroën'	"Xantia II'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Live Parameters'	"13'	"EGR valve'
"Citroën'	"Xantia II'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Tests'	"1'	"Injection valves'
"Citroën'	"Xantia II'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Tests'	"2'	"Idle speed regulator'
"Citroën'	"Xantia II'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Tests'	"3'	"Carbon filter solenoid valve'
"Citroën'	"Xantia II'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Tests'	"4'	"AC-relay'
"Citroën'	"Xantia II'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Tests'	"5'	"Fuel consumption'
"Citroën'	"Xantia II'	"Engine Diesel'	"DHX 1.9 Bosch VP20'	"	"Tests'	"6'	"RPM-gauge'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"1'	"Diagnostics indicator'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"2'	"Pedal position sensor'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"3'	"Pedal position sensor'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"4'	"Atmospheric pressure'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"5'	"Load pressure'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"6'	"Revolution signal'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"7'	"Battery voltage'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"8'	"Coolant temperature'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"9'	"Fuel temperature'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"10'	"Inlet air temperature'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"11'	" +15 signal'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"12'	"Road speed signal'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"13'	"Fuel pressure'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"14'	"Air mass meter'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"ECU Information'	"5'	"Software version'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"ECU Information'	"6'	"Software index'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"1'	"Atmospheric pressure'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"2'	"Fuel temperature'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"3'	"Camshafts sensors power supply'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"4'	"Sensor power supply'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"5'	"Crankshaft / camshaft synchronization'

"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"6'	"Cruise control switch'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"7'	"Overboost pressure measured'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"8'	"Target overboost pressure'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"9'	"Fuel pressure regulator'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"10'	"Measured/requested fuel pressure deviation'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"11'	"Inlet air temperature'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"12'	"Coolant temperature'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"13'	"Vehicle speed'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"14'	"Gear detected'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"15'	"With automatic transmission'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"16'	"High speed radiator fan relay'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"17'	"Low speed radiator fan relay'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"18'	"Accelerator pedal position'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"19'	"Battery voltage'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"20'	"Relay, pre-/post-heating control'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"21'	"Brake pedal switch'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"22'	"A/C cut signal'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"23'	"Engine speed'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"24'	"Air mass measured'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"25'	"EGR valve opening'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"26'	"EGR throttle opening'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"27'	"Boost pressure valve duty cycle'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"28'	"Deactivation of piston element in high pressure pump'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"29'	"Pre injection timing'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"30'	"Main injection timing'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"31'	"Fuel pressure regulator'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"32'	"Fuel pressure measured'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"33'	"Calculated fuel quantity'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"34'	"Cylinder 1 fuel trim'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"35'	"Cylinder 2 fuel trim'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"36'	"Cylinder 3 fuel trim'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"37'	"Cylinder 4 fuel trim'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"38'	"Injectors voltage'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"1'	"Electric fan speed 1'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"2'	"Electric fan speed 2'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"3'	"Fuel pressure regulator'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"4'	"Deactivation of piston element in high pressure pump'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"5'	"Relay, pre-/post-heating control'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"6'	"Solenoid valve, damper (EGR)'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"7'	"EGR valve'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"8'	"Main relay, supply circuit'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"9'	"Charging pressure valve'
"Citroën'	"Xantia II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Tests'	"10'	"Inlet air heater valve'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 MM 1AP'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 MM 1AP'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 MM 1AP'	"	"Live Parameters'	"3'	"Inlet manifold pressure'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 MM 1AP'	"	"Live Parameters'	"4'	"Road speed signal'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 MM 1AP'	"	"Tests'	"1'	"Injection valve cylinder 1 and 4'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 MM 1AP'	"	"Tests'	"2'	"Injection valve cylinder 2 and 3'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 MM 1AP'	"	"Tests'	"3'	"Fuel pump'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 MM 1AP'	"	"Tests'	"4'	"Idle stop engine'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 MM 1AP'	"	"Tests'	"5'	"Carbon filter solenoid valve'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 MM 1AP'	"	"Tests'	"6'	"RPM-gauge'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 5.1'	"	"ECU Information'	"1'	"ECU serial number'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 5.1'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 5.1'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 5.1'	"	"Live Parameters'	"3'	"Coolant temperature'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 5.1'	"	"Live Parameters'	"4'	"Inlet air temperature'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 5.1'	"	"Live Parameters'	"5'	"Injection time'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 5.1'	"	"Live Parameters'	"6'	"Lambda sensor'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 5.1'	"	"Live Parameters'	"7'	"Inlet manifold pressure'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 5.1'	"	"Live Parameters'	"8'	"Throttle potentiometer'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 5.1'	"	"Live Parameters'	"9'	"Camshaft position sensor'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 5.1'	"	"Live Parameters'	"10'	"Ignition timing'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 5.1'	"	"Live Parameters'	"11'	"Idle valve'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 5.1'	"	"Live Parameters'	"12'	"Carbon filter solenoid valve'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 5.1'	"	"Tests'	"1'	"Injection valves'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 5.1'	"	"Tests'	"2'	"Carbon filter solenoid valve'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 5.1'	"	"Tests'	"3'	"Idle valve'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 5.2'	"	"ECU Information'	"1'	"ECU serial number'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 5.2'	"	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 5.2'	"	"Live Parameters'	"2'	"Revolution signal'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 5.2'	"	"Live Parameters'	"3'	"Coolant temperature'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 5.2'	"	"Live Parameters'	"4'	"Inlet air temperature'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 5.2'	"	"Live Parameters'	"5'	"Injection time'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 5.2'	"	"Live Parameters'	"6'	"Ignition timing'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 5.2'	"	"Live Parameters'	"7'	"Inlet manifold pressure'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 5.2'	"	"Live Parameters'	"8'	"Lambda sensor'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 5.2'	"	"Tests'	"1'	"Injection valves'

"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 5.2'	"	"Tests'	"2'	"Idle speed regulator'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 5.2'	"	"Tests'	"3'	"Carbon filter solenoid valve'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 5.2'	"	"Tests'	"4'	"AC-relay'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 5.2'	"	"Tests'	"5'	"Fuel consumption'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 5.2'	"	"Tests'	"6'	"RPM-gauge'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"3'	"Engine load'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"4'	"Injection time'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"5'	"Throttle potentiometer'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"6'	"Throttle opening'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"7'	"Inlet manifold pressure'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"8'	"Revolution signal'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"9'	"Battery voltage'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"10'	"Carbon filter solenoid valve'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"11'	"Coolant temperature'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"12'	"Inlet air temperature'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"13'	"Coolant temperature'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"14'	"Inlet air temperature'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"15'	"Revolution signal'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"16'	"Battery voltage'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"17'	"Engine load'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"18'	"Ignition timing'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"19'	"Ignition coil 1'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"20'	"Ignition coil 2'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"21'	"Ignition coil 3'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"22'	"Ignition coil 4'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"23'	"Revolution signal'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"24'	"Coolant temperature'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"25'	"Lambda sensor'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"26'	"Lambda sensor'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"27'	"Lambda regulation'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"28'	"Lambda sensor'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"29'	"Lambda sensor'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"30'	"Lambda regulation'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"31'	"Revolution signal'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"32'	"Battery voltage'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"33'	"Coolant temperature'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"34'	"Coolant temperature'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"35'	"Inlet manifold pressure'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"36'	"Code gearbox'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"37'	"AC approved'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"38'	"Engine load'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"39'	"Carbon filter solenoid valve'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Live Parameters'	"40'	"Road speed signal'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Tests'	"1'	"Idle step engine'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Tests'	"2'	"Fuel pump relay'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Tests'	"3'	"Injection valve 1'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Tests'	"4'	"Injection valve 2'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Tests'	"5'	"Injection valve 3'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Tests'	"6'	"Injection valve 4'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Tests'	"7'	"Secondary air pump relay'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Tests'	"8'	"AC shut off relay'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Tests'	"9'	"Carbon filter solenoid valve'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Motronic MP 7.3'	"	"Tests'	"10'	"RPM-gauge'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Sagem SL 96'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Sagem SL 96'	"	"Live Parameters'	"2'	"Engine load'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Sagem SL 96'	"	"Live Parameters'	"3'	"Inlet manifold pressure'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Sagem SL 96'	"	"Live Parameters'	"4'	"Atmospheric pressure'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Sagem SL 96'	"	"Live Parameters'	"5'	"Battery voltage'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Sagem SL 96'	"	"Live Parameters'	"6'	"Lambda sensor'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Sagem SL 96'	"	"Live Parameters'	"7'	"Throttle opening'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Sagem SL 96'	"	"Live Parameters'	"8'	"Road speed signal'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Sagem SL 96'	"	"Live Parameters'	"9'	"Injection time'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Sagem SL 96'	"	"Live Parameters'	"10'	"Ignition timing'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Sagem SL 96'	"	"Live Parameters'	"11'	"Ignition coil 1&4, short circuit'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Sagem SL 96'	"	"Live Parameters'	"12'	"Ignition coil 2&3, short circuit'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Sagem SL 96'	"	"Live Parameters'	"13'	"Stepper motor'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Sagem SL 96'	"	"Live Parameters'	"14'	"Power relay'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Sagem SL 96'	"	"Live Parameters'	"15'	"Power relay'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Sagem SL 96'	"	"Live Parameters'	"16'	"AC approved'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Sagem SL 96'	"	"Live Parameters'	"17'	"Control unit power supply'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Sagem SL 96'	"	"Live Parameters'	"18'	"Check engine lamp'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Sagem SL 96'	"	"Tests'	"1'	"Injection valve cylinder 1 and 4'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Sagem SL 96'	"	"Tests'	"2'	"Injection valve cylinder 2 and 3'
"Citroën'	"Xantia II'	"Engine Petrol'	"LFY 1,8 Sagem SL 96'	"	"Tests'	"3'	"Carbon filter solenoid valve'
"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"ECU Information'	"1'	"ECU serial number'
"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Live Parameters'	"2'	"Revolution signal'

"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Live Parameters'	"3'	"Injection time'
"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Live Parameters'	"4'	"Inlet air temperature'
"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Live Parameters'	"5'	"Coolant temperature'
"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Live Parameters'	"6'	"Ignition timing'
"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Live Parameters'	"7'	"Inlet manifold pressure'
"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Live Parameters'	"8'	"Lambda sensor'
"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Live Parameters'	"9'	"Throttle potentiometer'
"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Live Parameters'	"10'	"Stepper motor'
"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Live Parameters'	"11'	"AC compressor'
"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Live Parameters'	"12'	"Shift lever switch AT'
"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Tests'	"1'	"Injection valves'
"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Tests'	"2'	"Stepper motor'
"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Tests'	"3'	"Tank venting valve'
"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Tests'	"4'	"AC-relay'
"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Tests'	"5'	"Fuel consumption'
"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Tests'	"6'	"RPM-gauge'
"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"ECU Information'	"1'	"ECU serial number'
"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"Live Parameters'	"2'	"Revolution signal'
"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"Live Parameters'	"3'	"Coolant temperature'
"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"Live Parameters'	"4'	"Inlet air temperature'
"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"Live Parameters'	"5'	"Injection time'
"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"Live Parameters'	"6'	"Ignition timing'
"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"Live Parameters'	"7'	"Inlet manifold pressure'
"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"Live Parameters'	"8'	"Lambda sensor'
"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"Tests'	"1'	"Injection valves'
"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"Tests'	"2'	"Idle speed regulator'
"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"Tests'	"3'	"Carbon filter solenoid valve'
"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"Tests'	"4'	"AC-relay'
"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"Tests'	"5'	"Fuel consumption'
"Citroën'	"Xantia II'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"Tests'	"6'	"RPM-gauge'
"Citroën'	"Xantia II'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"ECU Information'	"1'	"ECU serial number'
"Citroën'	"Xantia II'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Xantia II'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"2'	"Coolant temperature'
"Citroën'	"Xantia II'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"3'	"Inlet air temperature'
"Citroën'	"Xantia II'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"4'	"Injection time'
"Citroën'	"Xantia II'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"5'	"Lambda sensor'
"Citroën'	"Xantia II'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"6'	"Inlet manifold pressure'
"Citroën'	"Xantia II'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"7'	"Throttle potentiometer'
"Citroën'	"Xantia II'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"8'	"Camshaft position sensor'
"Citroën'	"Xantia II'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"9'	"Ignition timing'
"Citroën'	"Xantia II'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"10'	"Idle valve'
"Citroën'	"Xantia II'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"11'	"Carbon filter solenoid valve'
"Citroën'	"Xantia II'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"12'	"Road speed signal'
"Citroën'	"Xantia II'	"Restraints'	"AC4'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xantia II'	"Restraints'	"AC4'	"	"ECU Information'	"2'	"Bosch hardware number'
"Citroën'	"Xantia II'	"Restraints'	"Left side'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xantia II'	"Restraints'	"Left side'	"	"ECU Information'	"2'	"Bosch hardware number'
"Citroën'	"Xantia II'	"Restraints'	"Right side'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xantia II'	"Restraints'	"Right side'	"	"ECU Information'	"2'	"Bosch hardware number'
"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"ECU Information'	"1'	"ECU serial number'
"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Live Parameters'	"2'	"Revolution signal'
"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Live Parameters'	"3'	"Injection time'
"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Live Parameters'	"4'	"Inlet air temperature'
"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Live Parameters'	"5'	"Coolant temperature'
"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Live Parameters'	"6'	"Ignition timing'
"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Live Parameters'	"7'	"Inlet manifold pressure'
"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Live Parameters'	"8'	"Lambda sensor'
"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Live Parameters'	"9'	"Throttle potentiometer'
"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Live Parameters'	"10'	"Stepper motor'
"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Live Parameters'	"11'	"AC compressor'
"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Live Parameters'	"12'	"Shift lever switch AT'
"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Tests'	"1'	"Injection valves'
"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Tests'	"2'	"Stepper motor'
"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Tests'	"3'	"Tank venting valve'
"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Tests'	"4'	"AC-relay'
"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Tests'	"5'	"Fuel consumption'
"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.1.1'	"	"Tests'	"6'	"RPM-gauge'
"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"ECU Information'	"1'	"ECU serial number'
"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"Live Parameters'	"2'	"Revolution signal'
"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"Live Parameters'	"3'	"Coolant temperature'
"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"Live Parameters'	"4'	"Inlet air temperature'
"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"Live Parameters'	"5'	"Injection time'
"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"Live Parameters'	"6'	"Ignition timing'
"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"Live Parameters'	"7'	"Inlet manifold pressure'
"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"Live Parameters'	"8'	"Lambda sensor'
"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"Tests'	"1'	"Injection valves'

"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"Tests'	"2'	"Idle speed regulator'
"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"Tests'	"3'	"Carbon filter solenoid valve'
"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"Tests'	"4'	"AC-relay'
"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"Tests'	"5'	"Fuel consumption'
"Citroën'	"XM'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"Tests'	"6'	"RPM-gauge'
"Citroën'	"XM'	"Engine Petrol'	"RFZ 2.0 Motronic MP 5.1'	"	"ECU Information'	"1'	"ECU serial number'
"Citroën'	"XM'	"Engine Petrol'	"RFZ 2.0 Motronic MP 5.1'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"XM'	"Engine Petrol'	"RFZ 2.0 Motronic MP 5.1'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"XM'	"Engine Petrol'	"RFZ 2.0 Motronic MP 5.1'	"	"Live Parameters'	"3'	"Coolant temperature'
"Citroën'	"XM'	"Engine Petrol'	"RFZ 2.0 Motronic MP 5.1'	"	"Live Parameters'	"4'	"Inlet air temperature'
"Citroën'	"XM'	"Engine Petrol'	"RFZ 2.0 Motronic MP 5.1'	"	"Live Parameters'	"5'	"Injection time'
"Citroën'	"XM'	"Engine Petrol'	"RFZ 2.0 Motronic MP 5.1'	"	"Live Parameters'	"6'	"Lambda sensor'
"Citroën'	"XM'	"Engine Petrol'	"RFZ 2.0 Motronic MP 5.1'	"	"Live Parameters'	"7'	"Inlet manifold pressure'
"Citroën'	"XM'	"Engine Petrol'	"RFZ 2.0 Motronic MP 5.1'	"	"Live Parameters'	"8'	"Throttle potentiometer'
"Citroën'	"XM'	"Engine Petrol'	"RFZ 2.0 Motronic MP 5.1'	"	"Live Parameters'	"9'	"Camshaft position sensor'
"Citroën'	"XM'	"Engine Petrol'	"RFZ 2.0 Motronic MP 5.1'	"	"Live Parameters'	"10'	"Ignition timing'
"Citroën'	"XM'	"Engine Petrol'	"RFZ 2.0 Motronic MP 5.1'	"	"Live Parameters'	"11'	"Idle valve'
"Citroën'	"XM'	"Engine Petrol'	"RFZ 2.0 Motronic MP 5.1'	"	"Live Parameters'	"12'	"Carbon filter solenoid valve'
"Citroën'	"XM'	"Engine Petrol'	"RFZ 2.0 Motronic MP 5.1'	"	"Tests'	"1'	"Injection valves'
"Citroën'	"XM'	"Engine Petrol'	"RFZ 2.0 Motronic MP 5.1'	"	"Tests'	"2'	"Carbon filter solenoid valve'
"Citroën'	"XM'	"Engine Petrol'	"RFZ 2.0 Motronic MP 5.1'	"	"Tests'	"3'	"Idle valve'
"Citroën'	"XM'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"ECU Information'	"1'	"ECU serial number'
"Citroën'	"XM'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"XM'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"2'	"Coolant temperature'
"Citroën'	"XM'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"3'	"Inlet air temperature'
"Citroën'	"XM'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"4'	"Injection time'
"Citroën'	"XM'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"5'	"Lambda sensor'
"Citroën'	"XM'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"6'	"Inlet manifold pressure'
"Citroën'	"XM'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"7'	"Throttle potentiometer'
"Citroën'	"XM'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"8'	"Camshaft position sensor'
"Citroën'	"XM'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"9'	"Ignition timing'
"Citroën'	"XM'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"10'	"Idle valve'
"Citroën'	"XM'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"11'	"Carbon filter solenoid valve'
"Citroën'	"XM'	"Engine Petrol'	"RGX 2.0 Motronic 3.2'	"	"Live Parameters'	"12'	"Road speed signal'
"Citroën'	"XM'	"Engine Petrol'	"RGY 2.0 Motronic 3.2'	"	"ECU Information'	"1'	"ECU serial number'
"Citroën'	"XM'	"Engine Petrol'	"RGY 2.0 Motronic 3.2'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"XM'	"Engine Petrol'	"RGY 2.0 Motronic 3.2'	"	"Live Parameters'	"2'	"Coolant temperature'
"Citroën'	"XM'	"Engine Petrol'	"RGY 2.0 Motronic 3.2'	"	"Live Parameters'	"3'	"Inlet air temperature'
"Citroën'	"XM'	"Engine Petrol'	"RGY 2.0 Motronic 3.2'	"	"Live Parameters'	"4'	"Injection time'
"Citroën'	"XM'	"Engine Petrol'	"RGY 2.0 Motronic 3.2'	"	"Live Parameters'	"5'	"Lambda sensor'
"Citroën'	"XM'	"Engine Petrol'	"RGY 2.0 Motronic 3.2'	"	"Live Parameters'	"6'	"Inlet manifold pressure'
"Citroën'	"XM'	"Engine Petrol'	"RGY 2.0 Motronic 3.2'	"	"Live Parameters'	"7'	"Throttle potentiometer'
"Citroën'	"XM'	"Engine Petrol'	"RGY 2.0 Motronic 3.2'	"	"Live Parameters'	"8'	"Camshaft position sensor'
"Citroën'	"XM'	"Engine Petrol'	"RGY 2.0 Motronic 3.2'	"	"Live Parameters'	"9'	"Ignition timing'
"Citroën'	"XM'	"Engine Petrol'	"RGY 2.0 Motronic 3.2'	"	"Live Parameters'	"10'	"Idle valve'
"Citroën'	"XM'	"Engine Petrol'	"RGY 2.0 Motronic 3.2'	"	"Live Parameters'	"11'	"Carbon filter solenoid valve'
"Citroën'	"XM'	"Engine Petrol'	"RGY 2.0 Motronic 3.2'	"	"Live Parameters'	"12'	"Road speed signal'
"Citroën'	"Xsara I'	"Body Control Module'	"Body computer'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara I'	"Body Control Module'	"Body computer'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Xsara I'	"Body Control Module'	"Body computer'	"	"Live Parameters'	"1'	"Number of keys'
"Citroën'	"Xsara I'	"Body Control Module'	"Body computer'	"	"Live Parameters'	"2'	"Stored remote controls count'
"Citroën'	"Xsara I'	"Body Control Module'	"Body computer'	"	"Live Parameters'	"3'	"Configuration'
"Citroën'	"Xsara I'	"Body Control Module'	"Body computer'	"	"Live Parameters'	"4'	"Alarm configuration'
"Citroën'	"Xsara I'	"Body Control Module'	"Body computer'	"	"Live Parameters'	"5'	"Ignition +15'
"Citroën'	"Xsara I'	"Body Control Module'	"Body computer'	"	"Live Parameters'	"6'	"Transponder communication'
"Citroën'	"Xsara I'	"Body Control Module'	"Body computer'	"	"Live Parameters'	"7'	"Communication with siren'
"Citroën'	"Xsara I'	"Body Control Module'	"Body computer'	"	"Live Parameters'	"8'	"Driver door locking button'
"Citroën'	"Xsara I'	"Body Control Module'	"Body computer'	"	"Live Parameters'	"9'	"Passenger door locking button'
"Citroën'	"Xsara I'	"Body Control Module'	"Body computer'	"	"Live Parameters'	"10'	"Left front door'
"Citroën'	"Xsara I'	"Body Control Module'	"Body computer'	"	"Live Parameters'	"11'	"Right front door'
"Citroën'	"Xsara I'	"Body Control Module'	"Body computer'	"	"Live Parameters'	"12'	"Rear left door'
"Citroën'	"Xsara I'	"Body Control Module'	"Body computer'	"	"Live Parameters'	"13'	"Rear right door'
"Citroën'	"Xsara I'	"Brake System'	"Bosch 5.3'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara I'	"Brake System'	"Bosch 5.3'	"	"ECU Information'	"2'	"Bosch hardware number'
"Citroën'	"Xsara I'	"Brake System'	"Bosch 5.3'	"	"Live Parameters'	"1'	"Wheel sensor LF'
"Citroën'	"Xsara I'	"Brake System'	"Bosch 5.3'	"	"Live Parameters'	"2'	"Wheel sensor RF'
"Citroën'	"Xsara I'	"Brake System'	"Bosch 5.3'	"	"Live Parameters'	"3'	"Wheel sensor LR'
"Citroën'	"Xsara I'	"Brake System'	"Bosch 5.3'	"	"Live Parameters'	"4'	"Wheel sensor RR'
"Citroën'	"Xsara I'	"Brake System'	"Bosch 5.3'	"	"Live Parameters'	"5'	"Safety circuit'
"Citroën'	"Xsara I'	"Brake System'	"Bosch 5.3'	"	"Live Parameters'	"6'	"Brake pedal switch'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHV 1.9 Bosch VP20'	"	"ECU Information'	"1'	"ECU serial number'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHV 1.9 Bosch VP20'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHV 1.9 Bosch VP20'	"	"Live Parameters'	"2'	"Desired injection start'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHV 1.9 Bosch VP20'	"	"Live Parameters'	"3'	"Actual injection start'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHV 1.9 Bosch VP20'	"	"Live Parameters'	"4'	"Injection amount'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHV 1.9 Bosch VP20'	"	"Live Parameters'	"5'	"Throttle potentiometer'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHV 1.9 Bosch VP20'	"	"Live Parameters'	"6'	"Needle lift sensor'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHV 1.9 Bosch VP20'	"	"Live Parameters'	"7'	"Diagnostics indicator'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHV 1.9 Bosch VP20'	"	"Live Parameters'	"8'	"Idle valve'

"Citroën'	"Xsara I'	"Engine Diesel'	"DHV 1.9 Bosch VP20'	"	"Live Parameters'	"9'	"AC shut off relay'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHV 1.9 Bosch VP20'	"	"Live Parameters'	"10'	"Glow pin relay coil'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHV 1.9 Bosch VP20'	"	"Live Parameters'	"11'	"Atmospheric pressure'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHV 1.9 Bosch VP20'	"	"Live Parameters'	"12'	"Battery voltage'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHV 1.9 Bosch VP20'	"	"Live Parameters'	"13'	"EGR valve'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHV 1.9 Bosch VP20'	"	"Tests'	"1'	"Injection valves'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHV 1.9 Bosch VP20'	"	"Tests'	"2'	"Idle speed regulator'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHV 1.9 Bosch VP20'	"	"Tests'	"3'	"Carbon filter solenoid valve'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHV 1.9 Bosch VP20'	"	"Tests'	"4'	"AC-relay'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHV 1.9 Bosch VP20'	"	"Tests'	"5'	"Fuel consumption'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHV 1.9 Bosch VP20'	"	"Tests'	"6'	"RPM-gauge'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"ECU Information'	"1'	"ECU serial number'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Live Parameters'	"2'	"Desired injection start'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Live Parameters'	"3'	"Actual injection start'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Live Parameters'	"4'	"Injection amount'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Live Parameters'	"5'	"Throttle potentiometer'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Live Parameters'	"6'	"Needle lift sensor'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Live Parameters'	"7'	"Diagnostics indicator'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Live Parameters'	"8'	"Idle valve'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Live Parameters'	"9'	"AC shut off relay'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Live Parameters'	"10'	"Glow pin relay coil'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Live Parameters'	"11'	"Atmospheric pressure'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Live Parameters'	"12'	"Battery voltage'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Live Parameters'	"13'	"EGR valve'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Tests'	"1'	"Injection valves'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Tests'	"2'	"Idle speed regulator'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Tests'	"3'	"Carbon filter solenoid valve'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Tests'	"4'	"AC-relay'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Tests'	"5'	"Fuel consumption'
"Citroën'	"Xsara I'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Tests'	"6'	"RPM-gauge'
"Citroën'	"Xsara I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"1'	"Diagnostics indicator'
"Citroën'	"Xsara I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"2'	"Pedal position sensor'
"Citroën'	"Xsara I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"3'	"Pedal position sensor'
"Citroën'	"Xsara I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"4'	"Atmospheric pressure'
"Citroën'	"Xsara I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"5'	"Load pressure'
"Citroën'	"Xsara I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"6'	"Revolution signal'
"Citroën'	"Xsara I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"7'	"Battery voltage'
"Citroën'	"Xsara I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"8'	"Coolant temperature'
"Citroën'	"Xsara I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"9'	"Fuel temperature'
"Citroën'	"Xsara I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"10'	"Inlet air temperature'
"Citroën'	"Xsara I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"11'	" +15 signal'
"Citroën'	"Xsara I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"12'	"Road speed signal'
"Citroën'	"Xsara I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"13'	"Fuel pressure'
"Citroën'	"Xsara I'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"14'	"Air mass meter'
"Citroën'	"Xsara I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"1'	"Diagnostics indicator'
"Citroën'	"Xsara I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"2'	"Pedal position sensor'
"Citroën'	"Xsara I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"3'	"Pedal position sensor'
"Citroën'	"Xsara I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"4'	"Atmospheric pressure'
"Citroën'	"Xsara I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"5'	"Load pressure'
"Citroën'	"Xsara I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"6'	"Revolution signal'
"Citroën'	"Xsara I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"7'	"Battery voltage'
"Citroën'	"Xsara I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"8'	"Coolant temperature'
"Citroën'	"Xsara I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"9'	"Fuel temperature'
"Citroën'	"Xsara I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"10'	"Inlet air temperature'
"Citroën'	"Xsara I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"11'	" +15 signal'
"Citroën'	"Xsara I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"12'	"Road speed signal'
"Citroën'	"Xsara I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"13'	"Fuel pressure'
"Citroën'	"Xsara I'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"14'	"Air mass meter'
"Citroën'	"Xsara I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Xsara I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Xsara I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"3'	"Ignition timing'
"Citroën'	"Xsara I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"4'	"Fuel quantity'
"Citroën'	"Xsara I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"5'	"Coolant temperature'
"Citroën'	"Xsara I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"6'	"Road speed signal'
"Citroën'	"Xsara I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"7'	"Revolution signal'
"Citroën'	"Xsara I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"8'	"Battery voltage'
"Citroën'	"Xsara I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"9'	"Fuel quantity'
"Citroën'	"Xsara I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"10'	"Coolant temperature'
"Citroën'	"Xsara I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"11'	"Cooling fan relay'
"Citroën'	"Xsara I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"12'	"Cooling fan'
"Citroën'	"Xsara I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"13'	"Cooling fan'
"Citroën'	"Xsara I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"14'	"Revolution signal'
"Citroën'	"Xsara I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"15'	"Battery voltage'
"Citroën'	"Xsara I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"16'	"Coolant temperature'
"Citroën'	"Xsara I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"17'	"Injection timing adjustment'
"Citroën'	"Xsara I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"18'	"Injection timing adjustment'
"Citroën'	"Xsara I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"19'	"Accelerator pedal position sensor'
"Citroën'	"Xsara I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"20'	"Revolution signal'

"Citroën'	"Xsara I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"21'	"Battery voltage'
"Citroën'	"Xsara I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"22'	"Fuel quantity'
"Citroën'	"Xsara I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"23'	"Fuel quantity'
"Citroën'	"Xsara I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Live Parameters'	"24'	"AC compressor'
"Citroën'	"Xsara I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"1'	"AC-relay'
"Citroën'	"Xsara I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"2'	"Glow pin relay coil'
"Citroën'	"Xsara I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"3'	"Solenoid valve, pre-injection'
"Citroën'	"Xsara I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"4'	"EGR valve'
"Citroën'	"Xsara I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"5'	"Cooling fan'
"Citroën'	"Xsara I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"6'	"Solenoid valve, damper (EGR)'
"Citroën'	"Xsara I'	"Engine Diesel'	"WJY 1,9 Lucas DCN2'	"	"Tests'	"7'	"Check engine lamp'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"3'	"Torque control'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"4'	"Injection time'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"5'	"Injection shut-off'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"6'	"Accelerator pedal position'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"7'	"Throttle opening'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"8'	"Throttle potentiometer'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"9'	"Coolant temperature'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"10'	"Inlet air temperature'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"11'	"Inlet manifold pressure'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"12'	"Stepper motor'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"13'	"Carbon filter solenoid valve'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"14'	"Ignition timing'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"15'	"Ignition coil'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"16'	"Ignition coil'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"17'	"Mixing regulation'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"18'	"Front lambda sensor'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"19'	"Rear lambda sensor'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"20'	"Front lambda sensor'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"21'	"Rear lambda sensor'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"22'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"23'	"AC approved'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"24'	"Input, AC thermostat'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"25'	"Road speed signal'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"26'	"Main relay'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"27'	"Cooling fan relay'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"28'	"Cooling fan, duty factor'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"29'	"Cooling fan speed request'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Tests'	"3'	"Injection valve 1'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Tests'	"4'	"Injection valve 2'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Tests'	"5'	"Injection valve 3'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Tests'	"6'	"Injection valve 4'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Tests'	"7'	"Fuel pump relay'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Tests'	"8'	"AC compressor'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Tests'	"9'	"Stepper motor'
"Citroën'	"Xsara I'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Tests'	"12'	"Carbon filter solenoid valve'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"3'	"Torque control'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"4'	"Injection time'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"5'	"Injection shut-off'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"6'	"Accelerator pedal position'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"7'	"Throttle opening'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"8'	"Throttle potentiometer'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"9'	"Coolant temperature'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"10'	"Inlet air temperature'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"11'	"Inlet manifold pressure'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"12'	"Stepper motor'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"13'	"Carbon filter solenoid valve'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"14'	"Ignition timing'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"15'	"Ignition coil'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"16'	"Ignition coil'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"17'	"Mixing regulation'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"18'	"Front lambda sensor'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"19'	"Rear lambda sensor'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"20'	"Front lambda sensor'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"21'	"Rear lambda sensor'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"22'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"23'	"AC approved'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"24'	"Input, AC thermostat'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"25'	"Road speed signal'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"26'	"Main relay'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"27'	"Cooling fan relay'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"28'	"Cooling fan, duty factor'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"29'	"Cooling fan speed request'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Tests'	"3'	"Injection valve 1'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Tests'	"4'	"Injection valve 2'

"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Tests'	"5'	"Injection valve 3'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Tests'	"6'	"Injection valve 4'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Tests'	"7'	"Fuel pump relay'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Tests'	"8'	"AC compressor'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Tests'	"9'	"Stepper motor'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Tests'	"12'	"Carbon filter solenoid valve'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"ECU Information'	"2'	"Software version'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"3'	"Inlet manifold pressure'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"4'	"Lambda sensor'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"5'	"Vehicle speed'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"6'	"Shift position'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"7'	"Ignition coil 1'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"8'	"Ignition coil 2'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"9'	"Injectors 1 drive circuit'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"10'	"Injectors 2/3 drive circuit'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"11'	"Accelerator pedal position'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"12'	"Carbon filter solenoid valve'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"13'	"Stepper motor'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"14'	"Output AC enabled'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"15'	"Input, AC thermostat'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Live Parameters'	"16'	"Driving mode'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Tests'	"1'	"Injection valve cylinder 1 and 4'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Tests'	"2'	"Injection valve cylinder 2 and 3'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Tests'	"3'	"Fuel pump'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Tests'	"4'	"Idle step engine'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Tests'	"5'	"Carbon filter solenoid valve'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Magneti Marelli 1AP'	"	"Tests'	"6'	"RPM-gauge'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"3'	"Engine load'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"4'	"Injection time'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"5'	"Throttle potentiometer'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"6'	"Throttle opening'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"7'	"Inlet manifold pressure'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"8'	"Revolution signal'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"9'	"Battery voltage'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"10'	"Carbon filter solenoid valve'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"11'	"Coolant temperature'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"12'	"Inlet air temperature'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"13'	"Coolant temperature'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"14'	"Inlet air temperature'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"15'	"Revolution signal'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"16'	"Battery voltage'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"17'	"Engine load'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"18'	"Ignition timing'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"19'	"Ignition coil 1'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"20'	"Ignition coil 2'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"21'	"Ignition coil 3'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"22'	"Ignition coil 4'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"23'	"Revolution signal'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"24'	"Coolant temperature'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"25'	"Lambda sensor'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"26'	"Lambda sensor'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"27'	"Lambda regulation'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"28'	"Lambda sensor'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"29'	"Lambda sensor'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"30'	"Lambda regulation'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"31'	"Revolution signal'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"32'	"Battery voltage'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"33'	"Coolant temperature'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"34'	"Coolant temperature'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"35'	"Inlet manifold pressure'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"36'	"Code gearbox'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"37'	"AC approved'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"38'	"Engine load'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"39'	"Carbon filter solenoid valve'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"40'	"Road speed signal'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Tests'	"1'	"Idle step engine'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Tests'	"2'	"Fuel pump relay'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Tests'	"3'	"Injection valve 1'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Tests'	"4'	"Injection valve 2'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Tests'	"5'	"Injection valve 3'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Tests'	"6'	"Injection valve 4'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Tests'	"7'	"Secondary air pump relay'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Tests'	"8'	"AC shut off relay'
"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Tests'	"9'	"Carbon filter solenoid valve'

"Citroën'	"Xsara I'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Tests'	"10'	"RPM-gauge'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 Magneti Marelli 1AP'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 Magneti Marelli 1AP'	"	"ECU Information'	"2'	"Software version'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 Magneti Marelli 1AP'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 Magneti Marelli 1AP'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 Magneti Marelli 1AP'	"	"Live Parameters'	"3'	"Inlet manifold pressure'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 Magneti Marelli 1AP'	"	"Live Parameters'	"4'	"Lambda sensor'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 Magneti Marelli 1AP'	"	"Live Parameters'	"5'	"Vehicle speed'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 Magneti Marelli 1AP'	"	"Live Parameters'	"6'	"Shift position'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 Magneti Marelli 1AP'	"	"Live Parameters'	"7'	"Ignition coil 1'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 Magneti Marelli 1AP'	"	"Live Parameters'	"8'	"Ignition coil 2'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 Magneti Marelli 1AP'	"	"Live Parameters'	"9'	"Injectors 1 drive circuit'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 Magneti Marelli 1AP'	"	"Live Parameters'	"10'	"Injectors 2/3 drive circuit'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 Magneti Marelli 1AP'	"	"Live Parameters'	"11'	"Accelerator pedal position'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 Magneti Marelli 1AP'	"	"Live Parameters'	"12'	"Carbon filter solenoid valve'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 Magneti Marelli 1AP'	"	"Live Parameters'	"13'	"Stepper motor'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 Magneti Marelli 1AP'	"	"Live Parameters'	"14'	"Output AC enabled'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 Magneti Marelli 1AP'	"	"Live Parameters'	"15'	"Input, AC thermostat'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 Magneti Marelli 1AP'	"	"Live Parameters'	"16'	"Driving mode'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 Magneti Marelli 1AP'	"	"Tests'	"1'	"Injection valve cylinder 1 and 4'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 Magneti Marelli 1AP'	"	"Tests'	"2'	"Injection valve cylinder 2 and 3'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 Magneti Marelli 1AP'	"	"Tests'	"3'	"Fuel pump'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 Magneti Marelli 1AP'	"	"Tests'	"4'	"Idle step engine'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 Magneti Marelli 1AP'	"	"Tests'	"5'	"Carbon filter solenoid valve'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 Magneti Marelli 1AP'	"	"Tests'	"6'	"RPM-gauge'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 MM 1AP'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 MM 1AP'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 MM 1AP'	"	"Live Parameters'	"3'	"Inlet manifold pressure'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 MM 1AP'	"	"Live Parameters'	"4'	"Road speed signal'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 MM 1AP'	"	"Tests'	"1'	"Injection valve cylinder 1 and 4'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 MM 1AP'	"	"Tests'	"2'	"Injection valve cylinder 2 and 3'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 MM 1AP'	"	"Tests'	"3'	"Fuel pump'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 MM 1AP'	"	"Tests'	"4'	"Idle step engine'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 MM 1AP'	"	"Tests'	"5'	"Carbon filter solenoid valve'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFX 1.8 MM 1AP'	"	"Tests'	"6'	"RPM-gauge'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"2'	"Engine load'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"3'	"Inlet manifold pressure'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"4'	"Atmospheric pressure'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"5'	"Battery voltage'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"6'	"Lambda sensor'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"7'	"Throttle opening'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"8'	"Road speed signal'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"9'	"Injection time'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"10'	"Ignition timing'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"11'	"Ignition coil 1&4, short circuit'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"12'	"Ignition coil 2&3, short circuit'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"13'	"Stepper motor'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"14'	"Power relay'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"15'	"Power relay'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"16'	"AC approved'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"17'	"Control unit power supply'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"18'	"Check engine lamp'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Tests'	"1'	"Injection valve cylinder 1 and 4'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Tests'	"2'	"Injection valve cylinder 2 and 3'
"Citroën'	"Xsara I'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Tests'	"3'	"Carbon filter solenoid valve'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"3'	"Torque control'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"4'	"Injection time'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"5'	"Injection valve'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"6'	"Throttle opening'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"7'	"Throttle potentiometer'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"8'	"Coolant temperature'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"9'	"Inlet air temperature'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"10'	"Inlet manifold pressure'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"11'	"Stepper motor'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"12'	"Carbon filter solenoid valve'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"13'	"Ignition timing'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"14'	"Ignition coil'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"15'	"Ignition coil'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"16'	"Front lambda sensor'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"17'	"Rear lambda sensor'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"18'	"Front lambda sensor'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"19'	"Rear lambda sensor'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"20'	"Lambda regulation'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"21'	"Lambda regulation'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"22'	"Carbon filter solenoid valve'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"23'	"AC approved'

"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"24'	"AC order signal'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"25'	"Road speed signal'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"26'	"Cooling fan'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"27'	"Cooling fan'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"28'	"Cooling fan'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Tests'	"3'	"Injection valve 1'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Tests'	"4'	"Injection valve 2'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Tests'	"5'	"Injection valve 3'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Tests'	"6'	"Injection valve 4'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Tests'	"7'	"Fuel pump relay'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Tests'	"8'	"AC compressor'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Tests'	"9'	"RPM-gauge'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Tests'	"10'	"Stepper motor'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Tests'	"13'	"Carbon filter solenoid valve'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Tests'	"14'	"Check engine lamp'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.1'	"	"ECU Information'	"1'	"ECU serial number'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.1'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.1'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.1'	"	"Live Parameters'	"3'	"Coolant temperature'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.1'	"	"Live Parameters'	"4'	"Inlet air temperature'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.1'	"	"Live Parameters'	"5'	"Injection time'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.1'	"	"Live Parameters'	"6'	"Lambda sensor'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.1'	"	"Live Parameters'	"7'	"Inlet manifold pressure'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.1'	"	"Live Parameters'	"8'	"Throttle potentiometer'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.1'	"	"Live Parameters'	"9'	"Camshaft position sensor'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.1'	"	"Live Parameters'	"10'	"Ignition timing'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.1'	"	"Live Parameters'	"11'	"Idle valve'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.1'	"	"Live Parameters'	"12'	"Carbon filter solenoid valve'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.1'	"	"Tests'	"1'	"Injection valves'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.1'	"	"Tests'	"2'	"Carbon filter solenoid valve'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.1'	"	"Tests'	"3'	"Idle valve'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.2'	"	"ECU Information'	"1'	"ECU serial number'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.2'	"	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.2'	"	"Live Parameters'	"2'	"Revolution signal'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.2'	"	"Live Parameters'	"3'	"Coolant temperature'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.2'	"	"Live Parameters'	"4'	"Inlet air temperature'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.2'	"	"Live Parameters'	"5'	"Injection time'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.2'	"	"Live Parameters'	"6'	"Ignition timing'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.2'	"	"Live Parameters'	"7'	"Inlet manifold pressure'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.2'	"	"Live Parameters'	"8'	"Lambda sensor'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.2'	"	"Tests'	"1'	"Injection valves'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.2'	"	"Tests'	"2'	"Idle speed regulator'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.2'	"	"Tests'	"3'	"Carbon filter solenoid valve'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.2'	"	"Tests'	"4'	"AC-relay'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.2'	"	"Tests'	"5'	"Fuel consumption'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 5.2'	"	"Tests'	"6'	"RPM-gauge'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"2'	"Revolution signal'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"3'	"Throttle opening'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"4'	"Throttle potentiometer'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"5'	"Coolant temperature'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"6'	"Inlet air temperature'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"7'	"Inlet manifold pressure'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"8'	"Injection time'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"9'	"Load signal'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"10'	"Stepper motor'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"11'	"Carbon filter solenoid valve'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"12'	"Ignition timing'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"13'	"Front lambda sensor'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"14'	"Rear lambda sensor'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"15'	"Front lambda sensor'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"16'	"Rear lambda sensor'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"17'	"Code gearbox'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"18'	"AC approved'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"19'	"AC compressor'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Tests'	"1'	"Fuel pump'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Tests'	"2'	"Injection valve 1'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Tests'	"3'	"Injection valve 2'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Tests'	"4'	"Injection valve 3'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Tests'	"5'	"Injection valve 4'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Tests'	"6'	"Stepper motor'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Tests'	"7'	"Carbon filter solenoid valve'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Tests'	"8'	"RPM-gauge'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Tests'	"9'	"Fuel consumption signal'
"Citroën'	"Xsara I'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Tests'	"10'	"AC-relay'
"Citroën'	"Xsara I'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"ECU Information'	"1'	"ECU serial number'
"Citroën'	"Xsara I'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"Xsara I'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"Live Parameters'	"2'	"Revolution signal'
"Citroën'	"Xsara I'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	"	"Live Parameters'	"3'	"Coolant temperature'

"Citroën'	"Xsara I'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	""	"Live Parameters'	"4'	"Inlet air temperature'
"Citroën'	"Xsara I'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	""	"Live Parameters'	"5'	"Injection time'
"Citroën'	"Xsara I'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	""	"Live Parameters'	"6'	"Ignition timing'
"Citroën'	"Xsara I'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	""	"Live Parameters'	"7'	"Inlet manifold pressure'
"Citroën'	"Xsara I'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	""	"Live Parameters'	"8'	"Lambda sensor'
"Citroën'	"Xsara I'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	""	"Tests'	"1'	"Injection valves'
"Citroën'	"Xsara I'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	""	"Tests'	"2'	"Idle speed regulator'
"Citroën'	"Xsara I'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	""	"Tests'	"3'	"Carbon filter solenoid valve'
"Citroën'	"Xsara I'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	""	"Tests'	"4'	"AC-relay'
"Citroën'	"Xsara I'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	""	"Tests'	"5'	"Fuel consumption'
"Citroën'	"Xsara I'	"Engine Petrol'	"RFV 2.0 Motronic MP 5.2'	""	"Tests'	"6'	"RPM-gauge'
"Citroën'	"Xsara I'	"Restraints'	"Left side'	""	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara I'	"Restraints'	"Left side'	""	"ECU Information'	"2'	"Bosch hardware number'
"Citroën'	"Xsara I'	"Restraints'	"Right side'	""	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara I'	"Restraints'	"Right side'	""	"ECU Information'	"2'	"Bosch hardware number'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Adaptations'	"1'	"Recall service message'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"ECU Information'	"2'	"Software number'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"ECU Information'	"3'	"Software version'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"ECU Information'	"4'	"Software index'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"ECU Information'	"5'	"Supplier'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"ECU Information'	"6'	"VIN code'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"2'	"Alternator voltage'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"3'	"Ignition +15'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"4'	"Actual + for accessories (+ACC)'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"5'	"Engine running'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"6'	"Economy mode'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"7'	"Customer mode'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"8'	"Rain sensor supply'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"9'	"Supply relay window lift'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"10'	"Supply, VAN comfort'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"11'	"Supply, VAN body'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"12'	"Triggering request by DATAB'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"13'	"Relay feedback, engine controller'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"14'	"Relay feedback, electric window'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"15'	"Air conditioning compressor'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"16'	"Air conditioning authorisation'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"17'	"Evaporator temperature sensor'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"18'	"Medium speed fan control'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"19'	"Request to the ECU for authorisation to start the A/C'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"20'	"Safety valve, frost evaporator'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"21'	"Coolant safety circuit'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"22'	"High pressure safety'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"23'	"Low pressure safety'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"24'	"Overrun cutoff'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"25'	"Park/neutral position'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"26'	"Sport program'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"27'	"Winter program'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"28'	"Automatic gearbox 1st gear bypass mode'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"29'	"Brake pedal pressed'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"30'	"Brake switch'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"31'	"Locking when driving'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"32'	"Reverse gear'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"33'	"Horn'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"34'	"Sidelights control'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"35'	"Daytime running light'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"36'	"Bootlid light control'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"37'	"Control of right flashers'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"38'	"Control of left flashers'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"39'	"Hazard warning flashers required'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"40'	"Hazard warning flashers active'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"41'	"Interior lighting'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"42'	"Ecu locked'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"43'	"BSI paired with engine control unit'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"44'	"BSI ready for programming'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"45'	"Access code learnt'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"46'	"ECM code memorised'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"47'	"Programmed keys'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"48'	"Programmed remote control'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"49'	"Active key'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"50'	"Key in ignition'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"51'	"Key programming'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"52'	"Remote control'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"53'	"Key 1'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"54'	"Key 2'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"55'	"Key 3'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"56'	"Key 3'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"57'	"Key 4'

"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"58'	"Control, locking'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"59'	"Control, unlocking'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"60'	"Locks deadlocking control'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"61'	"Locking/unlocking with remote.'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"62'	"Switch, opening, tailgate'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"63'	"Boot lid'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"64'	"Boot opening relay output'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"65'	"Locking/unlocking button from inside'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"66'	"Vehicle locked status'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"67'	"Lock protection'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"68'	"Impact detection'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"69'	"Right rear door'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"70'	"Left rear door'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"71'	"Right front door'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"72'	"Left front door'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"73'	"Front left hand door lock'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"74'	"Front right hand door lock'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"75'	"Outside temperature'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"76'	"Recall last navigation message'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"77'	"Total distance (km)'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"78'	"Hazard lights indication'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"79'	"Demister lamp'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"80'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"81'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"82'	"Rear screen wiper'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"83'	"Wiper, rear, control of stopping'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"84'	"Windscreen wipers'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"85'	"Front wipers low speed requested'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"86'	"Front wipers high speed requested'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"87'	"Wipers, front, control of stopping'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"88'	"Windscreen wipers switch, interval'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"89'	"Rear wiper, interval'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"90'	"Windscreen washer'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"91'	"Rear window washer'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"92'	"Headlight washer'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"93'	"Wiper, rear, safety stop'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"94'	"Wipers, front, safety stop'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"95'	"Automatic wipe mode'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"96'	"With rain sensor'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"97'	"Fixed stop information sent to the rain sensor'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"98'	"Boot lid'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"99'	"Communication fault recorder on comfort network DATA'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"100'	"Communication fault recorder on comfort network DATAB'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"101'	"Communication fault recorder on comfort network with the BSI'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"102'	"Instrument panel fault recorder'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Live Parameters'	"103'	"Air conditioning fault recorder'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Tests'	"1'	"Interior lighting'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Tests'	"2'	"Horn'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Tests'	"3'	"Control of right flashers'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Tests'	"4'	"Control of left flashers'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Tests'	"5'	"Luggage space lighting'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Tests'	"6'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Tests'	"7'	"Rear screen wiper'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Tests'	"8'	"Windscreen wipers'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Tests'	"9'	"Control of LED, hazard flashers'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Tests'	"10'	"Rear demist switch'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Tests'	"11'	"AC compressor'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Tests'	"12'	"Lighting of hazard flashers button'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Tests'	"13'	"Control, locking'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Tests'	"14'	"Control, unlocking'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 03.51'	""	"Tests'	"15'	"Control, boot lid'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Adaptations'	"1'	"Recall service message'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"ECU Information'	"2'	"Software number'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"ECU Information'	"3'	"Software version'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"ECU Information'	"4'	"Supplier'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"ECU Information'	"5'	"VIN code'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"2'	"Alternator voltage'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"3'	"Ignition +15'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"4'	"Actual + for accessories (+ACC)'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"5'	"Engine running'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"6'	"Economy mode'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"7'	"Customer mode'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"8'	"Rain sensor supply'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"9'	"Supply relay window lift'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"10'	"Supply, VAN comfort'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"11'	"Supply, VAN body'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"12'	"Triggering request by DATAB'

"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"13'	"Relay feedback, engine controller'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"14'	"Relay feedback, electric window'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"15'	"Air conditioning compressor'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"16'	"Air conditioning authorisation'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"17'	"Evaporator temperature sensor'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"18'	"Medium speed fan control'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"19'	"Request to the ECU for authorisation to start the A/C'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"20'	"Safety valve, frost evaporator'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"21'	"Coolant safety circuit'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"22'	"High pressure safety'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"23'	"Low pressure safety'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"24'	"Overrun cutoff'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"25'	"Park/neutral position'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"26'	"Sport program'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"27'	"Winter program'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"28'	"Automatic gearbox 1st gear bypass mode'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"29'	"Brake pedal pressed'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"30'	"Clutch pedal'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"31'	"Brake switch'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"32'	"Hand brake'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"33'	"ESP disarming request'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"34'	"Belt lock, driver'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"35'	"Locking when driving'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"36'	"Reverse gear'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"37'	"Rear fog light control'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"38'	"Sidelights control'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"39'	"Daytime running light'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"40'	"Bootlid light control'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"41'	"Control of right flashers'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"42'	"Control of left flashers'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"43'	"Hazard warning flashers required'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"44'	"Hazard warning flashers active'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"45'	"Interior lighting'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"46'	"Transponder antiscanning active'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"47'	"Ecu locked'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"48'	"BSI paired with engine control unit'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"49'	"BSI ready for programming'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"50'	"Access code learnt'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"51'	"ECM code memorised'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"52'	"Programmed keys'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"53'	"Programmed remote control'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"54'	"Active key'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"55'	"Key in ignition'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"56'	"Key programming'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"57'	"Remote control'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"58'	"Key 1'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"59'	"Key 2'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"60'	"Key 3'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"61'	"Key 3'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"62'	"Key 4'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"63'	"Control, locking'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"64'	"Control, unlocking'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"65'	"Locks deadlocking control'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"66'	"Locking/unlocking with remote.'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"67'	"Switch, opening, tailgate'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"68'	"Boot lid'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"69'	"Boot opening relay output'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"70'	"Locked with key'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"71'	"Unlocked with key'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"72'	"Locking/unlocking button from inside'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"73'	"Vehicle locked status'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"74'	"Lock protection'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"75'	"Fuel cap'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"76'	"Right rear door'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"77'	"Left rear door'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"78'	"Right front door'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"79'	"Left front door'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"80'	"Front left hand door lock'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"81'	"Front right hand door lock'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"82'	"Outside temperature'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"83'	"Engine oil temperature'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"84'	"Oil level gauge'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"85'	"Engine oil level'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"86'	"Maintenance counter'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"87'	"Distance to maintenance (km)'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"88'	"Total distance (km)'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"89'	"Levelled consumption'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"90'	"Hazard lights indication'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	""	"Live Parameters'	"91'	"Demister lamp'

"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Live Parameters'	"92'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Live Parameters'	"93'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Live Parameters'	"94'	"Rear screen wiper'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Live Parameters'	"95'	"Windscreen wipers, front'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Live Parameters'	"96'	"Wiper, rear, control of stopping'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Live Parameters'	"97'	"Wipers, front, control of stopping'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Live Parameters'	"98'	"Wiper, rear, safety stop'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Live Parameters'	"99'	"Wipers, front, safety stop'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Live Parameters'	"100'	"Automatic wipe mode'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Live Parameters'	"101'	"With rain sensor'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Live Parameters'	"102'	"Fixed stop information sent to the rain sensor'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Live Parameters'	"103'	"Number of remote control buttons'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Live Parameters'	"104'	"Trunk remote control button'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Live Parameters'	"105'	"Boot lid'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Live Parameters'	"106'	"Brake fluid level lamp'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Live Parameters'	"107'	"Communication fault recorder on comfort network DATA'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Live Parameters'	"108'	"Communication fault recorder on comfort network DATAB'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Live Parameters'	"109'	"Communication fault recorder on comfort network with the BSI'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Live Parameters'	"110'	"Instrument panel fault recorder'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Live Parameters'	"111'	"Multifunction screen fault recorder'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Live Parameters'	"112'	"Air conditioning fault recorder'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Tests'	"1'	"Rear foglight'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Tests'	"2'	"Main relay'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Tests'	"3'	"Control of right flashers'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Tests'	"4'	"Control of left flashers'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Tests'	"5'	"Luggage space lighting'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Tests'	"6'	"Window raise relay command'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Tests'	"7'	"Position light control'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Tests'	"8'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Tests'	"9'	"Rear screen wiper'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Tests'	"10'	"Windscreen wipers'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Tests'	"11'	"Cooling fan assembly control'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Tests'	"12'	"Lighting of hazard flashers button'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Tests'	"13'	"Supply relay window lift'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Tests'	"14'	"AC compressor'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Tests'	"15'	"ESP button'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Tests'	"16'	"Control of LED, hazard flashers'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Tests'	"17'	"Control, locking'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Tests'	"18'	"Control, unlocking'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Tests'	"19'	"Locks deadlocking control'
"Citroën'	"Xsara II'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 04.28'	"	"Tests'	"20'	"Control, boot lid'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Adaptations'	"1'	"Disconnecting speed limitation'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Adaptations'	"2'	"Steering angle decalibration'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Adaptations'	"3'	"Steering angle calibration'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"ECU Information'	"3'	"Supplier number'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"ECU Information'	"4'	"Software version number'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"ECU Information'	"5'	"Calibration number'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"ECU Information'	"6'	"Diagnostic version'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"ECU Information'	"7'	"Bosch hardware number'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"1'	"Vehicle speed'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"2'	"Front left speed sensor'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"3'	"Front right speed sensor'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"4'	"Rear left speed sensor'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"5'	"Rear right speed sensor'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"6'	"Control unit power supply'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"7'	"Brake light switch'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"8'	"Brake fluid level'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"9'	"Brake pad wear switch'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"10'	"Engine speed'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"11'	"Engine torque request'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"12'	"Steering wheel angle'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"13'	"Yaw rate sensor'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"14'	"Lateral acceleration sensor'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"15'	"Brake pressure'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"16'	"ESP button'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"17'	"Hand brake'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"18'	"Brake pedal switch 2'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"19'	"Actual gear'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"20'	"CAN: Communication'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"21'	"Actual engine load'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"22'	"Accelerator pedal position'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"23'	"Steering wheel angle sensor'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"24'	"Steering wheel angle sensor'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"25'	"Steering wheel angle sensor'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"26'	"Reference value setting status ASR/MSR'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"27'	"Change of gear in progress'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"28'	"Shift position'

"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"29'	"Torque converter'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"1'	"Hydraulic pump ABS'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"2'	"Front left load valve'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"3'	"Front right load valve'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"4'	"Left rear load valve'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"5'	"Right rear load valve'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"6'	"Switching solenoid valve 1'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"7'	"Switching solenoid valve 2'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"8'	"Limiting solenoid valve 1'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"9'	"Limiting solenoid valve 2'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"10'	"Front left drain valve'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"11'	"Front right drain valve'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"12'	"Left rear drain valve'
"Citroën'	"Xsara II'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"13'	"Right rear drain valve'
"Citroën'	"Xsara II'	"Brake System'	"Bosch 5.0 / 5.3'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara II'	"Brake System'	"Bosch 5.0 / 5.3'	"	"ECU Information'	"2'	"Bosch hardware number'
"Citroën'	"Xsara II'	"Brake System'	"Bosch 5.0 / 5.3'	"	"Live Parameters'	"1'	"Wheel sensor LF'
"Citroën'	"Xsara II'	"Brake System'	"Bosch 5.0 / 5.3'	"	"Live Parameters'	"2'	"Wheel sensor RF'
"Citroën'	"Xsara II'	"Brake System'	"Bosch 5.0 / 5.3'	"	"Live Parameters'	"3'	"Wheel sensor LR'
"Citroën'	"Xsara II'	"Brake System'	"Bosch 5.0 / 5.3'	"	"Live Parameters'	"4'	"Wheel sensor RR'
"Citroën'	"Xsara II'	"Brake System'	"Bosch 5.0 / 5.3'	"	"Live Parameters'	"5'	"Safety circuit'
"Citroën'	"Xsara II'	"Brake System'	"Bosch 5.0 / 5.3'	"	"Live Parameters'	"6'	"Brake pedal switch'
"Citroën'	"Xsara II'	"Climate Control'	"General ISO 14230-KWP (slow)'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara II'	"Climate Control'	"General ISO 14230-KWP (slow)'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"Xsara II'	"Climate Control'	"General ISO 14230-KWP (slow)'	"	"ECU Information'	"3'	"Software version'
"Citroën'	"Xsara II'	"Climate Control'	"General ISO 14230-KWP (slow)'	"	"Live Parameters'	"1'	"Coolant temperature'
"Citroën'	"Xsara II'	"Climate Control'	"General ISO 14230-KWP (slow)'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Xsara II'	"Climate Control'	"General ISO 14230-KWP (slow)'	"	"Live Parameters'	"3'	"Blower ctrl voltage'
"Citroën'	"Xsara II'	"Climate Control'	"General ISO 14230-KWP (slow)'	"	"Live Parameters'	"4'	"Heater blower output'
"Citroën'	"Xsara II'	"Climate Control'	"General ISO 14230-KWP (slow)'	"	"Live Parameters'	"5'	"Compartment temperature'
"Citroën'	"Xsara II'	"Climate Control'	"General ISO 14230-KWP (slow)'	"	"Live Parameters'	"6'	"Recirculation actuator'
"Citroën'	"Xsara II'	"Climate Control'	"General ISO 14230-KWP (slow)'	"	"Live Parameters'	"7'	"AC button'
"Citroën'	"Xsara II'	"Climate Control'	"General ISO 14230-KWP (slow)'	"	"Live Parameters'	"8'	"Recirculation button'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"ECU Information'	"8'	"Software version'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"1'	"Clutch pedal'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"2'	"Vehicle speed'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"3'	"Gear detected'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"4'	"Atmospheric pressure'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"5'	"Fuel temperature'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"6'	"A/C pressure'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"7'	"Coolant temperature'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"8'	"Inlet air temperature'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"9'	"Cooling fan relay'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"10'	"Cooling fan'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"11'	"Battery voltage'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"12'	"Ignition +15'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"13'	"Glowplug relay'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"14'	"Synchronising between camshaft and crankshaft'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"15'	"Fuel flow regulator'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"16'	"Injection pump, reference value'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"17'	"Brake pedal'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"18'	"Target air mass'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"19'	"A/C requested'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"20'	"Engine speed'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"21'	"Air mass measured'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"22'	"Accelerator pedal position sensor'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"23'	"Fuel pressure measured'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"24'	"Target fuel pressure'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"25'	"EGR solenoid valve'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"26'	"Pre injection timing'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"27'	"Main injection timing'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"28'	"Injection amount'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"29'	"Cylinder 1 fuel trim'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"30'	"Cylinder 2 fuel trim'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"31'	"Cylinder 3 fuel trim'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"32'	"Cylinder 4 fuel trim'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"33'	"Injector voltage Injector 1 and 4'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Live Parameters'	"34'	"Injector voltage Injector 2 and 3'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Tests'	"1'	"EGR valve'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Tests'	"2'	"Fuel pressure control valve'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Tests'	"3'	"Glowplug relay'
"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Tests'	"4'	"Cooling fan high speed'

"Citroën'	"Xsara II'	"Engine Diesel'	"8HZ 1,4 EDC 16C3'	"	"Tests'	"5'	"Cooling fan low speed'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"1'	"Diagnostics indicator'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"2'	"Pedal position sensor'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"3'	"Pedal position sensor'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"4'	"Atmospheric pressure'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"5'	"Load pressure'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"6'	"Revolution signal'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"7'	"Battery voltage'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"8'	"Coolant temperature'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"9'	"Fuel temperature'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"10'	"Inlet air temperature'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"11'	" +15 signal'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"12'	"Road speed signal'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"13'	"Fuel pressure'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"14'	"Air mass meter'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"ECU Information'	"5'	"Software version'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"1'	"Atmospheric pressure'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"2'	"Fuel temperature'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"3'	"Camshafts sensors power supply'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"4'	"Sensor power supply'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"5'	"Cruise control switch'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"6'	"Fuel pressure regulator'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"7'	"Fuel delivery pressure, desired/current pressure difference'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"8'	"Control unit'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"9'	"Immobilisation status'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"10'	"Problems detected during transmission of unlocking code'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"11'	"Coolant temperature'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"12'	"Inlet air temperature'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"13'	"Vehicle speed'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"14'	"Gear detected'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"15'	"Automatic gearbox'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"16'	"High speed radiator fan relay'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"17'	"Low speed radiator fan relay'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"18'	"Accelerator pedal position sensor'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"19'	"Battery voltage'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"20'	"Relay, pre-/post-heating control'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"21'	"Brake pedal switch'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"22'	"A/C shutdown'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"23'	"Engine speed'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"24'	"Air mass measured'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"25'	"EGR valve'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"26'	"Solenoid valve, damper (EGR)'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"27'	"Pre injection timing'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"28'	"Main injection time'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"29'	"Injectors voltage'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"30'	"Fuel pressure measured'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"31'	"Fuel pressure regulator'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"32'	"Injection amount'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"33'	"Cylinder 1 fuel trim'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"34'	"Cylinder 2 fuel trim'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"35'	"Cylinder 3 fuel trim'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"36'	"Cylinder 4 fuel trim'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"37'	"Deactivation of piston element in high pressure pump'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Tests'	"1'	"EGR valve'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Tests'	"2'	"Solenoid valve, damper (EGR)'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Tests'	"3'	"Deactivation of piston element in high pressure pump'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Tests'	"4'	"Fuel pressure control valve'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Tests'	"5'	"Glowplug relay'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Tests'	"6'	"Main relay'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Tests'	"7'	"Cooling fan high speed'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Tests'	"8'	"Cooling fan low speed'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"ECU Information'	"8'	"Software version'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"1'	"Vehicle speed'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"2'	"Gear detected'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"3'	"Electric fan speed 1'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"4'	"Cooling fan, duty factor'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"5'	"Cooling fan speed request'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"6'	"Fuel temperature'

"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"7'	"Inlet air temperature'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"8'	"Atmospheric pressure'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"9'	"Accelerator pedal position'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"10'	"Battery voltage'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"11'	"Sensor power supply'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"12'	"Ignition +15'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"13'	"Relay, pre-/post-heating control'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"14'	"AC compressor'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"15'	"Brake pedal'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"16'	"Revolution signal'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"17'	"Camshaft position sensor'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"18'	"Fuel pressure'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"19'	"Fuel pressure regulator'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"20'	"Fuel flow regulator'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"21'	"Injection amount'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"22'	"Injection valves'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"23'	"Fuel quantity correction cylinder 1'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"24'	"Fuel quantity correction cylinder 2'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"25'	"Fuel quantity correction cylinder 3'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"26'	"Fuel quantity correction cylinder 4'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"27'	"EGR valve'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"28'	"Inlet port shut-off switchover valve'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"29'	"Pre injection timing'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"30'	"Main injection timing'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"31'	"Coolant temperature'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"32'	"Target air mass'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"33'	"Air mass measured'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"34'	"Injection time'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Live Parameters'	"35'	"Target fuel pressure'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Tests'	"1'	"Electric fan speed 1'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Tests'	"2'	"Electric fan speed 2'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Tests'	"3'	"Fuel flow regulator'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Tests'	"4'	"Relay, pre-/post-heating control'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Tests'	"5'	"Inlet port shut-off switchover valve'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Tests'	"6'	"EGR valve'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHY 2,0 SID 801'	"	"Tests'	"7'	"Main relay, supply circuit'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"1'	"Diagnostics indicator'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"2'	"Pedal position sensor'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"3'	"Pedal position sensor'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"4'	"Atmospheric pressure'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"5'	"Load pressure'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"6'	"Revolution signal'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"7'	"Battery voltage'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"8'	"Coolant temperature'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"9'	"Fuel temperature'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"10'	"Inlet air temperature'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"11'	" +15 signal'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"12'	"Road speed signal'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"13'	"Fuel pressure'
"Citroën'	"Xsara II'	"Engine Diesel'	"RHZ 2,0 EDC 15C2'	"	"Live Parameters'	"14'	"Air mass meter'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"3'	"Torque control'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"4'	"Injection time'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"5'	"Injection shut-off'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"6'	"Accelerator pedal position'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"7'	"Throttle opening'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"8'	"Throttle potentiometer'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"9'	"Coolant temperature'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"10'	"Inlet air temperature'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"11'	"Inlet manifold pressure'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"12'	"Stepper motor'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"13'	"Carbon filter solenoid valve'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"14'	"Ignition timing'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"15'	"Ignition coil'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"16'	"Ignition coil'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"17'	"Mixing regulation'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"18'	"Front lambda sensor'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"19'	"Rear lambda sensor'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"20'	"Front lambda sensor'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"21'	"Rear lambda sensor'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"22'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"23'	"AC approved'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"24'	"Input, AC thermostat'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"25'	"Road speed signal'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"26'	"Main relay'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"27'	"Cooling fan relay'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"28'	"Cooling fan, duty factor'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Live Parameters'	"29'	"Cooling fan speed request'

"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Tests'	"3'	"Injection valve 1'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Tests'	"4'	"Injection valve 2'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Tests'	"5'	"Injection valve 3'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Tests'	"6'	"Injection valve 4'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Tests'	"7'	"Fuel pump relay'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Tests'	"8'	"AC compressor'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Tests'	"9'	"Stepper motor'
"Citroën'	"Xsara II'	"Engine Petrol'	"KFW 1,4 Sagem 2000'	"	"Tests'	"12'	"Carbon filter solenoid valve'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"8'	"Part version suffix'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"1'	"Engine speed'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"3'	"Engine torque'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"4'	"Coolant temperature'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"5'	"Inlet air temperature'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"6'	"Inlet manifold pressure'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"7'	"Injection time'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"8'	"Injection shut-off'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"9'	"Throttle opening'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"10'	"Throttle potentiometer'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"11'	"Throttle status'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"12'	"Ignition timing'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"13'	"Ignition coil 1 & 4'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"14'	"Ignition coil 2 & 3'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"15'	"Front lambda sensor'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"16'	"Rear lambda sensor'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"17'	"Front lambda sensor'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"18'	"Rear lambda sensor'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"19'	"Lambda regulation, probe before catalytic converter'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"20'	"Lambda regulation, probe after catalytic converter'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"21'	"Carbon filter solenoid valve'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"22'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"23'	"AC approved'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"24'	"A/C requested'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"25'	"Vehicle speed'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"26'	"Gear detected'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"27'	"Cooling fan low speed'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"28'	"Cooling fan high speed'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"1'	"Ignition coil 1 & 4'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"2'	"Ignition coil 2 & 3'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"3'	"Injection valve 1'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"4'	"Injection valve 2'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"5'	"Injection valve 3'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"6'	"Injection valve 4'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"7'	"Fuel pump relay'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"8'	"Cooling fan high speed'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"9'	"Cooling fan low speed'
"Citroën'	"Xsara II'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"10'	"Carbon filter solenoid valve'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"1'	"Injection time'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"2'	"Throttle potentiometer'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"3'	"Inlet manifold pressure'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"4'	"Stepper motor'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"5'	"Injection valves'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"6'	"Revolution signal'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"7'	"Battery voltage'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"8'	"Ignition timing'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"9'	"Ignition coil 1'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"10'	"Ignition coil 2'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"11'	"Coolant temperature'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"12'	"Inlet air temperature'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"13'	"Revolution signal'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"14'	"Front lambda sensor'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"15'	"Front lambda sensor'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"16'	"Rear lambda sensor'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"17'	"Rear lambda sensor'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"18'	"Fuelmixture'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"19'	"Revolution signal'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"20'	"Battery voltage'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"21'	"Coolant temperature'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"22'	"Inlet air temperature'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"23'	"Carbon filter solenoid valve'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"24'	"AC approved'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"25'	"Input, AC thermostat'

"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"26'	"Revolution signal'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"27'	"Battery voltage'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"28'	"Power relay'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"29'	"AC approved'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"30'	"Input, AC thermostat'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"31'	"Road speed signal'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"32'	"Radiator fan relay'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Live Parameters'	"33'	"Cyclic opening ratio, cooling fan unit'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"1'	"Idle step engine'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"4'	"Fuel pump relay'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"5'	"Injection valve 1'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"6'	"Injection valve 2'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"7'	"Injection valve 3'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"8'	"Injection valve 4'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"9'	"Secondary air pump relay'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"10'	"Carbon filter solenoid valve'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 48P'	"	"Tests'	"11'	"EGR valve'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"8'	"Part version suffix'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"9'	"Emission control'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"1'	"Throttle status'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"2'	"Ignition timing'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"3'	"Ignition coil 1 & 4'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"4'	"Ignition coil 2 & 3'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"5'	"Front lambda sensor'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"6'	"Rear lambda sensor'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"7'	"Mixing adaption'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"8'	"Coolant temperature'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"9'	"Inlet air temperature'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"10'	"Inlet manifold pressure'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"11'	"Carbon filter solenoid valve'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"12'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"13'	"Throttle potentiometer'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"14'	"Air conditioning authorisation'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"15'	"A/C requested'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"16'	"Engine speed'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"17'	"Battery voltage'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"18'	"Injection time'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"19'	"Injection shut-off'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"20'	"Engine load'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"21'	"Vehicle speed'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"22'	"Main relay'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"23'	"Cooling fan relay'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"24'	"Blower speed'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"1'	"Electronic throttle control'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"2'	"Fuel pump relay'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"3'	"Injection valve 1'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"4'	"Injection valve 2'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"5'	"Injection valve 3'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"6'	"Injection valve 4'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"7'	"Carbon filter solenoid valve'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"8'	"Front lambda sensor'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"9'	"Rear lambda sensor'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"10'	"Cooling fan high speed'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"11'	"Cooling fan low speed'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"12'	"Ignition coil 1 & 4'
"Citroën'	"Xsara II'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"13'	"Ignition coil 2 & 3'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"5'	"Software index'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"6'	"Software version'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"2'	"Brake light switch'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"3'	"Oil pressure'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"4'	"Oil pressure sensor'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"5'	"Temperature sensor'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"6'	"Accelerator pedal position'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"7'	"Engine torque (from CAN)'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"8'	"Shift position'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"9'	"Actual gear'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"10'	"Sport program'

"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"11'	"Winter program'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"12'	"Multifunction switch P/N'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"13'	"Multifunction switch S4 (active in R,D,M,3)'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"14'	"Multifunction switch S3 (active in R,N,3,2)'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"15'	"Multifunction switch S2 (active in P,R,2)'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"16'	"Multifunction switch S1 (active in 3,2,M,M+)'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"17'	"Switch 1 (active in M-)'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"18'	"Solenoid valve 1'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"19'	"Solenoid valve 2'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"20'	"Solenoid valve 3'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"21'	"Solenoid valve 4'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"22'	"Solenoid valve 5'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"23'	"Solenoid valve 6'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"24'	"Oil temperature'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"25'	"Oil change'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"26'	"Solenoid valve supply'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"27'	"Torque control'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"28'	"Solenoid, shift lock'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"29'	"Torque converter lock-up clutch'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"30'	"Heat exchanger solenoid'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"31'	"Operating state'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"32'	"Program selector switch'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"33'	"Selector switch'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"34'	"Gear shift program'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"35'	"Engine speed'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"36'	"Gearbox input rpm'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"37'	"Gearbox output rpm'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"38'	"Requested oil pressure'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"39'	"Oil pressure'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"40'	"Oil temperature'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"41'	"Oil pressure regulation solenoid valve, activation time'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"42'	"Torque converter lock up solenoid valve, activation time'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"43'	"Gearbox input rpm, target value'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"44'	"Gearbox output rpm, target value'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"45'	"Date of last oil change'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"46'	"Service interval data - oil deterioration'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"1'	"Oil pressure regulation solenoid valve'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"2'	"Lock-up solenoid'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"3'	"Solenoid, shift lock'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"4'	"Solenoid valve 1'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"5'	"Solenoid valve 2'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"6'	"Solenoid valve 3'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"7'	"Solenoid valve 4'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"8'	"Solenoid valve 5'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"9'	"Solenoid valve 6'
"Citroën'	"Xsara II'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"10'	"Heat exchanger solenoid'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Diagnose (->2001/01)'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Diagnose (->2001/01)'	"	"Live Parameters'	"1'	"ABS'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Diagnose (->2001/01)'	"	"Live Parameters'	"2'	"Service indicator'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Diagnose (->2001/01)'	"	"Live Parameters'	"3'	"Oil pressure lamp'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Diagnose (->2001/01)'	"	"Live Parameters'	"4'	"Parking brake lamp'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Diagnose (->2001/01)'	"	"Live Parameters'	"5'	"Min fuel level lamp'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Diagnose (->2001/01)'	"	"Live Parameters'	"6'	"Check ABS-lamp'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Diagnose (->2001/01)'	"	"Live Parameters'	"7'	"Brake fluid level lamp'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Diagnose (->2001/01)'	"	"Live Parameters'	"8'	"AC'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Diagnose (->2001/01)'	"	"Live Parameters'	"9'	"Automatic gearbox'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Diagnose (->2001/01)'	"	"Live Parameters'	"10'	"Dipped beam'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Diagnose (->2001/01)'	"	"Live Parameters'	"11'	"Filtered fuel level'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Diagnose (->2001/01)'	"	"Live Parameters'	"12'	"Gross fuel level'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Diagnose (->2001/01)'	"	"Live Parameters'	"13'	"Brightness, instrument panel'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Diagnose (->2001/01)'	"	"Live Parameters'	"14'	"Oil level sensor'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Diagnose (->2001/01)'	"	"Live Parameters'	"15'	"Reset button, trip meter'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Diagnose (->2001/01)'	"	"Live Parameters'	"16'	"Instrument brightness adjustment button'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Diagnose (->2001/01)'	"	"Tests'	"1'	"Speed meter gauge 100 km/h'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Diagnose (->2001/01)'	"	"Tests'	"2'	"Rpm gauge (4000 Rpm)'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Diagnose (->2001/01)'	"	"Tests'	"3'	"Fuel gauge, full tank'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Diagnose (->2001/01)'	"	"Tests'	"4'	"Coolant temperature, high'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Diagnose (->2001/01)'	"	"Tests'	"5'	"Engine oil temperature'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Diagnose (->2001/01)'	"	"Tests'	"6'	"Low oil level'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Diagnose (->2001/01)'	"	"Tests'	"7'	"Kilometre counter'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Diagnose (->2001/01)'	"	"Tests'	"8'	"Brightness, instrument panel'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Diagnose (->2001/01)'	"	"Tests'	"9'	"Indicator lamps'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Sagem (2001/01->)'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Sagem (2001/01->)'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Sagem (2001/01->)'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Sagem (2001/01->)'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Sagem (2001/01->)'	"	"ECU Information'	"5'	"Diagnostic version'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Sagem (2001/01->)'	"	"Live Parameters'	"1'	"Service indicator'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Sagem (2001/01->)'	"	"Live Parameters'	"2'	"Oil level gauge'

"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Sagem (2001/01->)'	""	"Live Parameters'	"3'	"ABS'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Sagem (2001/01->)'	""	"Live Parameters'	"4'	"Stability control system'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Sagem (2001/01->)'	""	"Live Parameters'	"5'	"Fuel level'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Sagem (2001/01->)'	""	"Live Parameters'	"6'	"Gross fuel level'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Sagem (2001/01->)'	""	"Live Parameters'	"7'	"Min fuel level lamp'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Sagem (2001/01->)'	""	"Live Parameters'	"8'	"Brightness, instrument panel'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Sagem (2001/01->)'	""	"Live Parameters'	"9'	"Instrument cluster'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Sagem (2001/01->)'	""	"Live Parameters'	"10'	"Reset button, trip meter'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Sagem (2001/01->)'	""	"Live Parameters'	"11'	"Instrument brightness adjustment button'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Sagem (2001/01->)'	""	"Live Parameters'	"12'	"Instrument cluster status'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Sagem (2001/01->)'	""	"Tests'	"1'	"Speed meter gauge 100 km/h'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Sagem (2001/01->)'	""	"Tests'	"2'	"Rpm gauge (4000 Rpm)'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Sagem (2001/01->)'	""	"Tests'	"3'	"Fuel gauge, full tank'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Sagem (2001/01->)'	""	"Tests'	"4'	"Coolant temperature, high'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Sagem (2001/01->)'	""	"Tests'	"5'	"Low oil level'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Sagem (2001/01->)'	""	"Tests'	"6'	"Brightness, instrument panel'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Sagem (2001/01->)'	""	"Tests'	"7'	"Trip meter'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Sagem (2001/01->)'	""	"Tests'	"8'	"Indicator lamps'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Sagem (2001/01->)'	""	"Tests'	"9'	"Automatic gearbox, indicator LED's'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Sagem (2001/01->)'	""	"Tests'	"10'	"Instrument panel needles'
"Citroën'	"Xsara II'	"Instrument / Dashboard'	"Instrument - Sagem (2001/01->)'	""	"Tests'	"11'	"Update odometer'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"Adaptations'	"1'	"Airbag locking'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"Adaptations'	"2'	"Airbag unlocking'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"ECU Information'	"2'	"Supplier'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"ECU Information'	"3'	"Version of program'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"ECU Information'	"4'	"Calibration number'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"ECU Information'	"5'	"Diagnostic version'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"ECU Information'	"6'	"Checking at after line production'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"ECU Information'	"7'	"Checking at factory'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"ECU Information'	"8'	"Checking at supplier'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"ECU Information'	"9'	"Checking of action in aftermarket'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"Live Parameters'	"1'	"Airbag locking'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"Live Parameters'	"2'	"Driver airbag'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"Live Parameters'	"3'	"Passenger airbag'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"Live Parameters'	"4'	"Switch to disable passenger airbag'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"Live Parameters'	"5'	"Frontal side airbag'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"Live Parameters'	"6'	"Side head airbags'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"Live Parameters'	"7'	"Pretensioner'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"Live Parameters'	"8'	"Satellite sensors'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"Adaptations'	"1'	"Airbag locking'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"Adaptations'	"2'	"Airbag unlocking'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"Live Parameters'	"1'	"Reference PSA'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"Live Parameters'	"2'	"Supplier'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"Live Parameters'	"3'	"Version of program'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"Live Parameters'	"4'	"Calibration number'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"Live Parameters'	"5'	"Diagnostic version'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"Live Parameters'	"6'	"Checking at after line production'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"Live Parameters'	"7'	"Checking at factory'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"Live Parameters'	"8'	"Checking at supplier'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"Live Parameters'	"9'	"Checking of action in aftermarket'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"Live Parameters'	"10'	"Airbag locking'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"Live Parameters'	"11'	"Driver airbag'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"Live Parameters'	"12'	"Passenger airbag'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"Live Parameters'	"13'	"Switch to disable passenger airbag'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"Live Parameters'	"14'	"Frontal side airbag'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"Live Parameters'	"15'	"Side head airbags'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"Live Parameters'	"16'	"Pretensioner'
"Citroën'	"Xsara II'	"Restraints'	"Airbag - Autoliv'	""	"Live Parameters'	"17'	"Satellite sensors'
"Citroën'	"Xsara Picasso'	"Audio Control Module'	"Radio - VDO'	""	"ECU Information'	"1'	"VIN code'
"Citroën'	"Xsara Picasso'	"Audio Control Module'	"Radio - VDO'	""	"Live Parameters'	"1'	"Signal quality'
"Citroën'	"Xsara Picasso'	"Audio Control Module'	"Radio - VDO'	""	"Live Parameters'	"2'	"Signal level'
"Citroën'	"Xsara Picasso'	"Audio Control Module'	"Radio - VDO'	""	"Live Parameters'	"3'	"Radio protected by VIN code'
"Citroën'	"Xsara Picasso'	"Audio Control Module'	"Radio - VDO'	""	"Live Parameters'	"4'	"BSI via VAN bus'
"Citroën'	"Xsara Picasso'	"Audio Control Module'	"Radio - VDO'	""	"Live Parameters'	"5'	"Fader and loudspeakers, rear'
"Citroën'	"Xsara Picasso'	"Audio Control Module'	"Radio - VDO'	""	"Live Parameters'	"6'	"AM frequency band'
"Citroën'	"Xsara Picasso'	"Audio Control Module'	"Radio - VDO'	""	"Live Parameters'	"7'	"Dependent on sound level'
"Citroën'	"Xsara Picasso'	"Audio Control Module'	"Radio - VDO'	""	"Live Parameters'	"8'	"Configuration of sound outputs'
"Citroën'	"Xsara Picasso'	"Audio Control Module'	"Radio - VDO'	""	"Tests'	"5'	"Connector, instrument lighting'
"Citroën'	"Xsara Picasso'	"Audio Control Module'	"Radio - VDO'	""	"Tests'	"6'	"Frequency search'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Live Parameters'	"1'	"Supply to window/sunroof'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Live Parameters'	"2'	"Supply, VAN comfort'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Live Parameters'	"3'	"Engine running'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Live Parameters'	"4'	"Magnetiser, engine'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Live Parameters'	"5'	"Setting of ECO'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Live Parameters'	"6'	"Setting, customer'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Live Parameters'	"7'	"B+ to accessories'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Live Parameters'	"8'	"B+ via ignition switch'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Live Parameters'	"9'	"Battery voltage'

"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"10'	"Alternator voltage'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"11'	"Feedback, injection motor'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"12'	"Start delay AC'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"13'	"Air conditioning requested'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"14'	"Control of AC compressor'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"15'	"Output AC enabled'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"16'	"Sensor, evaporator'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"17'	"Safety valve, fluid pressure'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"18'	"Safety valve, coolant'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"19'	"Safety valve, frost evaporator'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"20'	"Left flashers required'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"21'	"Control of left flashers'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"22'	"Right flashers required'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"23'	"Control of right flashers'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"24'	"Hazard warning flashers required'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"25'	"Hazard warning flashers active'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"26'	"Parking lights lit'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"27'	"Time control, dipped lights'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"28'	"Roof light required'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"29'	"Roof light control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"30'	"Transponder'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"31'	"Programming'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"32'	"Key entering'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"33'	"Remote key 1'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"34'	"Remote key 2'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"35'	"Remote key 3'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"36'	"Remote key 4'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"37'	"Remote key 5'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"38'	"Immobiliser paired with BSI'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"39'	"Access code stated'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"40'	"Injection controller'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"41'	"Programmed keys'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"42'	"Active key'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"43'	"Programmed remote control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"44'	"Radio frequency number'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"45'	"Non-synchronised remote control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"46'	"Left front door'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"47'	"Right front door'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"48'	"Left rear door'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"49'	"Right rear door'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"50'	"Boot lid'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"51'	"Boot lid'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"52'	"Pushbutton, boot lid'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"53'	"Control, boot lid'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"54'	"Lock button'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"55'	"Vehicle status'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"56'	"Lock protection'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"57'	"Collision identifier'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"58'	"Control, locking'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"59'	"Locked with key'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"60'	"Locked with remote control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"61'	"Locked with button'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"62'	"Control, unlocking'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"63'	"Unlocked with key'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"64'	"Unlocked with remote controller'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"65'	"Revolution signal'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"66'	"Coolant temperature'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"67'	"Outside temperature'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"68'	"Road speed signal'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"69'	"Coolant temperature'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"70'	"Glow time lamp'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"71'	"Indicator, fuel reserve'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"72'	"Kilometre counter'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"73'	"Control of LED, defrosting'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"74'	"Control of LED, hazard flashers'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"75'	"Front wipers high speed requested'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"76'	"Front wipers low speed requested'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"77'	"Front wipers intermittent requested'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"78'	"Rear wiper requested'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"79'	"Defrosting requested'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"80'	"Control, defrosting'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"81'	"Washers, front, requested'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"82'	"Washer, rear, requested'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"83'	"Wipers, front, high speed control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"84'	"Wipers, front, low speed control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"85'	"Wiper, rear, control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"86'	"Wipers, front, control of stopping'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"87'	"Wiper, rear, control of stopping'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	"	"Live Parameters'	"88'	"Wipers, front, safety stop'

"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Live Parameters'	"89'	"Wiper, rear, safety stop'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Live Parameters'	"90'	"B+ to accessories'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Live Parameters'	"91'	"B+ via ignition switch'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Live Parameters'	"92'	"Locking/unlocking with remote.'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Live Parameters'	"93'	"Locked with key'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Live Parameters'	"94'	"Unlocked with key'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Live Parameters'	"95'	"Defrosting requested'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Live Parameters'	"96'	"Hazard warning flashers required'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Live Parameters'	"97'	"Washers, front, requested'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Live Parameters'	"98'	"Washer, rear, requested'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Live Parameters'	"99'	"Parking lights lit'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Live Parameters'	"100'	"Left front door'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Live Parameters'	"101'	"Right front door'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Live Parameters'	"102'	"Left rear door'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Live Parameters'	"103'	"Right rear door'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Live Parameters'	"104'	"Boot lid'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Tests'	"1'	"Parameter status reset'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Tests'	"2'	"Control of left flashers'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Tests'	"3'	"Control of right flashers'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Tests'	"4'	"Control of AC compressor'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Tests'	"5'	"Control, locking'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Tests'	"6'	"Control, unlocking'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Tests'	"7'	"Control, boot lid'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Tests'	"8'	"Time control, dipped lights'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Tests'	"9'	"Lighting of system status LED'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Tests'	"10'	"Lighting of defrosting button'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Tests'	"11'	"Lighting of hazard flashers button'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Tests'	"12'	"Control of defroster'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Tests'	"13'	"Wiper, rear, control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Tests'	"14'	"Wipers, front, low speed control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Central-ECU'	""	"Tests'	"15'	"Wipers, front, high speed control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Adaptations'	"1'	"Recall service message'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"ECU Information'	"2'	"Software number'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"ECU Information'	"3'	"Supplier'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"ECU Information'	"4'	"VIN code'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"ECU Information'	"5'	"ECU reference (Electronic Control Unit)'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"ECU Information'	"6'	"Software version'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"ECU Information'	"7'	"Software index'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"1'	"Actual + for accessories (+ACC)'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"2'	"Ignition +15'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"3'	"Battery voltage'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"4'	"Alternator voltage'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"5'	"Supply, VAN comfort'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"6'	"Supply to window/sunroof'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"7'	"Air pump'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"8'	"Output status of air pump/water in diesel relay'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"9'	"Engine running'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"10'	"Fuel pump shut off'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"11'	"Fuel pump relay'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"12'	"Economy mode'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"13'	"Factory mode'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"14'	"Control of AC compressor'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"15'	"Evaporator temperature sensor'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"16'	"Safety valve, frost evaporator'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"17'	"Medium speed fan control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"18'	"ESP disarming request'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"19'	"Winter program'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"20'	"Sport program'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"21'	"Brake pedal switch'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"22'	"Information reverse'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"23'	"Switch, belt, driver side'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"24'	"Switch, belt, passenger side'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"25'	"Rear right hand door child safety'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"26'	"Rear left hand door child safety'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"27'	"Rear fog light control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"28'	"Front fog light control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"29'	"Control of right flashers'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"30'	"Control of left flashers'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"31'	"Dipped beam'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"32'	"Main beam'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"33'	"Interior lighting'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"34'	"Twilight dipped beam lighting mode'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"35'	"Position light control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"36'	"Bootlid light control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"37'	"Horn'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"38'	"Programmed keys'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"39'	"Programmed remote control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"40'	"Battery in remote controller exhausted'

"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"41'	"Transponder antiscanning active'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"42'	"Transponder'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"43'	"Ecu locked'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"44'	"BSI ready for programming'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"45'	"BSI with anti-scanning'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"46'	"BSI not programmed'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"47'	"BSI paired with engine control unit'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"48'	"Left front door'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"49'	"Right front door'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"50'	"Left rear door'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"51'	"Right rear door'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"52'	"Boot lid'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"53'	"Boot lid opening control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"54'	"Opening of bootlid requested'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"55'	"Vehicle locked status'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"56'	"Unlocking front right door'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"57'	"Unlocking front left door'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"58'	"Reception of unvalid remote control message'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"59'	"Reception of valid remote control message'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"60'	"Detection by the BSI of a press on the high frequency remote control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"61'	"Vehicle locked status'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"62'	"Coolant temperature'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"63'	"Outside temperature'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"64'	"Engine coolant level warning lamp'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"65'	"Minimum window wash level lamp'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"66'	"Brake fluid level lamp'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"67'	"ABS warning lamp'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"68'	"Oil pressure lamp'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"69'	"Water in fuel'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"70'	"low fuel level'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"71'	"Gross fuel level'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"72'	"Filtered fuel level'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"73'	"Fuel level pointer, instrumentation'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"74'	"Fuel gauge impedance'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"75'	"Maintenance counter'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"76'	"Average fuel consumption/travel'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"77'	"Average fuel consumption/distance'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"78'	"Levelled consumption'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"79'	"Total distance (km)'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"80'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"81'	"Washers, front, requested'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"82'	"Washer, rear, requested'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"83'	"Wipers, front, high speed control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"84'	"Wipers, front, low speed control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"85'	"Wiper, rear, control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"86'	"Wipers, front, control of stopping'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"87'	"Wiper, rear, control of stopping'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Live Parameters'	"88'	"Front wiper switch'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Tests'	"1'	"Control of left flashers'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Tests'	"2'	"Control of right flashers'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Tests'	"3'	"Control of AC compressor'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Tests'	"4'	"Control, locking'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Tests'	"5'	"Control, unlocking'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Tests'	"6'	"Control, boot lid'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Tests'	"7'	"Luggage space lighting'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Tests'	"8'	"Luggage space lighting'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Tests'	"9'	"Rear foglight'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Tests'	"10'	"Front fog lights'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Tests'	"11'	"Interior lighting'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Tests'	"12'	"Horn'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Tests'	"13'	"Dipped beam'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Tests'	"14'	"Main beam'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Tests'	"15'	"Position light control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Tests'	"16'	"Windscreen wipers'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Tests'	"17'	"Rear screen wiper'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Tests'	"18'	"Windscreen washer'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Tests'	"19'	"Rear window washer'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Tests'	"20'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 18.03'	""	"Tests'	"21'	"Air pump'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Adaptations'	"1'	"Recall service message'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"ECU Information'	"2'	"Software number'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"ECU Information'	"3'	"Supplier'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"ECU Information'	"4'	"VIN code'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"ECU Information'	"5'	"ECU reference (Electronic Control Unit)'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"ECU Information'	"6'	"Software version'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"ECU Information'	"7'	"Software index'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"1'	"Actual + for accessories (+ACC)'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"2'	"Ignition +15'

"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"3'	"Battery voltage'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"4'	"Alternator voltage'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"5'	"Supply, VAN comfort'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"6'	"Supply to window/sunroof'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"7'	"Air pump'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"8'	"Output status of air pump/water in diesel relay'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"9'	"Engine running'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"10'	"Fuel pump shut off'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"11'	"Fuel pump relay'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"12'	"Economy mode'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"13'	"Factory mode'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"14'	"Control of AC compressor'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"15'	"Evaporator temperature sensor'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"16'	"Safety valve, frost evaporator'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"17'	"Medium speed fan control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"18'	"ESP disarming request'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"19'	"Winter program'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"20'	"Sport program'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"21'	"Brake pedal switch'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"22'	"Clutch pedal'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"23'	"Information reverse'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"24'	"Switch, belt, driver side'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"25'	"Switch, belt, passenger side'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"26'	"Rear right hand door child safety'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"27'	"Rear left hand door child safety'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"28'	"Rear fog light control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"29'	"Front fog light control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"30'	"Control of right flashers'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"31'	"Control of left flashers'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"32'	"Dipped beam'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"33'	"Main beam'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"34'	"Interior lighting'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"35'	"Twilight dipped beam lighting mode'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"36'	"Position light control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"37'	"Bootlid light control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"38'	"Horn'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"39'	"Alarm from passenger compartment monitoring'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"40'	"Alarm: passenger compartment sensor disabling'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"41'	"Transponder antiscanning active'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"42'	"Programmed keys'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"43'	"Programmed remote control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"44'	"Transponder'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"45'	"Battery in remote controller exhausted'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"46'	"Ecu locked'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"47'	"BSI ready for programming'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"48'	"BSI with anti-scanning'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"49'	"BSI not programmed'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"50'	"BSI paired with engine control unit'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"51'	"Bonnet open'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"52'	"Left front door'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"53'	"Right front door'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"54'	"Left rear door'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"55'	"Right rear door'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"56'	"Boot lid'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"57'	"Boot lid opening control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"58'	"Opening of bootlid requested'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"59'	"Control, locking'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"60'	"Control, unlocking'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"61'	"Vehicle locked status'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"62'	"Unlocking front right door'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"63'	"Unlocking front left door'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"64'	"Reception of invalid remote control message'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"65'	"Reception of valid remote control message'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"66'	"Detection by the BSI of a press on the high frequency remote control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"67'	"Vehicle locked status'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"68'	"Engine coolant level warning lamp'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"69'	"Minimum window wash level lamp'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"70'	"Brake fluid level lamp'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"71'	"ABS warning lamp'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"72'	"Oil pressure lamp'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"73'	"Water in fuel'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"74'	"low fuel level'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"75'	"Coolant temperature'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"76'	"Outside temperature'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"77'	"oil level'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"78'	"Gross fuel level'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"79'	"Filtered fuel level'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"80'	"Fuel level pointer, instrumentation'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	""	"Live Parameters'	"81'	"Fuel gauge impedance'

"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Live Parameters'	"82'	"Maintenance counter'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Live Parameters'	"83'	"Average fuel consumption/travel'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Live Parameters'	"84'	"Average fuel consumption/distance'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Live Parameters'	"85'	"Levelled consumption'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Live Parameters'	"86'	"Total distance (km)'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Live Parameters'	"87'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Live Parameters'	"88'	"Washers, front, requested'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Live Parameters'	"89'	"Washer, rear, requested'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Live Parameters'	"90'	"Wipers, front, high speed control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Live Parameters'	"91'	"Wipers, front, low speed control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Live Parameters'	"92'	"Wiper, rear, control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Live Parameters'	"93'	"Wipers, front, control of stopping'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Live Parameters'	"94'	"Wiper, rear, control of stopping'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Live Parameters'	"95'	"Front wiper switch'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Tests'	"1'	"Control of left flashers'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Tests'	"2'	"Control of right flashers'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Tests'	"3'	"Control of AC compressor'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Tests'	"4'	"Control, locking'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Tests'	"5'	"Control, unlocking'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Tests'	"6'	"Control, boot lid'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Tests'	"7'	"Luggage space lighting'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Tests'	"8'	"Luggage space lighting'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Tests'	"9'	"Rear foglight'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Tests'	"10'	"Front fog lights'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Tests'	"11'	"Interior lighting'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Tests'	"12'	"Horn'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Tests'	"13'	"Dipped beam'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Tests'	"14'	"Main beam'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Tests'	"15'	"Position light control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Tests'	"16'	"Windscreen wipers'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Tests'	"17'	"Rear screen wiper'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Tests'	"18'	"Windscreen washer'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Tests'	"19'	"Rear window washer'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Tests'	"20'	"Rear screen/exterior mirrors demisting control'
"Citroën'	"Xsara Picasso'	"Body Control Module'	"BSI - Diagnose - Software (version.index): 22.00'	"	"Tests'	"21'	"Air pump'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Adaptations'	"1'	"Disconnecting speed limitation'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Adaptations'	"2'	"Steering angle decalibration'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Adaptations'	"3'	"Steering angle calibration'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"ECU Information'	"3'	"Supplier number'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"ECU Information'	"4'	"Software version number'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"ECU Information'	"5'	"Calibration number'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"ECU Information'	"6'	"Diagnostic version'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"ECU Information'	"7'	"Bosch hardware number'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"1'	"Vehicle speed'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"2'	"Front left speed sensor'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"3'	"Front right speed sensor'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"4'	"Rear left speed sensor'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"5'	"Rear right speed sensor'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"6'	"Control unit power supply'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"7'	"Brake light switch'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"8'	"Brake fluid level'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"9'	"Brake pad wear switch'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"10'	"Engine speed'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"11'	"Engine torque request'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"12'	"Steering wheel angle'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"13'	"Yaw rate sensor'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"14'	"Lateral acceleration sensor'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"15'	"Brake pressure'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"16'	"ESP button'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"17'	"Hand brake'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"18'	"Brake pedal switch 2'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"19'	"Actual gear'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"20'	"CAN: Communication'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"21'	"Actual engine load'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"22'	"Accelerator pedal position'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"23'	"Steering wheel angle sensor'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"24'	"Steering wheel angle sensor'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"25'	"Steering wheel angle sensor'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"26'	"Reference value setting status ASR/MSR'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"27'	"Change of gear in progress'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"28'	"Shift position'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Live Parameters'	"29'	"Torque converter'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"1'	"Hydraulic pump ABS'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"2'	"Front left load valve'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"3'	"Front right load valve'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"4'	"Left rear load valve'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"5'	"Right rear load valve'

"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"6'	"Switching solenoid valve 1'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"7'	"Switching solenoid valve 2'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"8'	"Limiting solenoid valve 1'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"9'	"Limiting solenoid valve 2'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"10'	"Front left drain valve'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"11'	"Front right drain valve'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"12'	"Left rear drain valve'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 5.7'	"	"Tests'	"13'	"Right rear drain valve'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8'	"	"Adaptations'	"1'	"Disconnecting speed limitation'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8'	"	"ECU Information'	"3'	"Supplier number'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8'	"	"ECU Information'	"4'	"Software version number'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8'	"	"ECU Information'	"5'	"Calibration number'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8'	"	"ECU Information'	"6'	"Diagnostic version'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8'	"	"ECU Information'	"7'	"Bosch hardware number'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8'	"	"ECU Information'	"8'	"System'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8'	"	"ECU Information'	"9'	"Vehicle type'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8'	"	"ECU Information'	"10'	"Supplier number'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8'	"	"ECU Information'	"11'	"Number of configurations'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8'	"	"Live Parameters'	"1'	"Vehicle speed'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8'	"	"Live Parameters'	"2'	"Front left speed sensor'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8'	"	"Live Parameters'	"3'	"Front right speed sensor'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8'	"	"Live Parameters'	"4'	"Rear left speed sensor'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8'	"	"Live Parameters'	"5'	"Rear right speed sensor'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8'	"	"Live Parameters'	"6'	"Control unit power supply'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8'	"	"Live Parameters'	"7'	"Brake light switch'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8'	"	"Live Parameters'	"8'	"Brake fluid level'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8'	"	"Live Parameters'	"9'	"Relay for solenoid valve'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8'	"	"Live Parameters'	"10'	"Hydraulic pump relay'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8'	"	"Tests'	"1'	"Hydraulic pump ABS'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8'	"	"Tests'	"2'	"Front left load valve'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8'	"	"Tests'	"3'	"Front right load valve'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8'	"	"Tests'	"4'	"Left rear load valve'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8'	"	"Tests'	"5'	"Right rear load valve'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8'	"	"Tests'	"6'	"Front left drain valve'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8'	"	"Tests'	"7'	"Front right drain valve'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8'	"	"Tests'	"8'	"Left rear drain valve'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8'	"	"Tests'	"9'	"Right rear drain valve'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"Adaptations'	"1'	"Disconnecting speed limitation'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"Adaptations'	"2'	"Steering angle decalibration'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"Adaptations'	"3'	"Steering angle calibration'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"ECU Information'	"3'	"Supplier number'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"ECU Information'	"4'	"Software version number'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"ECU Information'	"5'	"Calibration number'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"ECU Information'	"6'	"Diagnostic version'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"ECU Information'	"7'	"Bosch hardware number'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"ECU Information'	"8'	"Supplier'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"ECU Information'	"9'	"System'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"ECU Information'	"10'	"Computer index'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"ECU Information'	"11'	"Vehicle type'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"ECU Information'	"12'	"Supplier number'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"ECU Information'	"13'	"Number of configurations'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"Live Parameters'	"1'	"Control unit power supply'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"Live Parameters'	"2'	"Vehicle speed'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"Live Parameters'	"3'	"Front left speed sensor'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"Live Parameters'	"4'	"Front right speed sensor'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"Live Parameters'	"5'	"Rear left speed sensor'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"Live Parameters'	"6'	"Rear right speed sensor'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"Live Parameters'	"7'	"Brake light switch'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"Live Parameters'	"8'	"Brake fluid level'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"Live Parameters'	"9'	"Yaw rate sensor'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"Live Parameters'	"10'	"Brake pressure'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"Live Parameters'	"11'	"Engine speed'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"Live Parameters'	"12'	"Transverse acceleration sensor signal'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"Live Parameters'	"13'	"ESP button'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"Live Parameters'	"14'	"Brake pedal switch 2'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"Live Parameters'	"15'	"Engine torque request'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"Live Parameters'	"16'	"Steering wheel angle'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"Live Parameters'	"17'	"Communication ABS/ASR engine'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"Live Parameters'	"18'	"CAN: Communication'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"Live Parameters'	"19'	"Actual engine load'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"Live Parameters'	"20'	"Accelerator pedal position'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"Live Parameters'	"21'	"Steering wheel angle sensor'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"Live Parameters'	"22'	"Steering wheel angle sensor'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"Live Parameters'	"23'	"Steering wheel angle sensor'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"Tests'	"1'	"Hydraulic pump ABS'

"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"Tests'	"2'	"Front left load valve'
"Citroën'	"Xsara Picasso'	"Brake System'	"ABS Bosch 8 ESP'	"	"Tests'	"3'	"Front right load valve'
"Citroën'	"Xsara Picasso'	"Brake System'	"Bosch 5.0 / 5.3'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara Picasso'	"Brake System'	"Bosch 5.0 / 5.3'	"	"ECU Information'	"2'	"Bosch hardware number'
"Citroën'	"Xsara Picasso'	"Brake System'	"Bosch 5.0 / 5.3'	"	"Live Parameters'	"1'	"Wheel sensor LF'
"Citroën'	"Xsara Picasso'	"Brake System'	"Bosch 5.0 / 5.3'	"	"Live Parameters'	"2'	"Wheel sensor RF'
"Citroën'	"Xsara Picasso'	"Brake System'	"Bosch 5.0 / 5.3'	"	"Live Parameters'	"3'	"Wheel sensor LR'
"Citroën'	"Xsara Picasso'	"Brake System'	"Bosch 5.0 / 5.3'	"	"Live Parameters'	"4'	"Wheel sensor RR'
"Citroën'	"Xsara Picasso'	"Brake System'	"Bosch 5.0 / 5.3'	"	"Live Parameters'	"5'	"Safety circuit'
"Citroën'	"Xsara Picasso'	"Brake System'	"Bosch 5.0 / 5.3'	"	"Live Parameters'	"6'	"Brake pedal switch'
"Citroën'	"Xsara Picasso'	"Climate Control'	"Behr'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara Picasso'	"Climate Control'	"Behr'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"Xsara Picasso'	"Climate Control'	"Behr'	"	"ECU Information'	"3'	"Software version'
"Citroën'	"Xsara Picasso'	"Climate Control'	"Behr'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"Xsara Picasso'	"Climate Control'	"Behr'	"	"Live Parameters'	"1'	"Control unit power supply'
"Citroën'	"Xsara Picasso'	"Climate Control'	"Behr'	"	"Live Parameters'	"2'	"Compartement fan control power'
"Citroën'	"Xsara Picasso'	"Climate Control'	"Behr'	"	"Live Parameters'	"3'	"Compartement temperature'
"Citroën'	"Xsara Picasso'	"Climate Control'	"Behr'	"	"Live Parameters'	"4'	"Mixing flap'
"Citroën'	"Xsara Picasso'	"Climate Control'	"Behr'	"	"Live Parameters'	"5'	"Air distribution'
"Citroën'	"Xsara Picasso'	"Climate Control'	"Behr'	"	"Live Parameters'	"6'	"Recirculation'
"Citroën'	"Xsara Picasso'	"Climate Control'	"Behr'	"	"Live Parameters'	"7'	"Temperature +'
"Citroën'	"Xsara Picasso'	"Climate Control'	"Behr'	"	"Live Parameters'	"8'	"Temperature -'
"Citroën'	"Xsara Picasso'	"Climate Control'	"Behr'	"	"Live Parameters'	"9'	"Fan +'
"Citroën'	"Xsara Picasso'	"Climate Control'	"Behr'	"	"Live Parameters'	"10'	"Fan -'
"Citroën'	"Xsara Picasso'	"Climate Control'	"Behr'	"	"Live Parameters'	"11'	"Air distribution'
"Citroën'	"Xsara Picasso'	"Climate Control'	"Behr'	"	"Live Parameters'	"12'	"Recirculation'
"Citroën'	"Xsara Picasso'	"Climate Control'	"Behr'	"	"Live Parameters'	"13'	"Off button'
"Citroën'	"Xsara Picasso'	"Climate Control'	"Behr'	"	"Live Parameters'	"14'	"Auto button'
"Citroën'	"Xsara Picasso'	"Climate Control'	"Behr'	"	"Live Parameters'	"15'	"Defrost button'
"Citroën'	"Xsara Picasso'	"Climate Control'	"Behr'	"	"Live Parameters'	"16'	"AC button'
"Citroën'	"Xsara Picasso'	"Climate Control'	"Behr'	"	"Live Parameters'	"17'	"Windscreen button'
"Citroën'	"Xsara Picasso'	"Climate Control'	"Behr'	"	"Tests'	"1'	"Recirculation actuator'
"Citroën'	"Xsara Picasso'	"Climate Control'	"Behr'	"	"Tests'	"2'	"Air distribution valve'
"Citroën'	"Xsara Picasso'	"Climate Control'	"Behr'	"	"Tests'	"3'	"Mixing flap'
"Citroën'	"Xsara Picasso'	"Climate Control'	"Behr'	"	"Tests'	"4'	"Segment'
"Citroën'	"Xsara Picasso'	"Climate Control'	"Behr'	"	"Tests'	"5'	"Cabin fan motor'
"Citroën'	"Xsara Picasso'	"Climate Control'	"Behr'	"	"Tests'	"6'	"ACC-panel lights'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"ECU Information'	"8'	"Software version'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"1'	"Atmospheric pressure'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"2'	"Boost pressure'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"3'	"Inlet air temperature'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"4'	"Temperature sensor in Air Mass Meter'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"5'	"Fuel temperature'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"6'	"A/C pressure'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"7'	"Air conditioning authorisation'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"8'	"Input, AC thermostat'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"9'	"Gear detected'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"10'	"Additional heater'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"11'	"Vehicle speed'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"12'	"Brake pedal switch 2'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"13'	"Clutch pedal'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"14'	"Coolant temperature'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"15'	"Radiator fan relay'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"16'	"Cooling fan'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"17'	"Cyclic opening ratio, cooling fan unit'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"18'	"Battery voltage'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"19'	"Alternator voltage'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"20'	"Relay, pre-/post-heating control'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"21'	"Brake pedal switch 1'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"22'	"Synchronising between camshaft and crankshaft'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"23'	"A/C shutdown'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"24'	"Fuel flow regulator'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"25'	"Calculated mass air flow value'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"26'	"Injection pump, reference value'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"27'	"EGR valve'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"28'	"Feedback, EGR-valve'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"29'	"Engine speed'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"30'	"Air mass measured'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"31'	"Intake air shut-off solenoid valve'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"32'	"Intake air bypass butterfly'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"33'	"Boost pressure valve duty cycle'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"34'	"Desired boost pressure'

"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"35'	"Accelerator pedal position sensor'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"36'	"Injectors voltage'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"37'	"Fuel pressure measured'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"38'	"Target fuel pressure'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"39'	"Injection amount'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"40'	"Cylinder 1 fuel trim'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"41'	"Cylinder 2 fuel trim'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"42'	"Cylinder 3 fuel trim'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"43'	"Cylinder 4 fuel trim'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"44'	"Pre injection timing'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"45'	"Main injection timing'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"46'	"Exhaust gas temperature, downstreams catalytic converter'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"47'	"Pressure difference between inlet and outlet in particle emission filter'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"48'	"Air flow rate'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"49'	"Intake air bypass butterfly feedback'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Live Parameters'	"50'	"Intake air shut-off solenoid valve feedback'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Tests'	"1'	"Cooling fan'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Tests'	"2'	"Fuel flow regulator'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Tests'	"3'	"EGR valve'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Tests'	"4'	"Charging pressure valve'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Tests'	"5'	"Intake air bypass butterfly'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Tests'	"6'	"Intake air shut-off solenoid valve'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"9HZ 1,6 EDC 16C3'	"	"Tests'	"7'	"Relay 1 (additional heater)'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"1'	"Diagnostics indicator'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"2'	"Pedal position sensor'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"3'	"Pedal position sensor'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"4'	"Atmospheric pressure'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"5'	"Load pressure'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"6'	"Revolution signal'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"7'	"Battery voltage'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"8'	"Coolant temperature'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"9'	"Fuel temperature'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"10'	"Inlet air temperature'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"11'	" +15 signal'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"12'	"Road speed signal'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"13'	"Fuel pressure'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"14'	"Air mass meter'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"ECU Information'	"5'	"Software version'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"1'	"Atmospheric pressure'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"2'	"Fuel temperature'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"3'	"Camshafts sensors power supply'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"4'	"Sensor power supply'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"5'	"Cruise control switch'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"6'	"Fuel pressure regulator'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"7'	"Fuel delivery pressure, desired/current pressure difference'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"8'	"Control unit'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"9'	"Immobilisation status'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"10'	"Problems detected during transmission of unlocking code'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"11'	"Coolant temperature'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"12'	"Inlet air temperature'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"13'	"Vehicle speed'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"14'	"Gear detected'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"15'	"Automatic gearbox'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"16'	"High speed radiator fan relay'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"17'	"Low speed radiator fan relay'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"18'	"Accelerator pedal position sensor'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"19'	"Battery voltage'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"20'	"Relay, pre-/post-heating control'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"21'	"Brake pedal switch'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"22'	"A/C shutdown'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"23'	"Engine speed'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"24'	"Air mass measured'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"25'	"EGR valve'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"26'	"Solenoid valve, damper (EGR)'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"27'	"Pre injection timing'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"28'	"Main injection time'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"29'	"Injectors voltage'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"30'	"Fuel pressure measured'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"31'	"Fuel pressure regulator'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"32'	"Injection amount'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"33'	"Cylinder 1 fuel trim'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"34'	"Cylinder 2 fuel trim'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"35'	"Cylinder 3 fuel trim'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"36'	"Cylinder 4 fuel trim'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Live Parameters'	"37'	"Deactivation of piston element in high pressure pump'

"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Tests'	"1'	"EGR valve'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Tests'	"2'	"Solenoid valve, damper (EGR)'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Tests'	"3'	"Deactivation of piston element in high pressure pump'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Tests'	"4'	"Fuel pressure control valve'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Tests'	"5'	"Glowplug relay'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Tests'	"6'	"Main relay'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Tests'	"7'	"Cooling fan high speed'
"Citroën'	"Xsara Picasso'	"Engine Diesel'	"RHY 2,0 EDC 15C2'	"	"Tests'	"8'	"Cooling fan low speed'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"3'	"Torque control'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"4'	"Injection time'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"5'	"Injection shut-off'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"6'	"Accelerator pedal position'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"7'	"Throttle opening'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"8'	"Throttle potentiometer'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"9'	"Coolant temperature'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"10'	"Inlet air temperature'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"11'	"Inlet manifold pressure'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"12'	"Stepper motor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"13'	"Carbon filter solenoid valve'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"14'	"Ignition timing'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"15'	"Ignition coil'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"16'	"Ignition coil'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"17'	"Mixing regulation'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"18'	"Front lambda sensor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"19'	"Rear lambda sensor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"20'	"Front lambda sensor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"21'	"Rear lambda sensor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"22'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"23'	"AC approved'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"24'	"Input, AC thermostat'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"25'	"Road speed signal'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"26'	"Main relay'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"27'	"Cooling fan relay'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"28'	"Cooling fan, duty factor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"29'	"Cooling fan speed request'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Tests'	"3'	"Injection valve 1'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Tests'	"4'	"Injection valve 2'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Tests'	"5'	"Injection valve 3'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Tests'	"6'	"Injection valve 4'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Tests'	"7'	"Fuel pump relay'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Tests'	"8'	"AC compressor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Tests'	"9'	"Stepper motor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Tests'	"12'	"Carbon filter solenoid valve'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"ECU Information'	"8'	"Part version suffix'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"3'	"Torque control'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"4'	"Injection time'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"5'	"Injection shut-off'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"6'	"Accelerator pedal position'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"7'	"Throttle opening'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"8'	"Throttle potentiometer'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"9'	"Coolant temperature'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"10'	"Inlet air temperature'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"11'	"Inlet manifold pressure'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"12'	"Carbon filter solenoid valve'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"13'	"Ignition timing'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"14'	"Ignition coil'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"15'	"Ignition coil'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"16'	"Mixing regulation'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"17'	"Front lambda sensor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"18'	"Rear lambda sensor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"19'	"Front lambda sensor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"20'	"Rear lambda sensor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"21'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"22'	"AC approved'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"23'	"Input, AC thermostat'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"24'	"Road speed signal'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"25'	"Main relay'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"26'	"Cooling fan relay'

"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"27'	"Cooling fan, duty factor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Live Parameters'	"28'	"Cooling fan speed request'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Tests'	"3'	"Injection valve 1'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Tests'	"4'	"Injection valve 2'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Tests'	"5'	"Injection valve 3'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Tests'	"6'	"Injection valve 4'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Tests'	"7'	"Fuel pump relay'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Tests'	"8'	"AC compressor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"6FZ 1,8 Sagem 2000'	"	"Tests'	"11'	"Carbon filter solenoid valve'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"ECU Information'	"8'	"Part version suffix'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"1'	"Engine speed'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"3'	"Engine torque'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"4'	"Coolant temperature'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"5'	"Inlet air temperature'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"6'	"Inlet manifold pressure'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"7'	"Injection time'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"8'	"Injection shut-off'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"9'	"Throttle opening'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"10'	"Throttle potentiometer'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"11'	"Throttle status'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"12'	"Ignition timing'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"13'	"Ignition coil 1 & 4'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"14'	"Ignition coil 2 & 3'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"15'	"Front lambda sensor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"16'	"Rear lambda sensor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"17'	"Front lambda sensor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"18'	"Rear lambda sensor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"19'	"Lambda regulation, probe before catalytic converter'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"20'	"Lambda regulation, probe after catalytic converter'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"21'	"Carbon filter solenoid valve'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"22'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"23'	"AC approved'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"24'	"A/C requested'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"25'	"Vehicle speed'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"26'	"Gear detected'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"27'	"Cooling fan low speed'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Live Parameters'	"28'	"Cooling fan high speed'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"1'	"Ignition coil 1 & 4'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"2'	"Ignition coil 2 & 3'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"3'	"Injection valve 1'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"4'	"Injection valve 2'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"5'	"Injection valve 3'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"6'	"Injection valve 4'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"7'	"Fuel pump relay'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"8'	"Cooling fan high speed'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"9'	"Cooling fan low speed'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFU 1,6 ME 7.4.4'	"	"Tests'	"10'	"Carbon filter solenoid valve'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"3'	"Torque control'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"4'	"Injection time'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"5'	"Injection valve'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"6'	"Throttle opening'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"7'	"Throttle potentiometer'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"8'	"Coolant temperature'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"9'	"Inlet air temperature'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"10'	"Inlet manifold pressure'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"11'	"Stepper motor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"12'	"Carbon filter solenoid valve'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"13'	"Ignition timing'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"14'	"Ignition coil'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"15'	"Ignition coil'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"16'	"Front lambda sensor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"17'	"Rear lambda sensor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"18'	"Front lambda sensor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"19'	"Rear lambda sensor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"20'	"Lambda regulation'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"21'	"Lambda regulation'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"22'	"Carbon filter solenoid valve'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"23'	"AC approved'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"24'	"AC order signal'

"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"25'	"Road speed signal'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"26'	"Cooling fan'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"27'	"Cooling fan'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Live Parameters'	"28'	"Cooling fan'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Tests'	"3'	"Injection valve 1'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Tests'	"4'	"Injection valve 2'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Tests'	"5'	"Injection valve 3'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Tests'	"6'	"Injection valve 4'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Tests'	"7'	"Fuel pump relay'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Tests'	"8'	"AC compressor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Tests'	"9'	"RPM-gauge'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Tests'	"10'	"Stepper motor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Tests'	"13'	"Carbon filter solenoid valve'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFV 1,6 M 7.4.4'	"	"Tests'	"14'	"Check engine lamp'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"2'	"Revolution signal'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"3'	"Throttle opening'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"4'	"Throttle potentiometer'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"5'	"Coolant temperature'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"6'	"Inlet air temperature'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"7'	"Inlet manifold pressure'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"8'	"Injection time'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"9'	"Load signal'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"10'	"Stepper motor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"11'	"Carbon filter solenoid valve'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"12'	"Ignition timing'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"13'	"Front lambda sensor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"14'	"Rear lambda sensor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"15'	"Front lambda sensor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"16'	"Rear lambda sensor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"17'	"Code gearbox'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"18'	"AC approved'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Live Parameters'	"19'	"AC compressor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Tests'	"1'	"Fuel pump'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Tests'	"2'	"Injection valve 1'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Tests'	"3'	"Injection valve 2'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Tests'	"4'	"Injection valve 3'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Tests'	"5'	"Injection valve 4'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Tests'	"6'	"Stepper motor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Tests'	"7'	"Carbon filter solenoid valve'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Tests'	"8'	"RPM-gauge'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Tests'	"9'	"Fuel consumption signal'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"NFZ 1,6 Motronic MP 7.2'	"	"Tests'	"10'	"AC-relay'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"5'	"Control unit'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"6'	"Immobilisation status'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"7'	"Problems detected during transmission of unlocking code'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"8'	"Part version suffix'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"ECU Information'	"9'	"Emission control'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"1'	"Throttle status'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"2'	"Ignition timing'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"3'	"Ignition coil 1 & 4'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"4'	"Ignition coil 2 & 3'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"5'	"Front lambda sensor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"6'	"Rear lambda sensor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"7'	"Mixing adaption'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"8'	"Coolant temperature'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"9'	"Inlet air temperature'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"10'	"Inlet manifold pressure'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"11'	"Carbon filter solenoid valve'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"12'	"Carbon filter solenoid valve, degree of opening'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"13'	"Throttle potentiometer'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"14'	"Air conditioning authorisation'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"15'	"A/C requested'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"16'	"Engine speed'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"17'	"Battery voltage'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"18'	"Injection time'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"19'	"Injection shut-off'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"20'	"Engine load'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"21'	"Vehicle speed'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"22'	"Main relay'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"23'	"Cooling fan relay'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Live Parameters'	"24'	"Blower speed'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"1'	"Electronic throttle control'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"2'	"Fuel pump relay'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"3'	"Injection valve 1'

"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"4'	"Injection valve 2'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"5'	"Injection valve 3'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"6'	"Injection valve 4'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"7'	"Carbon filter solenoid valve'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"8'	"Front lambda sensor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"9'	"Rear lambda sensor'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"10'	"Cooling fan high speed'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"11'	"Cooling fan low speed'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"12'	"Ignition coil 1 & 4'
"Citroën'	"Xsara Picasso'	"Engine Petrol'	"RFN 2,0 MM 6LP'	"	"Tests'	"13'	"Ignition coil 2 & 3'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"4'	"Diagnostic version'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"5'	"Software index'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"ECU Information'	"6'	"Software version'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"2'	"Brake light switch'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"3'	"Oil pressure'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"4'	"Oil pressure sensor'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"5'	"Temperature sensor'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"6'	"Accelerator pedal position'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"7'	"Engine torque (from CAN)'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"8'	"Shift position'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"9'	"Actual gear'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"10'	"Sport program'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"11'	"Winter program'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"12'	"Multifunction switch P/N'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"13'	"Multifunction switch S4 (active in R,D,M,3)'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"14'	"Multifunction switch S3 (active in R,N,3,2)'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"15'	"Multifunction switch S2 (active in P,R,2)'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"16'	"Multifunction switch S1 (active in 3,2,M,M+)'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"17'	"Switch 1 (active in M-)'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"18'	"Solenoid valve 1'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"19'	"Solenoid valve 2'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"20'	"Solenoid valve 3'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"21'	"Solenoid valve 4'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"22'	"Solenoid valve 5'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"23'	"Solenoid valve 6'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"24'	"Oil temperature'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"25'	"Oil change'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"26'	"Solenoid valve supply'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"27'	"Torque control'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"28'	"Solenoid, shift lock'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"29'	"Torque converter lock-up clutch'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"30'	"Heat exchanger solenoid'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"31'	"Operating state'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"32'	"Program selector switch'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"33'	"Selector switch'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"34'	"Gear shift program'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"35'	"Engine speed'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"36'	"Gearbox input rpm'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"37'	"Gearbox output rpm'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"38'	"Requested oil pressure'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"39'	"Oil pressure'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"40'	"Oil temperature'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"41'	"Oil pressure regulation solenoid valve, activation time'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"42'	"Torque converter lock up solenoid valve, activation time'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"43'	"Gearbox input rpm, target value'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"44'	"Gearbox output rpm, target value'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"45'	"Date of last oil change'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Live Parameters'	"46'	"Service interval data - oil deterioration'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"1'	"Oil pressure regulation solenoid valve'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"2'	"Lock-up solenoid'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"3'	"Solenoid, shift lock'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"4'	"Solenoid valve 1'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"5'	"Solenoid valve 2'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"6'	"Solenoid valve 3'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"7'	"Solenoid valve 4'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"8'	"Solenoid valve 5'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"9'	"Solenoid valve 6'
"Citroën'	"Xsara Picasso'	"Gearbox / Automatic Transmission'	"AL4'	"	"Tests'	"10'	"Heat exchanger solenoid'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"1'	"Unit for odometer'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"2'	"Odometer runs out at 2000 km'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"3'	"Service indicator'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"4'	"Odometer setting at delivery'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"5'	"User programming of ABS lamp'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"6'	"Configuration of ABS lamp'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"7'	"Service interval with normal maintenance'

"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"8'	"Service interval with frequent maintenance'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"9'	"Max service interval with enhanced maintenance'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"10'	"Max service interval with enhanced maintenance'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"11'	"Oil pressure lamp'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"12'	"Setting, night panel'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"13'	"Parking brake lamp'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"14'	"Brightness, instrument panel'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"15'	"Min fuel level lamp'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"16'	"Fuel level'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"17'	"Gross fuel level'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"18'	"Check ABS-lamp'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"19'	"Brake pressure distribution lamp'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"20'	"Brake fluid level lamp'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"21'	"Main beam indicator lamp'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"22'	"Number of resets of service indicator'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"23'	"Button for night panel'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"24'	"Button for menu choice'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"25'	"Button for menu stepping'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"26'	"Odometer reset button'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"27'	"Oil pressure lamp'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"28'	"Setting, night panel'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"29'	"Parking brake lamp'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"30'	"Min fuel level lamp'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"31'	"Check ABS-lamp'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"32'	"Brake pressure distribution lamp'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"33'	"Brake fluid level lamp'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Live Parameters'	"34'	"Main beam indicator lamp'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Tests'	"1'	"Parameter status reset'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Tests'	"5'	"Summer'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument - VDO'	"	"Tests'	"6'	"Indicator lamps'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument VDO'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument VDO'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument VDO'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument VDO'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument VDO'	"	"ECU Information'	"5'	"Diagnostic version'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument VDO'	"	"Live Parameters'	"1'	"Service indicator'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument VDO'	"	"Live Parameters'	"2'	"Unit for odometer'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument VDO'	"	"Live Parameters'	"3'	"ABS'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument VDO'	"	"Live Parameters'	"4'	"Stability control system'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument VDO'	"	"Live Parameters'	"5'	"Automatic gearbox'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument VDO'	"	"Live Parameters'	"6'	"Switch, hazardwarning'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument VDO'	"	"Live Parameters'	"7'	"Rear demist switch'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument VDO'	"	"Live Parameters'	"8'	"AC button'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument VDO'	"	"Live Parameters'	"9'	"Switch, central locking'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument VDO'	"	"Live Parameters'	"10'	"Reset button, trip meter'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument VDO'	"	"Live Parameters'	"11'	"Button for menu stepping'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument VDO'	"	"Live Parameters'	"12'	"Button for night panel'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument VDO'	"	"Live Parameters'	"13'	"Instrument cluster status'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument VDO'	"	"Tests'	"1'	"Speed meter gauge 100 km/h'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument VDO'	"	"Tests'	"2'	"Fuel gauge, full tank'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument VDO'	"	"Tests'	"3'	"Coolant temperature, high'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument VDO'	"	"Tests'	"4'	"Brightness, instrument panel'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument VDO'	"	"Tests'	"5'	"Setting, night panel'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument VDO'	"	"Tests'	"6'	"Indicator lamps'
"Citroën'	"Xsara Picasso'	"Instrument / Dashboard'	"Instrument VDO'	"	"Tests'	"7'	"Kilometre counter'
"Citroën'	"Xsara Picasso'	"Other'	"Diesel additive - Magneti Marelli'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara Picasso'	"Other'	"Diesel additive - Magneti Marelli'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Xsara Picasso'	"Other'	"Diesel additive - Magneti Marelli'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"Xsara Picasso'	"Other'	"Diesel additive - Magneti Marelli'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"Xsara Picasso'	"Other'	"Diesel additive - Magneti Marelli'	"	"ECU Information'	"5'	"Diagnostic version'
"Citroën'	"Xsara Picasso'	"Other'	"Diesel additive - Magneti Marelli'	"	"Live Parameters'	"1'	"Tank level, additive'
"Citroën'	"Xsara Picasso'	"Other'	"Diesel additive - Magneti Marelli'	"	"Live Parameters'	"2'	"Fuel cap'
"Citroën'	"Xsara Picasso'	"Other'	"Diesel additive - Magneti Marelli'	"	"Live Parameters'	"3'	"Total quantity of diesel additive injected in particular emission filter (counter 1)'
"Citroën'	"Xsara Picasso'	"Other'	"Diesel additive - Magneti Marelli'	"	"Tests'	"1'	"Diesel additive pump'
"Citroën'	"Xsara Picasso'	"Other'	"Diesel additive - Magneti Marelli'	"	"Tests'	"2'	"Injection valve'
"Citroën'	"Xsara Picasso'	"Other'	"Diesel additive - Marwel'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara Picasso'	"Other'	"Diesel additive - Marwel'	"	"ECU Information'	"2'	"Software number'
"Citroën'	"Xsara Picasso'	"Other'	"Diesel additive - Marwel'	"	"ECU Information'	"3'	"Supplier'
"Citroën'	"Xsara Picasso'	"Other'	"Diesel additive - Marwel'	"	"ECU Information'	"4'	"Software version'
"Citroën'	"Xsara Picasso'	"Other'	"Diesel additive - Marwel'	"	"ECU Information'	"5'	"Diagnostic version'
"Citroën'	"Xsara Picasso'	"Other'	"Diesel additive - Marwel'	"	"Live Parameters'	"1'	"Tank level, additive'
"Citroën'	"Xsara Picasso'	"Other'	"Diesel additive - Marwel'	"	"Live Parameters'	"2'	"Fuel cap'
"Citroën'	"Xsara Picasso'	"Other'	"Diesel additive - Marwel'	"	"Live Parameters'	"3'	"Temperature after particular emission filter (if equipped)'
"Citroën'	"Xsara Picasso'	"Other'	"Diesel additive - Marwel'	"	"Live Parameters'	"4'	"Total quantity of diesel additive injected in particular emission filter (counter 1)'
"Citroën'	"Xsara Picasso'	"Other'	"Diesel additive - Marwel'	"	"Live Parameters'	"5'	"Total quantity of diesel additive injected from additive reservoir (counter 2)'
"Citroën'	"Xsara Picasso'	"Other'	"Diesel additive - Marwel'	"	"Tests'	"1'	"Diesel additive pump'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"1'	"Airbag locking'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Adaptations'	"2'	"Airbag unlocking'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"1'	"Reference PSA'

"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"2'	"Supplier'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"3'	"Version of program'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"4'	"Calibration number'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"5'	"Diagnostic version'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"6'	"Checking at after line production'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"7'	"Checking at factory'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"8'	"Checking at supplier'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"9'	"Checking of action in aftermarket'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"10'	"Airbag locking'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"11'	"Driver airbag'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"12'	"Passenger airbag'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"13'	"Switch to disable passenger airbag'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"14'	"Frontal side airbag'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"15'	"Side head airbags'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"16'	"Pretensioner'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Autoliv'	"	"Live Parameters'	"17'	"Satellite sensors'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Temic'	"	"Adaptations'	"1'	"Airbag locking'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Temic'	"	"Adaptations'	"2'	"Airbag unlocking'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"1'	"Reference PSA'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"2'	"Supplier'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"3'	"Version of program'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"4'	"Calibration number'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"5'	"Diagnostic version'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"6'	"Checking at after line production'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"7'	"Checking at factory'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"8'	"Checking at supplier'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Temic'	"	"ECU Information'	"9'	"Checking of action in aftermarket'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"1'	"Airbag locking'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"2'	"Driver airbag'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"3'	"Passenger airbag'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"4'	"Switch to disable passenger airbag'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"5'	"Frontal side airbag'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"6'	"Side head airbags'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"7'	"Pretensioner'
"Citroën'	"Xsara Picasso'	"Restraints'	"Airbag - Temic'	"	"Live Parameters'	"8'	"Satellite sensors'
"Citroën'	"ZX'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"ECU Information'	"1'	"ECU serial number'
"Citroën'	"ZX'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"ZX'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Live Parameters'	"2'	"Desired injection start'
"Citroën'	"ZX'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Live Parameters'	"3'	"Actual injection start'
"Citroën'	"ZX'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Live Parameters'	"4'	"Injection amount'
"Citroën'	"ZX'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Live Parameters'	"5'	"Throttle potentiometer'
"Citroën'	"ZX'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Live Parameters'	"6'	"Needle lift sensor'
"Citroën'	"ZX'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Live Parameters'	"7'	"Diagnostics indicator'
"Citroën'	"ZX'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Live Parameters'	"8'	"Idle valve'
"Citroën'	"ZX'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Live Parameters'	"9'	"AC shut off relay'
"Citroën'	"ZX'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Live Parameters'	"10'	"Glow pin relay coil'
"Citroën'	"ZX'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Live Parameters'	"11'	"Atmospheric pressure'
"Citroën'	"ZX'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Live Parameters'	"12'	"Battery voltage'
"Citroën'	"ZX'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Live Parameters'	"13'	"EGR valve'
"Citroën'	"ZX'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Tests'	"1'	"Injection valves'
"Citroën'	"ZX'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Tests'	"2'	"Idle speed regulator'
"Citroën'	"ZX'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Tests'	"3'	"Carbon filter solenoid valve'
"Citroën'	"ZX'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Tests'	"4'	"AC-relay'
"Citroën'	"ZX'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Tests'	"5'	"Fuel consumption'
"Citroën'	"ZX'	"Engine Diesel'	"DHY 1.9 Bosch VP20'	"	"Tests'	"6'	"RPM-gauge'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"3'	"Engine load'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"4'	"Injection time'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"5'	"Throttle potentiometer'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"6'	"Throttle opening'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"7'	"Inlet manifold pressure'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"8'	"Revolution signal'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"9'	"Battery voltage'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"10'	"Carbon filter solenoid valve'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"11'	"Coolant temperature'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"12'	"Inlet air temperature'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"13'	"Coolant temperature'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"14'	"Inlet air temperature'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"15'	"Revolution signal'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"16'	"Battery voltage'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"17'	"Engine load'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"18'	"Ignition timing'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"19'	"Ignition coil 1'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"20'	"Ignition coil 2'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"21'	"Ignition coil 3'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"22'	"Ignition coil 4'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"23'	"Revolution signal'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"24'	"Coolant temperature'

"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"25'	"Lambda sensor'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"26'	"Lambda sensor'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"27'	"Lambda regulation'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"28'	"Lambda sensor'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"29'	"Lambda sensor'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"30'	"Lambda regulation'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"31'	"Revolution signal'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"32'	"Battery voltage'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"33'	"Coolant temperature'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"34'	"Coolant temperature'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"35'	"Inlet manifold pressure'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"36'	"Code gearbox'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"37'	"AC approved'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"38'	"Engine load'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"39'	"Carbon filter solenoid valve'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Live Parameters'	"40'	"Road speed signal'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Tests'	"1'	"Idle step engine'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Tests'	"2'	"Fuel pump relay'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Tests'	"3'	"Injection valve 1'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Tests'	"4'	"Injection valve 2'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Tests'	"5'	"Injection valve 3'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Tests'	"6'	"Injection valve 4'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Tests'	"7'	"Secondary air pump relay'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Tests'	"8'	"AC shut off relay'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Tests'	"9'	"Carbon filter solenoid valve'
"Citroën'	"ZX'	"Engine Petrol'	"KFX 1,4 Motronic MP 7.3'	"	"Tests'	"10'	"RPM-gauge'
"Citroën'	"ZX'	"Engine Petrol'	"L6A 1.8 Motronic MP 5.1'	"	"ECU Information'	"1'	"ECU serial number'
"Citroën'	"ZX'	"Engine Petrol'	"L6A 1.8 Motronic MP 5.1'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"ZX'	"Engine Petrol'	"L6A 1.8 Motronic MP 5.1'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"ZX'	"Engine Petrol'	"L6A 1.8 Motronic MP 5.1'	"	"Live Parameters'	"3'	"Coolant temperature'
"Citroën'	"ZX'	"Engine Petrol'	"L6A 1.8 Motronic MP 5.1'	"	"Live Parameters'	"4'	"Inlet air temperature'
"Citroën'	"ZX'	"Engine Petrol'	"L6A 1.8 Motronic MP 5.1'	"	"Live Parameters'	"5'	"Injection time'
"Citroën'	"ZX'	"Engine Petrol'	"L6A 1.8 Motronic MP 5.1'	"	"Live Parameters'	"6'	"Lambda sensor'
"Citroën'	"ZX'	"Engine Petrol'	"L6A 1.8 Motronic MP 5.1'	"	"Live Parameters'	"7'	"Inlet manifold pressure'
"Citroën'	"ZX'	"Engine Petrol'	"L6A 1.8 Motronic MP 5.1'	"	"Live Parameters'	"8'	"Throttle potentiometer'
"Citroën'	"ZX'	"Engine Petrol'	"L6A 1.8 Motronic MP 5.1'	"	"Live Parameters'	"9'	"Camshaft position sensor'
"Citroën'	"ZX'	"Engine Petrol'	"L6A 1.8 Motronic MP 5.1'	"	"Live Parameters'	"10'	"Ignition timing'
"Citroën'	"ZX'	"Engine Petrol'	"L6A 1.8 Motronic MP 5.1'	"	"Live Parameters'	"11'	"Idle valve'
"Citroën'	"ZX'	"Engine Petrol'	"L6A 1.8 Motronic MP 5.1'	"	"Live Parameters'	"12'	"Carbon filter solenoid valve'
"Citroën'	"ZX'	"Engine Petrol'	"L6A 1.8 Motronic MP 5.1'	"	"Tests'	"1'	"Injection valves'
"Citroën'	"ZX'	"Engine Petrol'	"L6A 1.8 Motronic MP 5.1'	"	"Tests'	"2'	"Carbon filter solenoid valve'
"Citroën'	"ZX'	"Engine Petrol'	"L6A 1.8 Motronic MP 5.1'	"	"Tests'	"3'	"Idle valve'
"Citroën'	"ZX'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"ZX'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"2'	"Engine load'
"Citroën'	"ZX'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"3'	"Inlet manifold pressure'
"Citroën'	"ZX'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"4'	"Atmospheric pressure'
"Citroën'	"ZX'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"5'	"Battery voltage'
"Citroën'	"ZX'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"6'	"Lambda sensor'
"Citroën'	"ZX'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"7'	"Throttle opening'
"Citroën'	"ZX'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"8'	"Road speed signal'
"Citroën'	"ZX'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"9'	"Injection time'
"Citroën'	"ZX'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"10'	"Ignition timing'
"Citroën'	"ZX'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"11'	"Ignition coil 1&4, short circuit'
"Citroën'	"ZX'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"12'	"Ignition coil 2&3, short circuit'
"Citroën'	"ZX'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"13'	"Stepper motor'
"Citroën'	"ZX'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"14'	"Power relay'
"Citroën'	"ZX'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"15'	"Power relay'
"Citroën'	"ZX'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"16'	"AC approved'
"Citroën'	"ZX'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"17'	"Control unit power supply'
"Citroën'	"ZX'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Live Parameters'	"18'	"Check engine lamp'
"Citroën'	"ZX'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Tests'	"1'	"Injection valve cylinder 1 and 4'
"Citroën'	"ZX'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Tests'	"2'	"Injection valve cylinder 2 and 3'
"Citroën'	"ZX'	"Engine Petrol'	"LFY 1.8 Sagem SL 96'	"	"Tests'	"3'	"Carbon filter solenoid valve'
"Citroën'	"ZX'	"Engine Petrol'	"LFZ 1.8 Motronic MP 5.1'	"	"ECU Information'	"1'	"ECU serial number'
"Citroën'	"ZX'	"Engine Petrol'	"LFZ 1.8 Motronic MP 5.1'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"ZX'	"Engine Petrol'	"LFZ 1.8 Motronic MP 5.1'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"ZX'	"Engine Petrol'	"LFZ 1.8 Motronic MP 5.1'	"	"Live Parameters'	"3'	"Coolant temperature'
"Citroën'	"ZX'	"Engine Petrol'	"LFZ 1.8 Motronic MP 5.1'	"	"Live Parameters'	"4'	"Inlet air temperature'
"Citroën'	"ZX'	"Engine Petrol'	"LFZ 1.8 Motronic MP 5.1'	"	"Live Parameters'	"5'	"Injection time'
"Citroën'	"ZX'	"Engine Petrol'	"LFZ 1.8 Motronic MP 5.1'	"	"Live Parameters'	"6'	"Lambda sensor'
"Citroën'	"ZX'	"Engine Petrol'	"LFZ 1.8 Motronic MP 5.1'	"	"Live Parameters'	"7'	"Inlet manifold pressure'
"Citroën'	"ZX'	"Engine Petrol'	"LFZ 1.8 Motronic MP 5.1'	"	"Live Parameters'	"8'	"Throttle potentiometer'
"Citroën'	"ZX'	"Engine Petrol'	"LFZ 1.8 Motronic MP 5.1'	"	"Live Parameters'	"9'	"Camshaft position sensor'
"Citroën'	"ZX'	"Engine Petrol'	"LFZ 1.8 Motronic MP 5.1'	"	"Live Parameters'	"10'	"Ignition timing'
"Citroën'	"ZX'	"Engine Petrol'	"LFZ 1.8 Motronic MP 5.1'	"	"Live Parameters'	"11'	"Idle valve'
"Citroën'	"ZX'	"Engine Petrol'	"LFZ 1.8 Motronic MP 5.1'	"	"Live Parameters'	"12'	"Carbon filter solenoid valve'
"Citroën'	"ZX'	"Engine Petrol'	"LFZ 1.8 Motronic MP 5.1'	"	"Tests'	"1'	"Injection valves'
"Citroën'	"ZX'	"Engine Petrol'	"LFZ 1.8 Motronic MP 5.1'	"	"Tests'	"2'	"Carbon filter solenoid valve'
"Citroën'	"ZX'	"Engine Petrol'	"LFZ 1.8 Motronic MP 5.1'	"	"Tests'	"3'	"Idle valve'

"Citroën'	"ZX'	"Engine Petrol'	"NFZ 1.6 Motronic MP 5.2'	"	"ECU Information'	"1'	"ECU serial number'
"Citroën'	"ZX'	"Engine Petrol'	"NFZ 1.6 Motronic MP 5.2'	"	"Live Parameters'	"1'	"Battery voltage'
"Citroën'	"ZX'	"Engine Petrol'	"NFZ 1.6 Motronic MP 5.2'	"	"Live Parameters'	"2'	"Revolution signal'
"Citroën'	"ZX'	"Engine Petrol'	"NFZ 1.6 Motronic MP 5.2'	"	"Live Parameters'	"3'	"Coolant temperature'
"Citroën'	"ZX'	"Engine Petrol'	"NFZ 1.6 Motronic MP 5.2'	"	"Live Parameters'	"4'	"Inlet air temperature'
"Citroën'	"ZX'	"Engine Petrol'	"NFZ 1.6 Motronic MP 5.2'	"	"Live Parameters'	"5'	"Injection time'
"Citroën'	"ZX'	"Engine Petrol'	"NFZ 1.6 Motronic MP 5.2'	"	"Live Parameters'	"6'	"Ignition timing'
"Citroën'	"ZX'	"Engine Petrol'	"NFZ 1.6 Motronic MP 5.2'	"	"Live Parameters'	"7'	"Inlet manifold pressure'
"Citroën'	"ZX'	"Engine Petrol'	"NFZ 1.6 Motronic MP 5.2'	"	"Live Parameters'	"8'	"Lambda sensor'
"Citroën'	"ZX'	"Engine Petrol'	"NFZ 1.6 Motronic MP 5.2'	"	"Tests'	"1'	"Injection valves'
"Citroën'	"ZX'	"Engine Petrol'	"NFZ 1.6 Motronic MP 5.2'	"	"Tests'	"2'	"Idle speed regulator'
"Citroën'	"ZX'	"Engine Petrol'	"NFZ 1.6 Motronic MP 5.2'	"	"Tests'	"3'	"Carbon filter solenoid valve'
"Citroën'	"ZX'	"Engine Petrol'	"NFZ 1.6 Motronic MP 5.2'	"	"Tests'	"4'	"AC-relay'
"Citroën'	"ZX'	"Engine Petrol'	"NFZ 1.6 Motronic MP 5.2'	"	"Tests'	"5'	"Fuel consumption'
"Citroën'	"ZX'	"Engine Petrol'	"NFZ 1.6 Motronic MP 5.2'	"	"Tests'	"6'	"RPM-gauge'
"Citroën'	"ZX'	"Engine Petrol'	"RFS 2.0 MM 1AP'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"ZX'	"Engine Petrol'	"RFS 2.0 MM 1AP'	"	"Live Parameters'	"2'	"Battery voltage'
"Citroën'	"ZX'	"Engine Petrol'	"RFS 2.0 MM 1AP'	"	"Live Parameters'	"3'	"Inlet manifold pressure'
"Citroën'	"ZX'	"Engine Petrol'	"RFS 2.0 MM 1AP'	"	"Live Parameters'	"4'	"Road speed signal'
"Citroën'	"ZX'	"Engine Petrol'	"RFS 2.0 MM 1AP'	"	"Tests'	"1'	"Injection valve cylinder 1 and 4'
"Citroën'	"ZX'	"Engine Petrol'	"RFS 2.0 MM 1AP'	"	"Tests'	"2'	"Injection valve cylinder 2 and 3'
"Citroën'	"ZX'	"Engine Petrol'	"RFS 2.0 MM 1AP'	"	"Tests'	"3'	"Fuel pump'
"Citroën'	"ZX'	"Engine Petrol'	"RFS 2.0 MM 1AP'	"	"Tests'	"4'	"Idle step engine'
"Citroën'	"ZX'	"Engine Petrol'	"RFS 2.0 MM 1AP'	"	"Tests'	"5'	"Carbon filter solenoid valve'
"Citroën'	"ZX'	"Engine Petrol'	"RFS 2.0 MM 1AP'	"	"Tests'	"6'	"RPM-gauge'
"Citroën'	"ZX'	"Engine Petrol'	"RFY 2.0 Motronic 3.2'	"	"ECU Information'	"1'	"ECU serial number'
"Citroën'	"ZX'	"Engine Petrol'	"RFY 2.0 Motronic 3.2'	"	"Live Parameters'	"1'	"Revolution signal'
"Citroën'	"ZX'	"Engine Petrol'	"RFY 2.0 Motronic 3.2'	"	"Live Parameters'	"2'	"Coolant temperature'
"Citroën'	"ZX'	"Engine Petrol'	"RFY 2.0 Motronic 3.2'	"	"Live Parameters'	"3'	"Inlet air temperature'
"Citroën'	"ZX'	"Engine Petrol'	"RFY 2.0 Motronic 3.2'	"	"Live Parameters'	"4'	"Injection time'
"Citroën'	"ZX'	"Engine Petrol'	"RFY 2.0 Motronic 3.2'	"	"Live Parameters'	"5'	"Lambda sensor'
"Citroën'	"ZX'	"Engine Petrol'	"RFY 2.0 Motronic 3.2'	"	"Live Parameters'	"6'	"Inlet manifold pressure'
"Citroën'	"ZX'	"Engine Petrol'	"RFY 2.0 Motronic 3.2'	"	"Live Parameters'	"7'	"Throttle potentiometer'
"Citroën'	"ZX'	"Engine Petrol'	"RFY 2.0 Motronic 3.2'	"	"Live Parameters'	"8'	"Camshaft position sensor'
"Citroën'	"ZX'	"Engine Petrol'	"RFY 2.0 Motronic 3.2'	"	"Live Parameters'	"9'	"Ignition timing'
"Citroën'	"ZX'	"Engine Petrol'	"RFY 2.0 Motronic 3.2'	"	"Live Parameters'	"10'	"Idle valve'
"Citroën'	"ZX'	"Engine Petrol'	"RFY 2.0 Motronic 3.2'	"	"Live Parameters'	"11'	"Carbon filter solenoid valve'
"Citroën'	"ZX'	"Engine Petrol'	"RFY 2.0 Motronic 3.2'	"	"Live Parameters'	"12'	"Road speed signal'